


Microxpress[®]



PRICE LIST

EIGHTEENTH EDITION

(2024-2025)



Colorcult®

Blood Culture System



Colorcult® Scan



- Compact System
- Barcoded Scanning Input
- Built In Touch Screen
- Cost Effective
- Decreases False Negative Cases
- Time of Detection is Faster Than Conventional Blood Culture Bottles

Salient Features

A Stalwart in microbial growth detection technology

Highly Enriched Broth Medium

Supports the growth of fastidious and non-fastidious microorganisms

Sodium Polyanethol Sulfonate (SPS)

Inhibits complements, phagocytosis and inactivates many antibiotics

Resins / Adsorbent Polymeric Beads

Resin mix neutralize various groups of antibiotics along with beta-Lactam group. Enhance the speed of bacterial growth

CO₂ Sensor

Installed at bottom of the vials which changes color from purple to yellow on detection of microbial growth.



Making Technology Accessible !

QUALITY POLICY

The Quality Policy of Tulip Group of Companies:

- To develop, manufacture and market state of the art, high quality, user friendly products.
- To design and manufacture products in such a way that when used under the conditions and for the purpose intended, they will not compromise, directly or indirectly, conditions and safety of the products, safety or health of the users or where applicable, other persons, or safety of the property.
- To meet customer requirements and achieve customer satisfaction.
- To meet regulatory requirements.
- To be market leader and trend setter in diagnostic and laboratory testing.

Objectives:

- By periodically assessing customer and regulatory requirements and up grading products, processes and services.
- By adopting solutions for design and construction of device conforming to safety principles taking into account the generally acknowledged state of art.
- By emphasis on Research an Development of innovative and new products.
- By implementing Good Manufacturing Practices.
- By adopting and implementing Quality Management System adhering to international standards.
- By employing the best available personnel and training them to update the skill and knowledge.

OUR CERTIFICATION



CERTIFICATE

This is to certify that the Quality management system for medical devices of company

Microexpress – A Division of Tulip Diagnostics (P) Ltd.
 Corporate Office: Gitanjali, Tulip Block, Dr. Antonio Do Rego Bagh,
 Alto Santacruz, Bambolim Complex P. O., Goa – 403 202, India

Workplaces covered by the certified scope - see Annexure 1

has been found in compliance with requirements of the standard

ISO 13485: 2016

for the following scope:

Design, Manufacture, Formulation, Marketing and Sales of Dehydrated Culture Media,
 Culture Media Bases, Antimicrobial Susceptibility Discs, Ready to Use Media and Laboratory
 Reagents used for In Vitro Diagnostic Medical Devices.

Certificate no.: QMS-13-015-2022

Date of issue: 31/01/2022
 Initial certificate issue: 15/06/2015

On condition that organisation will maintain an effective quality management system for medical devices, this certificate remains valid to 14/06/2024.



Ing. Ľubica Škrovanová
 Head of Certification body

Procedo International Certification s.r.o., ul.Svomosti 42, 821 06 Bratislava, Slovakia, www.procedo.sk, Tel. :+421 907734958,
 ICO: 52327230

CE13 MS v05 102021

Certificate Of Compliance



Annexure 1 to the CERTIFICATE no. QMS-13-015-2022

Microexpress – A Division of Tulip Diagnostics (P) Ltd.
 Corporate Office : Gitanjali, Tulip Block, Dr. Antonio Do Rego Bagh,
 Alto Santacruz, Bambolim Complex P. O., Goa – 403 202, India

Workplaces covered by the certified scope.

Workplaces address	Activity at Site
1. Corporate Office: Gitanjali, Tulip Block, Dr. Antonio Do Rego Bagh, Alto Santacruz, Bambolim Complex P. O., Goa – 403 202, India	Management, Human Resource, Marketing and Sales
2. Site 1: Plot Nos. S-124, S-125, S-126 & Utility Plot No. VIII, Phase III-B, Verna Industrial Estate, Verna, Goa - 403 722, India	Human Resource, Marketing and Sales, Design and Development, Purchase, Production, Quality Control, Quality Assurance, Stores and Dispatch

Certificate no.: QMS-13-015-2022

Date of issue: 31/01/2022
 Initial certificate issue: 15/06/2015

On condition that organisation will maintain an effective quality management system for medical devices, this certificate remains valid to 14/06/2024.



Ing. Ľubica Škrovanová
 Head of Certification body

Procedo International Certification s.r.o., ul.Svomosti 42, 821 06 Bratislava, Slovakia, www.procedo.sk, Tel. :+421 907734958,
 ICO: 52327230

CE13 MS v05 102021

Certificate Of Compliance



SAFETY CHECK LIST

Handling and Use

1. Open container carefully in well ventilated area.
2. Take care while handling containers with hazardous ingredients.
3. Consider the hazards including violent reactions between chemicals and use appropriate protective clothing and equipment.
4. Extract and use chemicals carefully to reduce the risk of inhalation, ingestion and contact with skin, eyes and clothing.
5. Avoid using contaminated apparatus and instruments.
6. Seal container tightly after use.
7. Do not smoke, eat or drink while handling chemicals.
8. Wash hands and other exposed areas thoroughly with water and change clothing if contaminated.
9. Deal with spillages and other emergencies using precautions and methods appropriate to the hazards.
10. Seek medical attention immediately if affected by chemicals and use appropriate first aid until medical attention is available.

Storage

1. Store products at the temperature mentioned on individual product labels. It may be further consulted in the package inserts or the manual for details.
2. Store containers in dry well ventilated area protected from extremes of temperature and sources of ignition.
3. On opening, the product should be properly stored after tightly capping the bottle in order to prevent lump formation due to its hygroscopic nature. No liability will be accepted by the Company for improper storage of the product.
4. Segregate stocks to reduce hazards.
5. Inspect stocks from time to time and dispose off deteriorated materials.
6. Do not smoke where flammable chemicals are stored.

DIRECTIONS FOR DOWNLOADING COA

Step 1:

1.1 : Open any browser and enter the address coa.micropress.in.

Step 2:

2.1 : Enter the Lot Number or Batch Number in the specified block.

2.2 : Click on search as shown in Image A.




Image A

Step 3:

3.1 : Separate page will open in pdf format with requested Certificate of Analysis in same browser as shown in image B.




Image B

CONTENTS

• Colorcult® Blood Culture System	Inside Front Cover
• Quality Policy	1
• Our Certification	2
• Safety Check List	3
• Directions for Downloading Certificate of Analysis (COA)	4
• Identification of Microxpress® (Accumix®) Labels	6
• Terms & Conditions	Inside Back Cover

7-40

ACCUMIX®

Dehydrated Culture Media	7-35
Media Selective Supplements, Agents and Enrichments	36-38
Media Bases	39-40

41-53

READY TO USE

Water Quality Testing Kits	41
Presumptive Identification Tests	41-42
Ready Prepared Media	42-46
EMswab™ (Environmental Monitoring Swab)	46-47
Ready Prepared Slant	47-48
Sterility Test Media	48-49
Wash Solutions	49
Microbial Limit Test	49-50
Viral Transport Media	50
Blood Culturing System	50
Instaprep® Range	51
Urine Culture	51
Mycobacteriology	51-52
Biochemical Identification Kits	52-53
Analytical Reagents and Indicators	53

54-58

STERIPLATE™

Sterile Ready Prepared Plates (90 mm)	54-56
Sterile Ready Prepared Plates (55 mm)	57-58

59-64

MICROKROM®

Staining Solutions for Microbiology	59-60
Stains for Haematology	60
Stains for Cytology and Histology	60-61
Stain Available in Ready to Use Kits for AutoKrom™	61-62
Other Analytical Reagents	62
AutoKrom™	62-63

BIOGRAM®

65-78

Antimicrobial Susceptibility Discs as per CLSI	65-69
Antifungal Discs as per CLSI	69-70
Antimicrobial Susceptibility Discs Customized Concentrations	70-75
Antifungal Discs Customized Concentrations	76
Differential Discs	77
Carbohydrate Fermentation Discs	77
Amino Acid Discs	77

MICROPRO® SYSTEM

79-84

Micropro® - ValiD	79
Micropro® - Broth Culture System	80
Micropro® - AST	81
Micropro® - MIC	82
Micropro® - BMD	83

ACCESSORIES & MACHINES

85-86

Accessories	85
Anaerobic Culture System	86
Machines	86

IDENTIFICATION OF MICROXPRESS® LABEL [Dehydrated Culture Media]

7 CE An ISO 13485 Certified Company **6**

3 Accumix® **2** 500 g **1** Microexpress®

8 **Formula***
Ingredients g/Liter
Tryptone 15.0
Dextrose Anhydrous 5.5
Yeast Extract 5.0
Sodium Chloride 2.5
Sodium Thioglycollate 0.5
L-cystine 0.5
Resazurin 0.001
Agar 0.75
Final pH (at 25°C) 7.1 ± 0.12
*Adjusted to suit performance parameters

5 **Directions**
1. Suspend 29.75 g of the powder in 1000 mL distilled water.
2. Mix thoroughly.
3. Boil with frequent agitation to dissolve the powder completely.
4. Dispense as desired into containers.
5. Sterilize by autoclaving at 121°C (15 psi) for 15 minutes as per validated cycle.
6. Tighten the lids of the container immediately (while still warm) to reduce oxidation.
7. Cool to 25°C and store in cool dark place preferably below 25°C.

9 **Prepared Appearance:**
Light straw coloured, clear to very slightly opalescent solution with upper 10% or less medium turning pink on standing.

Note: If more than the upper one third of the medium is pink prior to use, reheat once (100°C) in a water bath to drive off absorbed oxygen (till pink colour disappears).

4 **Fluid Thioglycollate Medium**
A medium for sterility testing of biologicals and cultivation of aerobes, anaerobes and microaerophiles.

23 REF : 201060080500
22 LOT :
21 :
20 :
19 M.R.P. (₹) :
(Inclusive of all taxes)
RO **18**
OO **17**
16 **Microexpress®**
A Division of Tulp Diagnostics (P) Ltd.
Plot No. S-124, S-125, S-126, Utility Plot No. VIII, Phase III-B
Verna Industrial Estate, Verna, Goa - 403 722, INDIA.
Regd. Office : Gilanjali, Tulp Block, Dr. Antonio do Rego Bagh
Alto Santicruz, Bambolim Complex P.O., Goa - 403 202, INDIA.
[CE] [REF] CMC Medical Devices & Drugs S.L.
C/Horacio Lengua No. 18, CP 28006, Malaga, Spain.
Email: mex.queries@tulpgroup.com. Website: www.microexpress.in

15

14 8 906010 933234

10 Hygroscopic : Keep container tightly closed. No liability accepted for accidents arising in handling or use.
11 **12** **13** **Disposal:** Ensure decontamination of the prepared material and contaminated containers by autoclaving and / or incineration before discarding.

- | | |
|---------------------------------------|---|
| 1: Company Logo | 13: Instructions for Disposal |
| 2: Pack Size | 14: Barcode |
| 3: Brand Name | 15: QR code |
| 4: Product Name and Description | 16: Company Name and Address |
| 5: Directions for Product Preparation | 17: Opened On Symbol |
| 6: Certification of the Company | 18: Received On Symbol |
| 7: CE Symbol | 19: Maximum Retail Price of the Product |
| 8: Composition of Product | 20: Expiry Date |
| 9: Prepared Appearance of Product | 21: Manufacturing Date |
| 10: Storage Temperature Indication | 22: Lot / Batch Number |
| 11: Caution Symbol | 23: Product Code / Catalogue Number |
| 12: In Vitro Diagnostics Symbol | |



ACCUMIX®

CAT. NO.	DEHYDRATED CULTURE MEDIA	QTY. IN GRAMS PER LITRE	PACK SIZE	LIST PRICE (₹)
201010010500	Acetobacter Broth (Mannitol) A medium recommended as a cultivation media for mannitol positive <i>Acetobacter</i> species.	33.00	500 g	5225.00
201010020100	Actinomycetes Isolation Agar	21.70	100 g	1210.00
201010020500	A medium used for isolation and propagation of <i>Actinomycetes</i> from soil and water.		500 g	5280.00
201010960500	Aleksandrow Agar A medium used for isolation and detection of potassium solubilizing bacteria from soil samples.	29.60	500 g	5170.00
201010870500	Aleksandrow Broth A medium used for isolation and detection of potassium solubilizing bacteria from soil samples.	9.60	500 g	4730.00
201010050500	Algae Culture Agar A medium used for isolation and cultivation of algae from soil, water and sewage.	16.87	500 g	5335.00
201010060100	Alkaline Peptone Water	20.00	100 g	945.00
201010060500	A medium used for enrichment of <i>Vibrio</i> species.		500 g	4265.00
201011050100	Alkaline Peptone Water BIS A medium used for enrichment of <i>Vibrio</i> species in compliance with BIS specification IS:5887 (Part-V) 1976, reaffirmed 1986.	20.00	100 g	1040.00

Store at 10-30°C, * Store at 2-8°C, Bulk packs are available On request.

CAT. NO.	PRODUCT	QTY. IN GRAMS PER LITRE	PACK SIZE	LIST PRICE (₹)
201010070500	Alicyclobacillus Agar A medium used for isolation and cultivation of <i>Alicyclobacillus</i> species in fruit juices.	28.95	500 g	6325.000
201010080100 201010080500	Alternative Thioglycollate Medium A medium recommended for sterility testing of certain biological products, which may be turbid or viscous.	29.00	100 g 500 g	690.00 2440.00
201011070100	Amies Transport Medium without Charcoal A medium used for transportation and preservation of microbiological specimens.	9.75	100 g	1100.00
201010100100 201010100500	Anaerobic Agar A medium recommended for cultivation of anaerobic microorganisms.	58.00	100 g 500 g	1285.00 5185.00
201010110100 201010110500	Andrade Peptone Water A basal medium used to which various carbohydrates may be added to study fermentation reactions, particularly members of the <i>Enterobacteriaceae</i> .	15.10	100 g 500 g	935.00 3960.00
201010970500	Andrade Peptone Water BIS A basal medium used to study the fermentation reactions by adding various carbohydrates. It is recommended by BIS committee under the specifications IS:5887(Part VII)-1999.	15.10	500 g	3960.00
201010120500	Antibiotic Assay Agar D A medium used for microbiological assay of antibiotics in accordance with Indian Pharmacopoeia.	30.50	500 g	5075.00
201010130100 201010130500	Antibiotic Assay Medium A (No. 1) (Seed Agar) A medium used for determining antibiotic potency by microbiological assay techniques as per USP/IP.	30.50	100 g 500 g	1240.00 4915.00
201010910500	Antibiotic Assay Medium B BP A medium used for the microbiological assay of Colistimethate sodium sulphate using <i>Bordetella bronchiseptica</i> and <i>Escherichia coli</i> in accordance with BP.	44.77	500 g	5560.00
201010140100 201010140500	Antibiotic Assay Medium No. 3 (Assay Broth) A medium used for determining antibiotic potency by microbiological assay techniques.	17.50	100 g 500 g	1025.00 4510.00
201010150500	Antibiotic Assay Medium D A medium used for the microbiological assay of Erythromycin estolate using <i>Klebsiella pneumoniae</i> .	19.40	500 g	5075.00
201010160500	Antibiotic Assay Medium No. 4 (Yeast Beef Agar) A medium used for detection of Penicillin-G in milk sample using <i>Bacillus stearothermophilus</i> .	26.50	500 g	5510.00
201010170100 201010170500	Antibiotic Assay Medium E (No. 5) A medium used for determining antibiotic potency by microbiological assay techniques as per USP/IP.	25.50	100 g 500 g	1190.00 5510.00
201010180500	Antibiotic Assay Medium No. 8 A medium used for determining antibiotic potency by microbiological assay techniques as per USP.	25.50	500 g	5290.00
201010190500	Antibiotic Assay Medium H A medium used for the microbiological turbidimetric assay of Apramycin using <i>Salmonella choleraesuis</i> as a test organism.	18.00	500 g	5560.00
201010200500	Antibiotic Assay Medium F A medium used for determining antibiotic potency by microbiological assay techniques as per IP.	25.50	500 g	5345.00
201010210500	Antibiotic Assay Medium No. 9 A medium used as base layer medium for assaying products containing Polymyxin B.	50.00	500 g	5400.00
201010220500	Arginine - Glucose Yeast Extract Agar A medium used for the screening and confirmation of <i>Vibrio</i> species in accordance with FDA BAM.	58.32	500 g	20040.00

Store at 10-30°C, * Store at 2-8°C, Bulk packs are available On request.

CAT. NO.	PRODUCT	QTY. IN GRAMS PER LITRE	PACK SIZE	LIST PRICE (₹)
201010900500	Artificial Sea Water A medium used for cultivation of marine organisms.	31.73	500 g	3905.00
201010230100 201010230500	Antibiotic Assay Medium No. 10 (Polymyxin Seed Agar) A medium used for determining antibiotic potency by microbiological assay techniques as per USP.	42.00	100 g 500 g	1295.00 5560.00
204160700500	Polysorbate 80*	10 mL / 1000 mL	500 mL	4480.00
201010240100 201010240500	Antibiotic Assay Medium No. 11 (Neomycin, Erythromycin Assay Agar) A medium used for determining antibiotic potency by microbiological assay techniques as per USP.	30.50	100 g 500 g	1025.00 5325.00
201010250100 201010250500	Antibiotic Assay Medium No. 19 A medium used for determining antibiotic potency by microbiological assay techniques as per USP.	60.00	100 g 500 g	1190.00 5240.00
201010260500	Antibiotic Assay Medium No. 32 A medium used for preparing inoculum of <i>Bacillus subtilis</i> for assaying Dihydrostreptomycin and Vancomycin as per USP.	30.80	500 g	5240.00
201010270500	Antibiotic Assay Medium No. 35 A medium used for microbiological assay of Bleomycin using <i>Mycobacterium smegmatis</i> .	40.00	500 g	5125.00
201010280100 201010280500	Antifungal Assay Agar A medium recommended for assaying the antifungal activity.	75.76	100 g 500 g	1190.00 5130.00
201010290100 201010290500	Antimycotic Sensitivity Test Agar A medium used for testing antimycotic sensitivity by diffusion method using antimycotic sensitivity discs.	85.00	100 g 500 g	1620.00 5670.00
201010300100 201010300500	Ashby's Mannitol Agar A medium used for cultivation of <i>Azotobacter</i> species by using mannitol as carbon source.	40.70	100 g 500 g	1650.00 5500.00
201010310100 201010310500	Ashby's Mannitol Broth A medium used for isolation of <i>Azotobacter</i> species from soil.	25.70	100 g 500 g	1430.00 5335.00
201010320100 201010320500	Asparagine Proline Broth A medium used for cultivation of <i>Pseudomonas aeruginosa</i> by membrane filtration technique.	14.50	100 g 500 g	1815.00 6600.00
201010330500	Aspergillus Differentiation Medium Base A medium used for detection of aflatoxin producing <i>Aspergillus</i> species from food samples.	22.75 g / 500 mL	500 g	5885.00
204031030005	Chloramphenicol Selective Supplement*	1 Vial / 500 mL	5 Vials	1435.00
201010340500	Azide Dextrose Broth A medium used for detection and enumeration of Streptococci in water, sewage, food and other materials suspected of sewage contamination.	34.70	500 g	4840.00
201010350100 201010350500	Azotobacter Agar (Mannitol) A medium recommended for isolation, cultivation and identification of mannitol positive <i>Azotobacter</i> species from soil.	41.40	100 g 500 g	1650.00 5280.00
201010360100 201010360500	Azotobacter Broth (Mannitol) A medium recommended for isolation, cultivation and identification of mannitol positive <i>Azotobacter</i> species from soil.	26.40	100 g 500 g	1430.00 5170.00
201010370500	Azotobacter Broth (Dextrose) A medium recommended for isolation, cultivation and identification of dextrose positive <i>Azotobacter</i> species from soil.	16.40	500 g	5170.00
201010890100 201010890500	A-1 Broth Recommended for detecting faecal coliforms in water samples, wastewater, seawater and food by MPN Method.	31.50	100 g 500 g	1890.00 8690.00

Store at 10-30°C,

* Store at 2-8°C,

Bulk packs are available On request.

CAT. NO.	PRODUCT	QTY. IN GRAMS PER LITRE	PACK SIZE	LIST PRICE (₹)
201020010100	B12 Assay Agar (using E. coli Mutant Culture)* A medium recommended for microbiological assay of vitamin B12 by the cup plate or disc plate method.	51.50	100 g	5290.00
201020020100	B12 Assay Medium (Lactobacillus leichmannii Culture)* A medium used for determining vitamin B12 concentration by the microbiological assay technique.	85.00	100 g	3890.00
201020030100	B12 Maintenance Medium (for E. coli Mutant)* A medium used for the propagation, cultivation and maintenance of <i>E. coli</i> mutant 113-3D, ATCC 11105, which is the test organism in vitamin B12 assay.	37.85	100 g	2485.00
201020040100	Bacillus Cereus Agar Base	40.97 g / 950 mL	100 g	1155.00
201020040500	A selective medium used for the isolation and enumeration of <i>Bacillus cereus</i> from food samples.		500 g	5205.00
201020042500			2.5 k	On request
204050370100	Egg Yolk Emulsion*	50 mL / 950 mL	5 x 100 mL	2785.00
204160710005	Polymyxin B Selective Supplement*	1 Vial / 475 mL	5 Vials	1540.00
201020050100	Baird Parker Agar Base	63.00 g / 950 mL	100 g	1090.00
201020050500	A medium, with added supplements, used for selective isolation and enumeration of coagulase positive Staphylococci from clinical and non-clinical specimens.		500 g	4925.00
204020670005	B P Sulpha Supplement*	1 Vial / 1000 mL	5 Vials	1390.00
204050370100	Egg Yolk Emulsion*	50 mL / 950 mL	5 x 100 mL	2785.00
204050380100	Egg Yolk Tellurite Emulsion*	50 mL / 950 mL	5 x 100 mL	2785.00
204160720001	Potassium Tellurite 3.5%*	3 mL / 950 mL	5 x 1 mL	970.00
201020060100	Baird Parker Agar Medium USP	63.00 g / 950 mL	100 g	1295.00
201020060500	A medium, with added supplements, used for selective isolation and enumeration of coagulase positive Staphylococci from clinical and non-clinical specimens in compliance with USP.		500 g	5290.00
204050370100	Egg Yolk Emulsion*	50 mL / 950 mL	5 x 100 mL	2785.00
204050380100	Egg Yolk Tellurite Emulsion*	50 mL / 950 mL	5 x 100 mL	2785.00
204160720001	Potassium Tellurite 3.5%*	3 mL / 950 mL	5 x 1 mL	970.00
201020070100	Baird Parker Agar Base (Agar Medium O) EP	63.00 g / 950 mL	100 g	1350.00
201020070500	A medium with added supplements, used for selective isolation and enumeration of coagulase positive Staphylococci from clinical and non-clinical specimens in compliance with EP.		500 g	5510.00
204050370100	Egg Yolk Emulsion*	50 mL / 950 mL	5 x 100 mL	2785.00
204050380100	Egg Yolk Tellurite Emulsion*	50 mL / 950 mL	5 x 100 mL	2785.00
204160720001	Potassium Tellurite 3.5%*	3 mL / 950 mL	5 x 1 mL	970.00
201020080100	Baird Parker Agar Base (Agar Medium O) BP	63.00 g / 950 mL	100 g	1350.00
201020080500	A medium, with added supplements, used for selective isolation and enumeration of coagulase positive Staphylococci from clinical and non-clinical specimens in compliance with BP.		500 g	5510.00
204050370100	Egg Yolk Emulsion*	50 mL / 950 mL	5 x 100 mL	2785.00
204050380100	Egg Yolk Tellurite Emulsion*	50 mL / 950 mL	5 x 100 mL	2785.00
204160720001	Potassium Tellurite 3.5%*	3 mL / 950 mL	5 x 1 mL	970.00
201020090100	Baird Parker Agar Base BIS	65.00 g / 950 mL	100 g	1320.00
201020090500	A medium, with added supplements, used for selective isolation and enumeration of coagulase positive Staphylococci from food and other materials in compliance with BIS specification IS:5887 (Part 8/Sec I):2002.		500 g	5500.00
204050370100	Egg Yolk Emulsion*	50 mL / 950 mL	5 x 100 mL	2785.00
204050380100	Egg Yolk Tellurite Emulsion*	50 mL / 950 mL	5 x 100 mL	2785.00
204160720001	Potassium Tellurite 3.5%*	3 mL / 950 mL	5 x 1 mL	970.00
201020100500	Bile Broth A medium recommended for cultivation of <i>Enterobacteriaceae</i> .	30.00	500 g	5225.00
201020110500	Bifidobacterium Agar A medium used for the cultivation and maintenance of <i>Bifidobacterium</i> species.	49.30	500 g	6270.00
201020120100	Bile Esculin Agar	64.50	100 g	2420.00
201020120500	A differential medium used for isolation and presumptive identification of group D Streptococci / Enterococci from food samples.		500 g	9790.00

Store at 10-30°C,

* Store at 2-8°C,

Bulk packs are available On request.

CAT. NO.	PRODUCT	QTY. IN GRAMS PER LITRE	PACK SIZE	LIST PRICE (₹)
201020140100 201020140500	Bile Esculin Azide Agar A medium used for selective isolation and presumptive identification of faecal Streptococci.	56.65	100 g 500 g	2090.00 9680.00
201020150100 201020150500	Bile Salt Agar A medium used for the isolation and enumeration of bile tolerant enteric bacilli.	43.00	100 g 500 g	1190.00 5360.00
201020160100 201020160500	Bile Salt Agar BIS A medium used for the isolation and identification of bile tolerant enteric bacilli in compliance with BIS specification IS:5887 (Part V)-1976.	40.00	100 g 500 g	1190.00 5360.00
201020170500	Bismuth Glucose Glycine Yeast Agar (BiGGY) A medium used for detection, selective isolation, differentiation and presumptive identification of <i>Candida albicans</i> and <i>Candida tropicalis</i> .	45.00	500 g	5610.00
201020180100 201020180500	Bismuth Sulphite Agar A highly selective medium used for isolation of <i>Salmonella</i> species, particularly <i>S. typhi</i> from clinical and non-clinical specimens.	52.33	100 g 500 g	1040.00 4950.00
201020190100 201020190500	Bismuth Sulphite Agar Medium USP A highly selective medium used for preliminary identification of <i>Salmonella</i> species in compliance with USP.	52.32	100 g 500 g	1165.00 4780.00
201020200100 201020200500 201020202500	Blood Agar Base (Infusion Agar) A non-selective, general-purpose medium to which sterile blood may be added for use in isolation and cultivation of Streptococci and other fastidious pathogenic organisms like <i>Neisseria</i> , etc. It is also used for detection of haemolytic activity.	40.00	100 g 500 g 2.5 k	945.00 3835.00 On request
201020210100 201020210500	Blood Agar Base No. 2 A medium which is specially devised to permit the maximum recovery of Streptococci, Pneumococci and other fastidious pathogenic microorganisms without interfering with their haemolytic reaction.	39.50	100 g 500 g	955.00 3725.00
201020220500	B.Q. Vaccine Medium A medium recommended for the cultivation of anaerobic organisms on large scale for vaccine production.	30.00	500 g	3400.00
201020230100 201020230500	Brain Heart Infusion Agar A general-purpose medium used for cultivation of a wide variety of microorganisms including bacteria, Yeasts and Moulds.	52.00	100 g 500 g	860.00 3890.00
201020240100 201020240500	Brain Heart Infusion Broth A highly nutritious liquid medium used for propagation of pathogenic cocci and other fastidious organisms associated with blood culture work and allied pathological investigation.	37.00	100 g 500 g	855.00 3780.00
201020250500	Brain Heart Infusion with PABA and Agar A medium used for the examination of blood from patient who have received sulfonamide therapy. Improved growth of anaerobes is seen on addition of agar.	38.05	500 g	5290.00
201020260500	Brewer Thioglycollate Medium A medium used for testing the sterility of biological products and for isolation of aerobic and anaerobic organisms.	40.50	500 g	3410.00
201020270100 201020270500	Brilliant Green Agar, Modified A highly selective medium used for the isolation of <i>Salmonella</i> other than <i>S. typhi</i> from clinical and non-clinical samples.	51.69	100 g 500 g	920.00 3780.00
204191360005	Sulpha Supplement*	1 Vial / 500 mL	5 Vials	1935.00
201020280100 201020280500	Brilliant Green Agar, Medium USP A medium used for selective isolation of <i>Salmonella</i> other than <i>S. typhi</i> from clinical and non-clinical samples in compliance with USP.	58.09	100 g 500 g	960.00 3905.00
201020290100 201020290500	Brilliant Green, Phenol Red, Lactose Monohydrate, Sucrose Agar (Agar Medium L) EP A medium used for selective isolation of Salmonellae other than <i>S. typhi</i> from foods, faeces, dairy products and other samples in compliance with EP.	58.09	100 g 500 g	970.00 4070.00

Store at 10-30°C, * Store at 2-8°C, Bulk packs are available On request.

CAT. NO.	PRODUCT	QTY. IN GRAMS PER LITRE	PACK SIZE	LIST PRICE (₹)
201020300100 201020300500	Brilliant Green, Phenol Red, Lactose Monohydrate, Sucrose Agar (Agar Medium L) BP A medium used for selective isolation of Salmonellae other than <i>S. typhi</i> from foods, faeces, dairy products and other samples in compliance with BP.	58.09	100 g 500 g	970.00 4070.00
201020310100 201020310500	Brilliant Green Bile Agar A medium used for isolating, differentiating and enumerating coliform bacteria.	20.69	100 g 500 g	1270.00 5775.00
201020320100 201020320500	Brilliant Green Bile Lactose Broth (Brilliant Green Bile Broth 2%) A medium used for detection of coliform organisms in water and wastewater, food, milk and dairy products as well as in other materials of sanitary importance.	40.01	100 g 500 g	890.00 4045.00
201020340500	Brucella Agar Base Recommended for enrichment, isolation and cultivation of <i>Brucella</i> or <i>Campylobacter</i> species from clinical and non-clinical specimens.	21.55 g / 500 mL	500 g	4870.00
204020680005	Brucella Selective Supplement*	1 Vial / 500 mL	5 Vials	4360.00
201020350500	Brucella Broth Base Recommended for enrichment, isolation and cultivation of <i>Brucella</i> or <i>Campylobacter</i> species from clinical and non-clinical specimens.	14.05 g / 500 mL	500 g	4730.00
204020680005	Brucella Selective Supplement*	1 Vial / 500 mL	5 Vials	4360.00
201020360100 201020360500	Buffered Charcoal Yeast Extract Agar A medium used for selective cultivation of <i>Legionella</i> species from clinical and other specimens.	40.00	100 g 500 g	2980.00 10120.00
201020370100 201020370500	Buffered Peptone Water A medium used for pre-enrichment of injured <i>Salmonella</i> species. It increases recovery of <i>Salmonella</i> species prior to selective enrichment from food.	20.00	100 g 500 g	715.00 3245.00
201020380100 201020380500	Buffered Peptone Water BIS A medium used for pre-enrichment of injured <i>Salmonella</i> species. It increases recovery of <i>Salmonella</i> species prior to selective enrichment from food in compliance with BIS specifications IS:5887(Part III)-1999.	20.07	100 g 500 g	760.00 3465.00
201020390100 201020390500 201020392500	Buffered Peptone Water ISO Recommended as a pre-enrichment medium of <i>Enterobacteriaceae</i> organisms such as <i>Salmonella</i> and <i>Cronobacterium</i> species from food and animal feeding stuffs, water, milk, milk products and other products in compliance with ISO specifications ISO 6579-1:2017, ISO 6887-1:2017, ISO 21528-1:2017, ISO 22964:2017.	20.07	100 g 500 g 2.5 k	760.00 3465.00 On request
201020400500 201020402500 201020405000	Buffered Sodium Chloride-Peptone Solution pH 7.0 (Harmonized) A medium recommended as a diluent for carrying out microbial limit testing by harmonized methodology of pharmaceutical products in accordance with USP/EP/BP/JP/IP.	14.64	500 g 2.5 k 5 k	3530.00 On request On request
201020410100 201020410500	Buffered Peptone Water with NaCl A medium recommended as a diluent for carrying out microbial limit test from clinical and non-clinical specimens.	16.09	100 g 500 g	1100.00 3660.00
201020420500	Burkholderia Cepacia Agar Base Medium used for isolation of <i>Burkholderia cepacia</i> from the respiratory secretions of patients with cystic fibrosis and other non-clinical specimens.	18.26 g / 500 mL	500 g	5665.00
204020690005	Burkholderia Selective Supplement*	1 Vial / 500 mL	5 Vials	2180.00
201020760100 201020760500	Burkholderia Cepacia Selective Agar Base USP A medium used for the selective detection and isolation of <i>Burkholderia cepacia</i> complex from non-sterile and aqueous pharmaceuticals and cosmetic products in compliance with USP.	50.58	100 g 500 g	1320.00 4015.00
204020770005	Burkholderia Selective Supplement I*	1 Vial / 1000 mL	5 Vials	2310.00
201020980500	Burkholderia Cepacia Selective Agar* Medium used for isolation of <i>Burkholderia cepacia</i> from the respiratory secretion of patients with cystic fibrosis and other non-clinical specimens.	50.80	500 g	4750.00
201030020500	Carbohydrate Consumption Broth Base A medium recommended for the cultivation and differentiation of <i>Listeria</i> species on the basis of sugar fermentation.	16.10 g / 990 mL	500 g	4730.00

Store at 10-30°C,

* Store at 2-8°C,

Bulk packs are available On request.

CAT. NO.	PRODUCT	QTY. IN GRAMS PER LITRE	PACK SIZE	LIST PRICE (₹)
201030010500	Campylobacter Agar Base A medium used for the selective isolation of <i>Campylobacter</i> species from faecal, food and environmental specimens.	39.50	500 g	5610.00
204031000005	Campylobacter Supplement - I (Blaser-Wang)*	1 Vial / 500 mL	5 Vials	1760.00
204031010005	Campylobacter Supplement - III (Skirrow)*	1 Vial / 500 mL	5 Vials	1685.00
201030030100	Cary-Blair Medium Base (Transport Medium w/o Charcoal) A transport medium without charcoal used for collection, shipment and preservation of clinical specimens.	12.60 g / 991 mL	100 g	1190.00
201030050500	Cetrimide Agar (Harmonized)	45.30	500 g	3780.00
201030052500	Isolation and cultivation of <i>Pseudomonas aeruginosa</i> from pharmaceutical products in accordance with microbial limit testing by harmonized methodology of USP/EP/BP/JP/IP.		2.5 k	On request
201030055000			5 k	On request
201030060100	Cetrimide Agar Base	45.30	100 g	865.00
201030060500	A medium used for selective isolation of <i>Pseudomonas aeruginosa</i> from pus, sputum, drains etc.		500 g	3780.00
204140370005	Nalidixic Selective Supplement*	1 Vial / 1000 mL	5 Vials	1450.00
201030080100	Chloramphenicol Yeast Glucose Agar*	40.00	100 g	990.00
201030080500	A selective medium recommended for isolation and enumeration of Yeasts and Moulds in milk and milk products.		500 g	4455.00
201030090100	C.L.E.D. Agar with Andrade Indicator	36.25	100 g	1080.00
201030090500	A medium used for the isolation, enumeration and presumptive identification of microorganisms from urine, giving good colonial differentiation on the basis of lactose fermentation.		500 g	4750.00
201030092500			2.5 k	On request
201030100100	C.L.E.D. Agar with Bromothymol Blue	36.15	100 g	1080.00
201030100500	A medium recommended for isolation, enumeration and presumptive identification of urinary pathogens on the basis of lactose fermentation.		500 g	4805.00
201030102500			2.5 k	On request
201030110100	Clausen Medium	40.00	100 g	1045.00
201030110500	A medium recommended by Nordic Pharmacopoeia Board for sterility testing.		500 g	5065.00
201030120500	Clostridial Agar A medium recommended for the selective isolation of pathogenic Clostridia from mixed flora.	46.40	500 g	5130.00
201030130500	Clostridium Butyricum Agar A medium used for growth and maintenance of <i>Clostridium aminobutyricum</i> and other <i>Clostridium</i> species.	18.22 g / 960 mL	500 g	7065.00
201030140100	Columbia Blood Agar Base	44.00	100 g	1110.00
201030140500	Used as a highly nutritious, general-purpose medium for the isolation and cultivation of non-fastidious and fastidious microorganisms, with or without addition of blood, from a variety of clinical and non-clinical specimens.		500 g	4535.00
204020680005	Bruceella Selective Supplement*	1 Vial / 500 mL	5 Vials	4360.00
204191340005	Staph-Strepto Supplement*	1 Vial / 500 mL	5 Vials	1820.00
204191350010	Strepto Supplement*	1 Vial / 500 mL	10 Vials	1450.00
201031110500	Columbia Blood Agar Base E Used as a highly nutritious, general-purpose medium for the isolation and cultivation of non-fastidious and fastidious microorganisms, with or without addition of blood, from a variety of clinical and non-clinical specimens.	39.00	500 g	3995.00
201030150500	Columbia Agar (Harmonized)	44.00	500 g	4650.00
201030152500	A medium used for detection of aerobes and anaerobes, especially <i>Clostridium sporogenes</i> from pharmaceutical products in accordance with harmonized methodology of USP/EP/BP/JP/IP.		2.5 k	On request
201030155000			5 k	On request
201030170100	Cooked Meat Medium (Robertson Cooked Meat Medium)	12.50 g / 100 mL	100 g	1890.00
201030170500	A medium used for cultivation of aerobes and anaerobes, especially pathogenic Clostridia and also for the maintenance of stock cultures.		500 g	9180.00
201030180500	Cooked Meat Medium with Glucose, Hemin and Vitamin K A medium used for cultivation of aerobes and anaerobes, especially pathogenic Clostridia and also for the maintenance of stock cultures.	13.30 g / 100 mL	500 g	9720.00

Store at 10-30°C,

* Store at 2-8°C,

Bulk packs are available On request.

CAT. NO.	PRODUCT	QTY. IN GRAMS PER LITRE	PACK SIZE	LIST PRICE (₹)
201030190500	Culture Medium for RWC (Disinfectant Test Broth) A medium used for determination of phenol coefficient of disinfectants using <i>Salmonella typhi</i> as a test organism.	50.00	500 g	5005.00
201030200100 201030200500	Corn Meal Agar A general-purpose medium used for cultivation of fungi.	17.00	100 g 500 g	1155.00 4785.00
201030210100 201030210500	Czapek Dox Agar A semisynthetic medium used for general cultivation of fungi, yeasts and soil bacteria.	49.01	100 g 500 g	1295.00 4805.00
201030220100 201030220500	Czapek Dox Broth A semisynthetic medium used for general cultivation of fungi, yeasts and soil bacteria.	35.01	100 g 500 g	1080.00 3995.00
201040500500	Deoxycholate Agar A medium recommended for differential count and isolation of coliforms.	45.03	500 g	3850.00
201040010500	Decarboxylase Agar Base A medium used to differentiate bacteria on the basis of their ability to decarboxylate the amino acid added to the medium.	24.02	500 g	4565.00
201040020500	Decarboxylase Broth Base, Moeller (Moeller Decarboxylase Broth Base) A medium with the addition of appropriate L-amino acid used to differentiate bacteria on the basis of their ability to decarboxylate the amino acids.	10.52	500 g	10450.00
201040030100 201040030500 204040320005	Dermatophyte Test Agar Base A medium used for selective isolation of dermatophytes. Dermato Supplement*	40.20 1 Vial / 500 mL	100 g 500 g 5 Vials	1145.00 4750.00 1685.00
201040040100 201040040500	Deoxycholate Citrate Agar A selective medium used for isolation of enteric pathogens particularly <i>Salmonella</i> and <i>Shigella</i> species.	70.02	100 g 500 g	970.00 4430.00
201040520100	Deoxycholate Citrate Agar BIS A medium recommended for isolation of <i>Shigella</i> species from food samples in accordance with IS:5887 (Part 7):1999.	55.45	100 g	935.00
201040060100 201040060500	Deoxycholate Citrate Agar (Agar Medium J) EP A selective medium used for isolation of enteric pathogens in compliance with EP.	69.02	100 g 500 g	870.00 4310.00
201040070100 201040070500	Deoxycholate Citrate Agar BP A selective medium used for isolation of enteric pathogens in compliance with BP.	69.02	100 g 500 g	835.00 3635.00
201040050100 201040050500	Deoxycholate Lactose Agar A differential and slightly selective medium used for isolating and differentiating Gram-negative enteric bacilli and for enumerating coliforms in water, wastewater, milk and dairy products.	42.53	100 g 500 g	1100.00 4400.00
201040330500	Dey-Engley Neutralizing Agar (D/E Agar Disinfectant Testing) A medium used in disinfectant testing where the neutralization of antiseptics and disinfectant is important for determining its bactericidal activity.	54.02	500 g	5940.00
201040350500	Dey-Engley Neutralizing Broth (D/E Broth Disinfectant Testing) A medium used in disinfectant testing where the neutralization of antiseptics and disinfectant is important for determining its bactericidal activity.	39.02	500 g	5280.00
201040100100 201040100500 201040102500	Dichloran Rose Bengal Chloramphenicol (DRBC) Agar* A selective medium used for the enumeration of Yeasts & Moulds in food industries.	31.62	100 g 500 g 2.5k	1405.00 5995.00 On request
201040440500	Dichloran Glycerol Medium Base ISO Recommended for selective isolation of xerophilic moulds from food and clinical samples in compliance with ISO specification ISO 21527-2:2008 (E).	15.80 g / 500 mL	500 g	5020.00
201040110100 201040110500	Differential Reinforced Clostridial Broth A medium used for cultivation of Clostridia from water.	29.00	100 g 500 g	1070.00 4785.00

Store at 10-30°C,

* Store at 2-8°C,

Bulk packs are available On request.

CAT. NO.	PRODUCT	QTY. IN GRAMS PER LITRE	PACK SIZE	LIST PRICE (₹)
201040120100 201040120500	Differential Reinforced Clostridial Broth Base ISO A medium used for cultivation of Clostridia from water in compliance with ISO specification ISO 6461- 1:1986.	29.00	100 g 500 g	1320.00 5005.00
201040130100 201040130500	Differential Reinforced Clostridial Agar Base A medium used for the enumeration and the cultivation of Clostridia from water.	42.50	100 g 500 g	1430.00 5775.00
201040140100 201040140500	DNase Test Agar Base A differential medium used for detection of deoxyribonuclease activity to aid in the identification of bacteria and fungi isolated from clinical specimens especially Staphylococci.	42.00	100 g 500 g	7505.00 32400.00
201040150500	Diluting Fluid A A medium used for diluting or rinsing when performing sterility testing.	1.00	500 g	3905.00
201040360500	Diluting Fluid D A medium used for diluting or rinsing when performing sterility testing.	2.00	500 g	4290.00
201040160500	Diluting Fluid K A medium used for diluting or rinsing when performing sterility testing.	18.00	500 g	3940.00
201040420500	Dixon's Agar (Twin Pack) Recommended for primary isolation and cultivation of <i>Malassezia furfur</i> .	106.50 g of Part A + 15 mL of Part B	500 g	7150.00
201050010100 201050010500	E. C. Broth A medium used for detection of coliform bacteria and <i>E. coli</i> at an elevated temperature of 44.5°C or 45.5°C.	37.00	100 g 500 g	1040.00 4210.00
201050650500	Egg Yolk Agar Base A medium used for isolation and identification of Clostridia and other anaerobic microorganisms.	75.10 g / 900 mL	500 g	4850.00
204050370100	Egg Yolk Emulsion*	100 mL / 900 mL	5 x 100 mL	2785.00
201050570100 201050570500	Elliker Broth Medium used for cultivating Streptococci and Lactobacilli, especially in dairy procedures.	48.50	100 g 500 g	1270.00 4620.00
201050030500	Ellners Broth A medium used to induce spore formation in <i>Clostridium perfringens</i> .	67.60	500 g	4510.00
201050060100 201050060500 201050062500	EMB Agar A slightly selective and differential medium recommended for the isolation, cultivation and differentiation of Gram-negative enteric bacilli from clinical and non-clinical specimens.	35.96	100 g 500 g 2.5 k	825.00 3705.00 On request
201050070100 201050070500	EMB Agar, Levine A slightly selective and differential medium used for the isolation, enumeration and differentiation of members of <i>Enterobacteriaceae</i> .	37.46	100 g 500 g	805.00 3565.00
201050080100 201050080500	EMB Agar, Levine USP A slightly selective and differential medium used for the isolation, enumeration and differentiation of members of <i>Enterobacteriaceae</i> in compliance with USP.	37.46	100 g 500 g	850.00 3630.00
201050090100 201050090500	EMB Agar, Levine BIS Recommended for isolation, enumeration and differentiation of members of <i>Enterobacteriaceae</i> . It is recommended by BIS committee under the specification IS:5887 (Part I)-1976, reaffirmed 2005, IS:5401 (Part 1)- 2012.	37.46	100 g 500 g	1045.00 4290.00
201050680500	EMB Agar, Levine IP A medium recommended for the isolation, enumeration and differentiation of members of <i>Enterobacteriaceae</i> in accordance with Indian Pharmacopoeia.	37.46	500 g	3920.00
201050100500	EMB Broth A slightly selective and differential medium recommended for the isolation, cultivation and differentiation of Gram-negative enteric bacilli from clinical and non-clinical specimens.	22.46	500 g	3510.00
201050110500	Endo Agar A differential and slightly selective medium used for detection of coliforms and other enteric microorganisms.	41.50	500 g	3850.00

Store at 10-30°C,

* Store at 2-8°C,

Bulk packs are available On request.

CAT. NO.	PRODUCT	QTY. IN GRAMS PER LITRE	PACK SIZE	LIST PRICE (₹)
201050120500	Enterococcus Confirmatory Agar A medium recommended for confirming the presence of Enterococci in water supplies and other sources.	30.41	500 g	4910.00
201050040500 201050042500 201050045000	Enterobacteria Enrichment Broth, Mossel (Harmonized) A medium used for isolation and cultivation of <i>Enterobacteriaceae</i> from pharmaceutical products in accordance with microbial limit testing by harmonized methodology of USP/EP/BP/JP/IP.	42.93	500 g 2.5 k 5 k	4815.00 On request On request
201050050100 201050050500	Enterobacteria Enrichment Broth, Mossel (Medium 5) IP A medium used for selective enrichment and detection of <i>Enterobacteriaceae</i> in bacteriological examination of foods in accordance with IP.	45.01	100 g 500 g	1230.00 4950.00
201050130500	Ethyl Violet Azide Broth A medium used for selective, confirmatory detection of Enterococci as an indicator of faecal pollution in water and other specimens.	35.80	500 g	4725.00
201050790100	Ethyl Violet Azide Broth BIS A medium used for selective, confirmatory detection of Enterococci as an indicator of faecal pollution in water and other specimens in compliance with BIS specification IS:5887 (Part II):1976, reaffirmed 2005.	35.80	100 g	920.00
201050140500	Ethyl Violet Azide Dextrose Agar A medium used for detecting and confirming Streptococci and as confirmative medium for faecal pollution indication in water and other specimens.	50.80	500 g	5610.00
201060010100 201060010500	Fluid Casein Digest Soya Lecithin Polysorbate 20 Medium (Twin Pack) USP A medium used for detection of microbes on sanitized surfaces in compliance with USP.	25.00 g of Part A + 40 mL of Part B	100 g 500 g	2575.00 11415.00
201060020100 201060020500	Fluid Lactose Medium A pre-enrichment medium used for detection of coliform bacteria in water, dairy products and food samples.	13.00	100 g 500 g	640.00 2695.00
201060030100 201060030500	Fluid Lactose Medium USP A pre-enrichment medium used for detection of coliform bacteria in water, dairy products and food samples in compliance with USP.	13.00	100 g 500 g	650.00 2970.00
201060040100 201060040500	Fluid Selenite Cystine Medium (Twin Pack) A selective enrichment medium used for isolation of Salmonellae from faeces, food, pharmaceutical articles, water and other materials of sanitary importance.	19.01 g of Part A + 4.00 g of Part B	100 g 500 g	1295.00 5400.00
201060050100 201060050500	Fluid Selenite Cystine Medium (Twin Pack) USP A selective enrichment medium used for isolation of Salmonellae from faeces, food, pharmaceutical articles, water and other materials of sanitary importance in compliance with USP.	19.01 g of Part A + 4.00 g of Part B	100 g 500 g	1320.00 5500.00
201060060100 201060060500	Fluid Selenite Cystine Medium (Twin Pack) ISO A selective enrichment medium used for isolation of Salmonellae from faeces, food, pharmaceutical articles, water and other materials of sanitary importance in compliance with ISO specification ISO 6579:1993.	19.01 g of Part A + 4.00 g of Part B	100 g 500 g	1320.00 5500.00
201060080100 201060080500	Fluid Thioglycollate Medium A medium used for sterility testing of biologicals and cultivation of aerobes, anaerobes and microaerophiles.	29.75	100 g 500 g	490.00 1980.00
201060090500	Fluid Thioglycollate Medium USP A medium used for sterility testing of biologicals and cultivation of aerobes, anaerobes and microaerophiles in compliance with USP.	29.25	500 g	1925.00
201060100500	Fluid Thioglycollate Medium EP A medium used for sterility testing of biologicals and cultivation of aerobes, anaerobes and microaerophiles in compliance with EP.	29.25	500 g	1925.00
201060110500	Fluid Thioglycollate Medium BP A medium used for sterility testing of biologicals and cultivation of aerobes, anaerobes and microaerophiles in compliance with BP.	29.25	500 g	1925.00

Store at 10-30°C, * Store at 2-8°C, Bulk packs are available On request.



CAT. NO.	PRODUCT	QTY. IN GRAMS PER LITRE	PACK SIZE	LIST PRICE (₹)
201060390500	Fluid Thioglycollate Medium IP A medium used for sterility testing of biologicals and cultivation of aerobes, anaerobes and microaerophiles in accordance with IP.	29.25	500 g	1875.00
201060420500	Fluid Thioglycollate Medium VEG A medium used for sterility testing of biologicals and cultivation of aerobes, anaerobes and microaerophiles.	29.75	500 g	1980.00
201060120500 201060122500	Fraser Broth Base A medium recommended as a primary as well as secondary enrichment medium for the isolation and enumeration of <i>Listeria monocytogenes</i> from foods, environmental specimens and animal feeds.	54.92	500 g 2.5 k	6050.00 On request
204060350005 204060360010	Fraser Selective Supplement* Fraser Supplement*	1 Vial / 1000 mL 1 Vial / 500 mL	5 Vials 10 Vials	2000.00 1270.00
201060130500	Fraser Broth Base ISO A medium recommended as a primary as well as secondary enrichment medium for the isolation and enumeration of <i>Listeria monocytogenes</i> in compliance with ISO specifications ISO 11290-1:2017.	54.92	500 g	6380.00
204060370005	Fraser Selective Supplement ISO*	1 Vial / 1000 mL (Primary enrichment)	5 Vials	2155.00
204060360010	Fraser Supplement*	1 Vial / 500 mL (Secondary enrichment)	10 Vials	1270.00
201060140500	Fraser Secondary Enrichment Broth Base A medium recommended for isolation, cultivation and enrichment of <i>Listeria monocytogenes</i> from food and environmental specimens.	57.85 g / 990 mL	500 g	7150.00
201070010100 201070010500	G C Agar Base A medium with various additives which is used to isolate and cultivate Gonococci and other fastidious organisms.	18.00 g / 235 mL	100 g 500 g	975.00 3960.00
204070340005 204080100100	G C Supplement* Haemoglobin Powder Soluble*	1 Vial / 500 mL 5 g / 250 mL	5 Vials 100 g	2310.00 8200.00
201070020500	G C Broth A medium with various additives which is used to isolate and cultivate Gonococci and other fastidious organisms.	26.00	500 g	3520.00
201070030100 201070030500	GN Broth IP (Medium 11) A medium used for isolation of <i>Shigella</i> species.	34.00	100 g 500 g	890.00 3455.00
201070400500	Gardnerella Selective Agar A medium used for qualitative isolation and differentiation of <i>Gardnerella vaginalis</i> from clinical specimens.	52.50 g / 950 mL	500 g	5340.00
204070410005	Gardnerella Selective Supplement*	1 Vial / 500 mL	5 Vials	1575.00
201070040500	Gelatin Agar A medium recommended for cultivation and identification of <i>Vibrio</i> species.	65.00	500 g	4950.00
201070050500	Glucose Agar A medium used for determining the fermentation reactions of presumptive <i>Enterobacteriaceae</i> .	41.52	500 g	4455.00
201070060500	Glucose Salt Teepol Broth (Twin Pack) A medium used for enrichment of <i>Vibrio parahaemolyticus</i> and marine isolates.	48.00 g of Part A + 4 mL of Part B	500 g	4665.00
201070070100 201070070500	Glucose Broth A medium used for glucose fermentation studies, where pH indicator is not desired.	20.00	100 g 500 g	990.00 4290.00
201070080100	Glucose Citrate Broth A medium used for cultivation of fastidious microorganisms.	23.00	100 g	1320.00
201070090100 201070090500	Glucose Yeast Extract Agar A medium used for enumeration of Lactobacilli in pharmaceutical preparations.	28.32	100 g 500 g	1210.00 4950.00
201080010500	Hartley's Digest Broth A medium recommended as general-purpose medium for the cultivation of a wide variety of bacteria from blood especially fastidious Streptococci and <i>Corynebacterium diphtheriae</i> .	29.00	500 g	4265.00

Store at 10-30°C,

* Store at 2-8°C,

Bulk packs are available On request.

CAT. NO.	PRODUCT	QTY. IN GRAMS PER LITRE	PACK SIZE	LIST PRICE (₹)
201080020100	Hektoen Enteric Agar	75.66	100 g	1040.00
201080020500	A selective medium used for detection and isolation of pathogenic intestinal bacteria including <i>Salmonella</i> and <i>Shigella</i> from clinical and non-clinical specimens.		500 g	4210.00
201080022500			2.5 k	On request
201080030500	Hugh Leifson Medium A medium used to distinguish between anaerobic and aerobic breakdown of carbohydrate (glucose).	19.35	500 g	5010.00
201080180500	Hugh Leifson Medium BIS A medium used to distinguish between anaerobic and aerobic breakdown of carbohydrate (glucose) as per BIS specification IS:5887 (Part VII)-1999.	20.33	500 g	5225.00
201080060500	Heterotrophic Plate Count Agar A medium used for heterotrophic plate count of bacteria in water.	18.75	500 g	4735.00
201090010100	Iron Sulphite Agar A medium recommended for the detection of thermophilic anaerobic organisms causing sulphide spoilage in foods.		100 g	1210.00
201090010500			500 g	5115.00
201090020500	Iron Sulphite Agar, Modified A medium used for the enumeration of sulphite-reducing bacteria growing under anaerobic conditions in compliance with ISO 15213:2003.	42.00	500 g	5445.00
201090030100	Indole Nitrate Medium (Tryptone Nitrate Medium) A medium used for identification of microorganisms on the basis of nitrate reduction and indole production.	25.00	100 g	935.00
201100010500	Jensen's Broth A medium used for detection and cultivation of nitrogen fixing bacteria.		500 g	5280.00
201100012500			2.5 k	On request
201100020500	Jensen's Medium A medium used for detection and cultivation of nitrogen fixing bacteria.	39.10	500 g	4840.00
201110020100	KF Streptococcus Agar Base A medium used for selective isolation and enumeration of faecal Streptococci in surface water by direct plating or by membrane filter method.		100 g	1255.00
201110020500			500 g	4730.00
201110030100	KF Streptococcus Agar Base w/ BCP A medium recommended for detection and enumeration of faecal Streptococci.		100 g	1530.00
201110030500			500 g	5940.00
201110040500	King's Medium A Base A medium recommended for non-selective isolation, cultivation and pigment production of <i>Pseudomonas</i> species.	46.64	500 g	4480.00
201110050500	King's Medium B Base A medium recommended for non-selective isolation, cultivation and pigment production of <i>Pseudomonas</i> species.	42.23	500 g	4375.00
201110060500	King's Medium B Broth A medium recommended for non-selective isolation, cultivation and pigment production of <i>Pseudomonas</i> species		500 g	4320.00
201110062500			2.5 k	On request
201110070100	Kligler Iron Agar A differential medium recommended for differentiation of members of <i>Enterobacteriaceae</i> on the basis of their ability to ferment dextrose and lactose and to produce hydrogen sulphide.		100 g	955.00
201110070500			500 g	3975.00
201110080100	Kligler Iron Agar ISO A differential medium recommended for identification of <i>Pseudomonas</i> species and members of <i>Enterobacteriaceae</i> on the basis of their ability to ferment dextrose and lactose and to produce hydrogen sulphide in compliance with ISO specification ISO 13720:1995.		100 g	975.00
201110080500			500 g	4050.00
201120010500	Lactobacillus Bulgaricus Agar Base* A medium with acetate buffer used for the isolation and identification of <i>Lactobacillus bulgaricus</i> .	70.00	500 g	5555.00
201120630500	Lactobacilli MRS Broth w/o Glucose* A medium used for the isolation, enumeration and cultivation of <i>Lactobacillus</i> species.	35.15	500 g	5185.00

Store at 10-30°C,

* Store at 2-8°C,

Bulk packs are available On request.

CAT. NO.	PRODUCT	QTY. IN GRAMS PER LITRE	PACK SIZE	LIST PRICE (₹)
201120020100 201120020500	Lactobacillus MRS Agar* A medium used for isolation, enumeration and cultivation of all <i>Lactobacillus</i> species.	67.15	100 g 500 g	1405.00 4535.00
201120030100 201120030500	Lactobacillus MRS Agar ISO* A medium recommended by ISO committee for isolation and enumeration of lactic acid bacteria from meat and meat products in compliance with ISO 15214:1998.	66.73	100 g 500 g	1545.00 4990.00
201120640500	Lactobacillus MRS VEG Agar* A medium used for isolation, enumeration and cultivation of all <i>Lactobacillus</i> species.	62.19	500 g	4700.00
201120040100 201120040500 201120042500	Lactobacillus MRS Broth* A medium used for the isolation, enumeration and cultivation of all <i>Lactobacillus</i> species.	55.15	100 g 500 g 2.5 k	1295.00 3780.00 On request
201120050100 201120050500 201120052500	Lactose Broth A medium used for the detection of coliforms in water, food and dairy products.	13.00	100 500 g 2.5 k	720.00 2920.00 On request
201120090100 201120090500	Lactose Broth BIS A medium used for the detection of coliforms in water, food and dairy products in compliance with BIS specification IS:5401-1969.	13.00	100 g 500 g	765.00 3135.00
201120060100 201120060500	Lactose Monohydrate Broth (Broth Medium D) EP A medium used for the detection of coliforms in water, food and dairy products in compliance with EP.	12.75	100 g 500 g	670.00 2970.00
201120070100 201120070500	Lactose Monohydrate Broth (Broth Medium D) BP A medium used for the detection of coliforms in water, food and dairy products in compliance with BP.	12.75	100 g 500 g	670.00 2970.00
201120100500	Lactose Sulphite Broth Base A medium recommended for the detection and enumeration of <i>Clostridium perfringens</i> in pharmaceutical products.	20.30	500 g	3970.00
201120110500 201120115000	Lactose Monohydrate, Sterile (Gamma-Irradiated) A medium used for media fill trials.	-	500 g 5 k	940.00 On request
201120120100 201120120500	Lactose TTC Agar with Tergitol Recommended as a selective differential medium for the detection and enumeration of <i>E. coli</i> and coliform bacteria in water using the membrane filtration method.	53.85	100 g 500 g	1430.00 5610.00
201120130100 201120130500 201120132500	Lauryl Tryptose Broth (Lauryl Sulphate Broth) A medium used for the detection of coliforms in water, wastewater, dairy products and other food samples.	35.60	100 g 500 g 2.5 k	770.00 3475.00 On request
201120140100 201120140500	Lauryl Tryptose Mannitol Broth w/ Tryptophan A medium used for the confirmation of <i>Escherichia coli</i> in drinking water.	35.80	100 g 500 g	1540.00 4950.00
201120150100 201120150500 204120530010 204120540005	Legionella Agar Base A medium with added supplements used for the cultivation of <i>Legionella</i> species. Legionella Growth Supplement* Legionella Selective Supplement*	37.00 1 Vial / 500 mL 1 Vial / 500 mL	100 g 500 g 10 Vials 5 Vials	5615.00 23760.00 845.00 1450.00
201120170500	Lethen Agar A medium recommended to determine the phenol coefficient of quaternary ammonium compounds using <i>Escherichia coli</i> or <i>Staphylococcus aureus</i> .	32.00	500 g	6050.00
201120180500	Lethen Broth (Twin Pack) A medium recommended for determination of bactericidal activity of quaternary ammonium compounds using <i>Escherichia coli</i> or <i>Staphylococcus aureus</i> .	20.70 g of Part A/995 mL + 5 mL of Part B	500 g	5885.00
201120190500	Lethen Agar, Modified A medium recommended for screening cosmetic products for microbial contamination.	54.10	500 g	6160.00
201120200500	Lethen Broth, Modified (Twin Pack) A medium recommended for screening cosmetic products for microbial contamination.	37.80 g of Part A + 5 mL of Part B	500 g	5940.00

Store at 10-30°C,

* Store at 2-8°C,

Bulk packs are available On request.

CAT. NO.	PRODUCT	QTY. IN GRAMS PER LITRE	PACK SIZE	LIST PRICE (₹)
201120210100 201120210500 201120212500	Listeria Enrichment Broth A medium used for selective enrichment of <i>Listeria</i> species from food.	36.10	100 g 500 g 2.5 k	2400.00 8290.00 On request
201120220100 201120220500	Listeria Identification Agar Base (PALCAM) A medium with added supplement recommended for selective isolation and identification of <i>Listeria</i> species.	68.88	100 g 500 g	2150.00 9655.00
204120550005	Listeria Selective Supplement (PALCAM)*	1 Vial / 500 mL	5 Vials	1635.00
201120650100 201120650500	Listeria Identification Agar Base (PALCAM) VEG A medium with added supplement recommended for selective isolation and identification of <i>Listeria</i> species.	68.88	100 g 500 g	2310.00 10890.00
204120550005	Listeria Selective Supplement (PALCAM)*	1 Vial / 500 mL	5 Vials	1635.00
201120230100 201120230500	Listeria Identification Broth Base (PALCAM) A medium with added supplement recommended for selective isolation and identification of <i>Listeria</i> species.	47.38	100 g 500 g	1805.00 8290.00
204120550005	Listeria Selective Supplement (PALCAM)*	1 Vial / 500 mL	5 Vials	1635.00
201120240100 201120240500	Listeria Oxford Medium Base A medium with supplement, recommended for isolation of <i>Listeria</i> species from pathological specimens.	55.50	100 g 500 g	1475.00 6820.00
204150130001 204120560005	Oxford Listeria Supplement* Listeria Moxalactam Supplement*	1 Vial / 500 mL 1 Vial / 500 mL	1 Vial 5 Vials	1815.00 2860.00
201120250500	Listeria Selective Agar A medium with addition of selective supplement, recommended for selective isolation and cultivation of <i>Listeria monocytogenes</i> .	51.00	500 g	5390.00
204120570005	Listeria Selective Supplement I*	1 Vial / 1000 mL	5 Vials	1845.00
201120260100 201120260500	Loeffler Medium Base A medium with added horse serum, used for cultivation of <i>Corynebacterium diphtheriae</i> from clinical specimens and in pure cultures, detection of chromogenesis, proteolysis and the production of ascospores.	8.75 g / 250 mL	100 g 500 g	1695.00 7480.00
204080110100	Horse Serum*	750 mL / 250 mL	100 mL	5365.00
201120270100 201120270500	Lowenstein Jensen Medium Base A medium, supplemented with eggs, used for cultivation and isolation of <i>Mycobacterium</i> species, especially <i>M. tuberculosis</i> .	37.24 g / 600 mL	100 g 500 g	1020.00 4230.00
204070350005	Gruff Mycobacterium Supplement*	1 Vial / 400 mL	5 Vials	2045.00
201120280100 201120280500	Luria Agar A medium recommended for the cultivation and maintenance of recombinant strains of <i>Escherichia coli</i> and for routine cultivation of not particularly fastidious microorganisms.	35.00	100 g 500 g	1120.00 4595.00
201120290100 201120290500	Luria Broth A medium recommended for the cultivation and maintenance of recombinant strains of <i>Escherichia coli</i> and for routine cultivation of not particularly fastidious microorganisms.	20.00	100 g 500 g	880.00 4400.00
201120300500	Luria Bertani Agar, Miller A medium recommended for the cultivation and maintenance of recombinant strains of <i>Escherichia coli</i> in genetic & molecular biology procedures and for routine cultivation of not particularly fastidious microorganisms.	40.00	500 g	4400.00
201120310500	Luria Bertani Broth, Miller A medium recommended for the cultivation and maintenance of recombinant strains of <i>Escherichia coli</i> in genetic & molecular biology procedures and for routine cultivation of not particularly fastidious microorganisms.	25.00	500 g	3710.00
201120320500	Lysine Decarboxylase Broth A medium used for differentiating <i>Salmonella arizonae</i> from the Bethesda Ballerup group of <i>Enterobacteriaceae</i> .	14.02	500 g	3890.00
201120330100 201120330500 201120332500	Lysine Iron Agar A medium used for differentiation of enteric bacteria on the basis of hydrogen sulphide production and the decarboxylation or deamination of lysine.	34.56	100 g 500 g 2.5 k	885.00 3565.00 On request

Store at 10-30°C, * Store at 2-8°C, Bulk packs are available On request.

CAT. NO.	PRODUCT	QTY. IN GRAMS PER LITRE	PACK SIZE	LIST PRICE (₹)
201130010500	M 17 Agar A medium used for cultivation of lactic Streptococci and plaque assay of lactic bacteriophages.	33.25	500 g	5280.00
201131600500	M 17 Broth Medium used for cultivation of lactic Streptococci and plaque assay of lactic bacteriophages.	42.25	500 g	5170.00
201130020100	M-Brilliant Green Broth A medium used as a selective differential medium for primary screening of Salmonellae in polluted water using membrane filter technique.	76.19	100 g	1430.00
201130020500		500 g	4840.00	
201130030100	M-Bismuth Sulphite Broth A selective medium used for the detection of Salmonellae by the membrane filter technique.	64.65	100 g	1320.00
201130030500		500 g	4840.00	
201130050500	M-Endo Agar LES A medium used for estimation of coliforms in water using a membrane filter technique.	51.05 g / 980 mL	500 g	5170.00
201130060500	M-Endo Broth A medium used for estimation of coliforms in water using a membrane filter technique.	48.05	500 g	4840.00
201130070500	M-MacConkey Broth A medium recommended for detection of lactose fermenting and non-fermenting enteric bacteria using membrane filter technique.	49.12	500 g	4510.00
201130080500	M-Nutrient Broth A medium recommended for enumeration of bacteria using membrane filter technique.	46.00	500 g	4620.00
201130090500	MIU Medium Base A medium recommended for detection of motility, urease and indole production.	18.00 g / 950 mL	500 g	5390.00
201130100500	MYP Agar (Phenol Red Egg Yolk Polymyxin Agar Base) A medium with added supplements used for isolation and identification of pathogenic Staphylococci and <i>Bacillus</i> species.	46.03 g / 900 mL	500 g	5390.00
204050370100	Egg Yolk Emulsion* Polymyxin B Selective Supplement*	100 mL / 950 mL	5 x 100 mL	2785.00
204160710005		1 Vial / 475 mL	5 Vials	1540.00
201130110100	MacConkey Agar Base A medium used for studying fermentation reactions of coliforms by adding the desired carbohydrate.	40.03	100 g	915.00
201130110500		500 g	3565.00	
201130120500	MacConkey Agar (Harmonized) Recommended for selective isolation and cultivation of coliforms from pharmaceutical products in accordance with microbial limit testing by harmonized methodology of USP/EP/BP/JP/IP.	49.53	500 g	3565.00
201130122500			2.5 k	On request
201130125000			5 k	On request
201130130100	MacConkey Agar with Crystal Violet, NaCl and 0.15% Bile Salts Selective and differential medium used for the detection of coliforms and other enteric pathogens.	50.03	100 g	810.00
201130130500		500 g	3565.00	
201130140500	MacConkey Agar with Crystal Violet, NaCl and 0.15% Bile Salts (Medium 8) IP Selective and differential medium used for the detection of coliforms and other enteric pathogens in compliance with IP.	50.03	500 g	3455.00
201130150500	MacConkey Agar BIS A medium used for isolation, identification and enumeration of lactose fermenting and lactose non-fermenting enteric bacteria in compliance with BIS specification IS:5887 (Part I and Part II)-1976.	55.07	500 g	3630.00
201130160100	MacConkey Agar without Crystal Violet and with 0.15% Bile Salts A differential medium recommended for selective isolation and differentiation of lactose fermenting and non-lactose fermenting enteric bacteria.	51.53	100 g	770.00
201130160500		500 g	3380.00	
201130170500	MacConkey Agar without Crystal Violet, NaCl and with 0.15% Bile Salts A medium used for the selective isolation and differentiation of lactose fermenting and non-lactose fermenting enteric bacteria.	43.53	500 g	3380.00

Store at 10-30°C,

* Store at 2-8°C,

Bulk packs are available On request.

CAT. NO.	PRODUCT	QTY. IN GRAMS PER LITRE	PACK SIZE	LIST PRICE (₹)
201130180100 201130180500	MacConkey Agar without Crystal Violet, NaCl and with 0.5% Bile Salts A medium used for the cultivation and differentiation of enteric bacteria, restricting swarming of <i>Proteus</i> species as well as potentially pathogenic Gram-positive organisms.	47.07	100 g 500 g	780.00 3780.00
201130190100 201130190500 201130192500	MacConkey Agar without Crystal Violet, NaCl and with 0.5% Sodium Taurocholate A medium used for the cultivation and differentiation of enteric bacteria and potentially pathogenic Gram-positive organisms while restricting swarming of <i>Proteus</i> species.	55.04	100 g 500 g 2.5 k	855.00 3725.00 On request
201130200100 201130200500	MacConkey Broth Double Strength with Neutral Red A medium used for the primary isolation of coliforms from large samples such as water and wastewater.	80.15	100 g 500 g	655.00 2960.00
201130210100 201130210500	MacConkey Broth Double Strength with Neutral Red BIS A medium used for the primary isolation of coliforms from large samples such as water and wastewater in compliance with BIS specification IS:5887 (Part-I) 1976, reaffirmed 2005.	80.15	100 g 500 g	965.00 3905.00
201130220500 201130222500 201130225000	MacConkey Broth (Harmonized) Recommended for selective isolation and cultivation of coliforms from pharmaceutical products in accordance with microbial limit testing by harmonized methodology of USP/EP/BP/JP/IP.	34.51	500 g 2.5 k 5 k	3145.00 On request On request
201130230100 201130230500	MacConkey Broth Purple with BCP A medium used for the presumptive identification of coliforms and for cultivating Gram-negative, lactose fermenting bacilli from a variety of samples like water, milk and food.	40.01	100 g 500 g	740.00 3235.00
201130240500	MacConkey Broth Purple with BCP (Medium 7) IP A medium used for the presumptive identification of coliforms and for cultivating Gram-negative, lactose fermenting bacilli from a variety of samples like water, milk and food in compliance with IP.	35.01	500 g	2915.00
201130250100 201130250500	MacConkey Broth with Neutral Red A standard medium used for primary isolation as well as presumptive identification of coli-aerogenes group in food and water.	40.07	100 g 500 g	725.00 3105.00
201130260100 201130260500	MacConkey Broth with Neutral Red BIS A standard medium used for enrichment and enumeration of coliforms in compliance with BIS specification IS:5887 (Part 1 and Part 2) 1976.	40.07	100 g 500 g	770.00 3235.00
201130270100 201130270500	MacConkey Sorbitol Agar Base A medium recommended for isolation and identification of enteropathogenic <i>Escherichia coli</i> strains associated with infant diarrhea.	50.03	100 g 500 g	1405.00 5725.00
204200800005	Tellurite-Cefixime Supplement	1 Vial / 500 mL	5 Vials	1450.00
201130280500	Malachite Green Broth A medium used for selective enrichment of <i>Pseudomonas aeruginosa</i> .	25.13	500 g	3850.00
201130290100 201130290500	Malonate Broth Ewing Modified A medium recommended for the differentiation of members of <i>Enterobacteriaceae</i> on the basis of malonate utilization.	9.28	100 g 500 g	5500.00 25300.00
201130300100 201130300500	Malonate Broth A medium used for differentiating <i>Enterobacter</i> and <i>Escherichia</i> on the basis of malonate utilization.	8.02	100 g 500 g	5170.00 19800.00
201130310500	Malt Extract Agar A medium used for enumeration, cultivation and isolation of Yeasts and Moulds.	50.00	500 g	6910.00
201130330100 201130330500	Mannitol Motility Test Medium A semisolid medium suitable for determining motility and mannitol fermentation.	26.04	100 g 500 g	1350.00 5290.00
201040340500 201040345000 201040349925	D-Mannitol, A. R. Sterile (Gamma-Irradiated) A medium used for media fill trails.	-	500 g 5 k 25 k	1870.00 On request On request
201130350500	Marine Agar 2216 (Zobell Marine Agar) A medium used for isolation and enumeration of heterotrophic marine bacteria.	55.25	500 g	4465.00

Store at 10-30°C,

* Store at 2-8°C,

Bulk packs are available On request.

CAT. NO.	PRODUCT	QTY. IN GRAMS PER LITRE	PACK SIZE	LIST PRICE (₹)
201130360500	Marine Broth 2216 (Zobell Marine Broth) A medium used for cultivation of heterotrophic marine bacteria.	40.25	500 g	4290.00
201130370500 201130372500 201130375000	Mannitol Salt Agar (Harmonized) A medium used for the isolation and cultivation of Staphylococci in accordance with microbial limit testing by harmonized methodology of USP/EP/BP/JP/IP.	111.02	500 g 2.5 k 5 k	3455.00 On request On request
201130380100 201130380500 201130382500	Mannitol Salt Agar A medium used for selective isolation of pathogenic Staphylococci.	111.02	100 g 500 g 2.5 k	865.00 3455.00 On request
201130390100 201130390500	Mannitol Salt Agar (Medium 14) IP A selective medium used for the isolation and identification of Staphylococci from clinical and non-clinical specimens in compliance with IP.	111.02	100 g 500 g	880.00 3630.00
201130400100 201130400500	M-FC Agar Base A medium used for the detection and enumeration of faecal coliforms using membrane filter technique at higher temperature.	52.10	100 g 500 g	1320.00 5280.00
201130410500	M-FC Agar Modified for Klebsiella A medium used for rapid enumeration of <i>Klebsiella</i> using membrane filter technique.	49.60	500 g	6655.00
201130420500	M7HrFC Agar A medium recommended for examination of water and wastewater.	46.45	500 g	5170.00
201130430100 201130430500	Michrom™ Candida Differential Agar* A medium recommended for rapid isolation and identification of <i>Candida</i> species from mixed cultures.	42.72	100 g 500 g	6550.00 28575.00
201130440100 201130440500	Michrom™ Coliform Agar (Chromogenic Coliform Agar)* A medium used for the simultaneous detection of <i>Escherichia coli</i> and total coliforms in water and food samples.	26.45	100 g 500 g	5050.00 23800.00
201131640100	Michrom™ Chromogenic Coliform Agar ISO* A medium used for detection of <i>Escherichia coli</i> and coliform in water as well as clinical samples in compliance with ISO specification ISO 9308-1:2014.	30.92	100 g	4860.00
201130450100 201130450500	Michrom™ Chromogenic Coliform Agar with SLS* A medium recommended for the simultaneous detection of <i>Escherichia coli</i> and total coliforms in water and food samples.	27.00	100 g 500 g	6335.00 24300.00
201130460100 201130460500	Michrom™ Hydrocheck* For detection of total coliforms & <i>E. coli</i> in drinking water & processed food samples.	26.50	100 g 500 g	7020.00 30240.00
201130470100 201130470500	Michrom™ E. coli Agar* A medium used for the detection and enumeration of <i>Escherichia coli</i> in food without further confirmation on membrane filter or by indole reagent.	36.57	100 g 500 g	2690.00 12365.00
201130480500	Michrom™ Enterococcus Agar* A medium recommended for the chromogenic identification of <i>Enterococcus faecium</i> from faeces, sewage and water supplies.	54.20	500 g	11340.00
201130490100 201130490500	Michrom™ UTI Agar* A differential medium used for presumptive identification of microorganisms mainly causing urinary tract infections.	32.45	100 g 500 g	2915.00 13500.00
201130500100 201130500500	Michrom™ Vibrio Agar* A medium recommended for the isolation and selective chromogenic differentiation of <i>Vibrio</i> species from seafood and clinical samples.	67.50	100 g 500 g	3240.00 13500.00
201132070100 201132070500	Michrom™ VRE Agar Base* A selective media used for the isolation of Vancomycin Resistant Enterococci (VRE) from clinical samples.	56.10	100 g 500 g	8100.00 31265.00
204132080005	Michrom™ VRE Supplement*	1 Vial / 1000 mL	5 Vials	5445.00
201130510500	Middlebrook 7H9 Agar Base A medium used for isolation, cultivation and sensitivity testing of <i>Mycobacterium tuberculosis</i> .	19.60	500 g	5060.00

Store at 10-30°C,

* Store at 2-8°C,

Bulk packs are available On request.

CAT. NO.	PRODUCT	QTY. IN GRAMS PER LITRE	PACK SIZE	LIST PRICE (₹)
201130520500	Middlebrook 7H10 Agar Base A medium recommended for isolation, cultivation and sensitivity testing of <i>Mycobacterium tuberculosis</i> .	19.47	500 g	5060.00
201130530500	Middlebrook 7H11 Agar Recommended for isolation, cultivation and sensitivity testing of Mycobacteria.	20.50	500 g	5060.00
201130540100 201130540500	Milk Agar A medium used for the enumeration of bacteria in milk and milk products, rinse water, ice-creams etc.	24.00	100 g 500 g	1430.00 5280.00
201130560500	Milk Agar with Cetrimide (Twin Pack) A medium used for the detection and enumeration of <i>Pseudomonas aeruginosa</i> in swimming pool water.	133.33 g of Part A + 26.40 g of Part B	500 g	5720.00
201130570500	Mitis Salivarius Veg Agar Base A medium recommended for the isolation of Streptococci especially <i>Streptococcus mitis</i> , <i>Streptococcus salivarius</i> and <i>Enterococcus faecalis</i> from grossly contaminated specimens.	90.07	500 g	5260.00
201131480100 201131480500	Modified Listeria Oxford Agar Base Recommended for the selective isolation and cultivation of <i>Listeria monocytogenes</i> from foodstuffs, clinical samples etc.	52.50	100 g 500 g	1650.00 6490.00
204131490005	Modified Listeria Oxford Selective Supplement*	1 Vial / 1000 mL	5 Vials	1935.00
201130580500	Modified Oxford Agar A medium used for selective isolation and differentiation of <i>Listeria monocytogenes</i> in food.	57.50	500 g	9350.00
201131590500	Modified Rappaport Vassiliadis Medium Recommended as a selective enrichment medium for the isolation of <i>Salmonella</i> species from food and environmental specimens.	30.07	500 g	5170.00
201131470100 201131470500	Modified Tergitol 7 Agar Base ISO A medium used for selective isolation and enumeration of coliform organisms in water by membrane filter method. The composition and performance criteria of this medium are as per the specifications laid down in ISO 9308-1:1990.	57.15	100 g 500 g	1375.00 5530.00
201130590100 201130590500	Motility Test Medium A medium used for detection of bacterial motility.	20.00	100 g 500 g	1190.00 4535.00
201130600100	Motility Test Medium (Edwards and Ewing) BIS A medium used for detection of bacterial motility recommended by BIS under the specifications IS:5887 (Part I and Part V)-1976.	22.00	100 g	1250.00
201130610100	Moeller Decarboxylase Broth with Arginine A medium used to differentiate bacteria on the basis of their ability to decarboxylate L-Arginine.	20.52	100 g	3350.00
201130620100	Moeller Decarboxylase Broth with Lysine A medium used to differentiate bacteria on the basis of their ability to decarboxylate L-Lysine.	20.52	100 g	3510.00
201130630100	Moeller Decarboxylase Broth with Ornithine A medium used to differentiate bacteria on the basis of their ability to decarboxylate L-Ornithine.	20.52	100 g	4310.00
201130640100 201130640500	MR -VP Medium (Glucose Phosphate Broth or Buffered Glucose Broth) A medium used for the differentiation of coli-aerogenes group by means of the Methyl Red and Voges Proskauer reactions.	17.00	100 g 500 g	685.00 3145.00
201131610500	MR-VP Medium (Glucose Phosphate Broth or Buffered Glucose Broth) BIS A medium used for the differentiation of coli-aerogenes group by means of Methyl Red and Voges Proskauer reactions. It is recommended by BIS committee under the specifications IS:5887 (Part I and Part V)-1976.	15.00	500 g	3255.00
201131540500	MRS Agar (ISO) De Man, Rogosa and Sharpe Agar A medium used for the cultivation of lactic acid bacteria from food in compliance with ISO specification ISO 15214:1998.	66.73	500 g	4210.00

Store at 10-30°C,

* Store at 2-8°C,

Bulk packs are available On request.

CAT. NO.	PRODUCT	QTY. IN GRAMS PER LITRE	PACK SIZE	LIST PRICE (₹)
201131550500	MRS Agar (De Man, Rogosa and Sharpe Agar) A medium used for the cultivation of lactic acid bacteria from food.	66.73	500 g	4535.00
201131560500	MRS Broth (De Man, Rogosa and Sharpe Broth) A medium used for the isolation and cultivation of <i>Lactobacillus</i> species from clinical specimens, foods and dairy products.	48.75	500 g	4430.00
201131630500	MRS Broth, Modified (Lactobacillus Heteroferm Screen Broth) A medium recommended for the isolation and cultivation of <i>Lactobacillus</i> species from salad dressings.	47.20	500 g	5105.00
201130650100 201130650500 201130652500	Mueller Hinton Agar A medium used for antimicrobial disk diffusion susceptibility testing of common, rapidly growing bacteria (Contains low levels of sulfonamide and trimethoprim antagonists, thymine and thymidine and controlled levels of calcium and magnesium ions).	38.00	100 g 500 g 2.5 k	960.00 3890.00 On request
201130660500	Mueller Hinton Agar No. 2 A medium recommended for testing susceptibility of common and rapidly growing bacteria using antimicrobial discs by the Kirby-Bauer method. Manufactured to contain low levels of thymine, thymidine, calcium and magnesium.	38.00	500 g	4585.00
201130670500	Mueller Hinton Agar with 2% Glucose and Methylene Blue A medium recommended for performing Antifungal Disk Diffusion Susceptibility of yeasts.	58.00	500 g	4645.00
201130680100 201130680500	Mueller Hinton Broth A medium used for determining the antimicrobial susceptibility of bacteria by the tube-dilution method.	21.00	100 g 500 g	970.00 4320.00
201130690500	MUG EC Broth A medium used for the detection of <i>Escherichia coli</i> in water and food samples by a fluorogenic method.	37.05	500 g	8690.00
201130700100 201130700500 204131390005	Mueller Kauffmann Tetrathionate Broth Base (Novobiocin Broth) A medium used for improved enrichment and isolation of Salmonellae. MKTT Novobiocin Supplement*	89.42 89.42 1 Vial / 1000 mL	100 g 500 g 5 Vials	840.00 3350.00 2580.00
201132090500	Mueller Kauffmann Tetrathionate Novobiocin Broth Base ISO A medium used for improved enrichment and isolation of Salmonellae. The composition and performance criteria of this media are as per the specification laid down in ISO 6579-1:2017.	89.42	500 g	4840.00
204131390005	MKTT Novobiocin Supplement*	1 Vial / 1000 mL	5 Vials	2580.00
201270710500	5X Minimum Salts A medium recommended for use in cultivation of recombinant strains of <i>Escherichia coli</i> .	56.40	500 g	5060.00
201130720500	Maximum Recovery Diluent A protective and isotonic medium used for maximal recovery of microorganisms from a variety of sources.	9.50	500 g	4070.00
201140010100 201140010500	Nitrate Broth BIS A medium used for detection of nitrate reduction by bacteria in compliance with BIS specification IS:5887 (Part IV)-1976.	39.00	100 g 500 g	1210.00 4840.00
201140020500	Neutralizing Fluid EP A medium recommended for neutralizing the activity of antimicrobial agents in accordance with EP.	20.10	500 g	5390.00
201140030100 201140030500 201140032500	Nutrient Agar A general-purpose culture media used for the cultivation of bacteria, which may also be used as enrichment media by incorporating 10% v/v sterile blood or other biological fluids.	28.00	100 g 500 g 2.5 k	790.00 3550.00 On request
201140040500	Nutrient Agar VEG A general-purpose dehydrated culture media.	28.00	500 g	3850.00
201140050500	Nutrient Agar No. 2 A general-purpose culture medium used for the cultivation of bacteria.	40.00	500 g	4070.00

Store at 10-30°C,

* Store at 2-8°C,

Bulk packs are available On request.

CAT. NO.	PRODUCT	QTY. IN GRAMS PER LITRE	PACK SIZE	LIST PRICE (₹)
201140060500	Nutrient Agar BIS A general-purpose culture media in accordance with BIS under the specification IS:5887 (Part-I) 1976 reaffirmed 1986, IS:5887 (Part-II) 1976 and IS:5887 (Part-V) 1976 reaffirmed 1986.	40.00	500 g	3960.00
201140070100 201140070500	Nutrient Agar with 1% Peptone A general-purpose medium used for the examination of water and dairy products.	35.00	100 g 500 g	970.00 4070.00
201140080500	Nutrient Agar with Skim Milk A medium recommended by APHA used for demonstration of coagulation and proteolysis of casein in dairy industries.	51.50	500 g	5720.00
201140090100 201140090500 201140092500	Nutrient Broth A general-purpose culture media used for the cultivation of bacteria, which may also be used as enrichment media by incorporating 10% v/v sterile blood or other biological fluids.	13.00	100 g 500 g 2.5 k	615.00 2830.00 On request
201140100500	Nutrient Broth VEG A general-purpose medium used for the cultivation of wide range of bacteria.	13.00	500 g	3210.00
201140110100 201140110500 201140112500	Nutrient Broth No.2 A medium recommended for cultivation and enrichment of less fastidious bacteria and as a base in the preparation of special media.	15.00	100 g 500 g 2.5 k	715.00 3500.00 On request
201140120100 201140120500	Nutrient Broth with 1% Peptone A general-purpose medium used for the examination of water and dairy products.	25.00	100 g 500 g	760.00 3455.00
201140440500	Nutrient Gelatin (Twin Pack) A medium recommended for detection of gelatin liquefaction by proteolytic microorganisms.	8.00 g of Part A + 120 g of Part B	500 g	4070.00
201150010500	Orange Serum Agar A medium used for cultivation and enumeration of microorganisms associated with the spoilage of citrus products, cultivation of Lactobacilli, other Aciduric organisms and pathogenic fungi from food and clinical samples.	45.50	500 g	5125.00
201150020100	Ornithine Decarboxylase Broth A medium recommended for detection of the ability of microorganisms to decarboxylate ornithine.	9.01	100 g	4195.00
201150030100	O F Basal Medium A medium used for the determination of oxidative and fermentative metabolism of carbohydrates by Gram-negative bacteria.	9.38	100 g	1070.00
201150040500	OFBBL Agar Base (Oxidation Fermentation Polymyxin Bacitracin Lactose Agar Base) A medium, supplemented with Polymyxin and Bacitracin, recommended for the selective isolation of <i>Burkholderia cepacia</i> from clinical specimens as well as non-clinical samples.	32.33	500 g	4785.00
201161200500	PA Broth A medium used for the detection of presence or absence of coliform bacteria from water samples.	30.51	500 g	5050.00
201160010500 201160012500	Peptone Salt Broth Used as diluent for different test method.	9.50	500 g 2.5 k	3410.00 On request
201160020100 201160020500	Peptone Water A non-selective medium used for cultivating non-fastidious organisms and a base for carbohydrate fermentation media.	15.00	100 g 500 g	800.00 3465.00
201160030100 201160030500	Peptone Water BIS A non-selective medium used for cultivating non-fastidious organisms and a base for carbohydrate fermentation media in compliance with BIS specification IS:5887 (Part 1):1976.	25.00	100 g 500 g	900.00 3850.00
201160040500	Perfringens Agar Base A medium recommended for the enumeration of <i>Clostridium perfringens</i> from food in compliance with ISO 7937:1985.	21.00 g / 475 mL	500 g	5440.00
204200770005 204050370100	T.S.C Supplement (Perfringens Supplement)* Egg Yolk Emulsion*	1 Vial / 500 mL 1 Vial / 100 mL	5 Vials 5 x 100 mL	13150.00 2785.00

Store at 10-30°C,

* Store at 2-8°C,

Bulk packs are available On request.

CAT. NO.	PRODUCT	QTY. IN GRAMS PER LITRE	PACK SIZE	LIST PRICE (₹)
201160050100 201160050500	Phosphate Buffered Saline, pH 7.2 A medium used for preparation of dilutions and blanks.	10.79	100 g 500 g	1180.00 4915.00
201160060500	Pfizer Selective Enterococcus Agar A general-purpose medium used for selective isolation and cultivation of Enterococci.	57.75	500 g	6050.00
201160070100 201160070500	Phenylalanine Agar A medium used for differentiation of <i>Proteus</i> spp. and <i>Providencia</i> spp. from other <i>Enterobacteriaceae</i> on the basis of deamination of phenylalanine.	26.00	100 g 500 g	1500.00 5945.00
201160080500	Phenol Red Agar Base A medium used as a basal medium to which carbohydrates may be added for use in fermentation studies of microorganisms.	31.02	500 g	4535.00
201160090500	Phenol Red Broth Base A medium used for determination of fermentation reactions of pure cultures of microorganisms.	16.02	500 g	4250.00
201160100100 201160100500	Phenol Red Dextrose Agar A medium used for studying dextrose fermentation by the pure cultures of microorganisms.	41.02	100 g 500 g	1190.00 4645.00
201160110100	Phenol Red Dextrose Broth A medium used for dextrose fermentation studies of microorganisms.	21.01	100 g	1070.00
201160120100 201160120500	Phenol Red Lactose Agar A medium used for studying lactose fermentation by the pure cultures of microorganisms.	41.02	100 g 500 g	1145.00 4645.00
201160130100	Phenol Red Lactose Broth A medium used for lactose fermentation studies of microorganisms.	21.01	100 g	1070.00
201160140100	Phenol Red Maltose Broth A medium used for maltose fermentation studies of microorganisms.	21.01	100 g	1190.00
201160150100	Phenol Red Mannitol Broth A medium used for mannitol fermentation studies of microorganisms.	21.01	100 g	1190.00
201160160100	Phenol Red Sorbitol Broth A medium used for sorbitol fermentation studies of microorganisms.	21.01	100 g	2645.00
201160170100 201160170500	Phenol Red Sucrose Agar A medium used for studying sucrose fermentation by the pure cultures of microorganisms.	41.02	100 g 500 g	1135.00 4750.00
201160180100	Phenol Red Sucrose Broth A medium used for sucrose fermentation studies of microorganisms.	21.01	100 g	1070.00
201160190100 201160190500 201160192500	Pikovskaya's Agar A medium used for detection of phosphate solubilizing soil microorganisms.	31.30	100 g 500 g 2.5 k	1320.00 5390.00 On request
201160200500 201160202500	Pikovskaya's Broth A medium used for detection of phosphate solubilizing soil microorganisms.	16.30	500 g 2.5 k	5170.00 On request
201160210100 201160210500	Plate Count Agar (Standard Methods Agar) A medium used for obtaining microbial plate counts from milk and dairy products, food, water and other materials of sanitary importance.	23.50	100 g 500 g	920.00 4235.00
201160220100 201160220500 201160222500	Plate Count Agar (Standard Methods Agar) BIS A medium used for obtaining microbial plate counts from milk and dairy products, food, water and other materials of sanitary importance in compliance with BIS specification IS 5402:2012.	23.50	100 g 500 g 2.5 k	935.00 4620.00 On request
201161070500	Plate Count Agar ISO A medium used for obtaining microbial plate counts from milk and dairy products, food, water and other materials of sanitary importance in compliance with ISO specification ISO 4833-1:2013.	23.50	500 g	4660.00

Store at 10-30°C, * Store at 2-8°C, Bulk packs are available On request.

CAT. NO.	PRODUCT	QTY. IN GRAMS PER LITRE	PACK SIZE	LIST PRICE (₹)
201160230500	PNY Medium A medium used for cultivation and isolation of <i>Lactobacillus</i> species.	31.28	500 g	5830.00
201160240500	Polysorbate 80 Agar (Twin Pack) A medium used for the cultivation of variety of microorganisms.	25.00 g of Part A/990 mL + 10 mL of Part B	500 g	4345.00
201160250500	Potato Dextrose Agar (Harmonized) Recommended for the isolation and cultivation of Yeasts and Moulds from pharmaceutical products in accordance with microbial limit testing by harmonized methodology of USP/EP/BP/JP/IP.	39.00	500 g	3690.00
201160252500			2.5 k	On request
201160255000			5 k	On request
201160260100	Potato Dextrose Agar A medium used for isolation and enumeration of Yeasts and Moulds from dairy and other food products.	39.00	100 g	1010.00
201160260500			500 g	3690.00
201160262500			2.5 k	On request
201160265000			5 k	On request
201160270500	Potato Dextrose Agar for Trichoderma Recommended for cultivation and enumeration of <i>Trichoderma</i> species.	39.00	500 g	4950.00
201160272500			2.5 k	On request
201160280500	Potato Infusion Agar A medium recommended for the isolation of <i>Brucella</i> species.	49.00	500 g	4190.00
201160290100	Potato Dextrose Broth A medium used for the cultivation and enumeration of Yeasts and Moulds from dairy and food products.	24.00	100 g	990.00
201160290500			500 g	4070.00
201160292500			2.5 k	On request
201160300500	Potato Dextrose Broth for Trichoderma Recommended for cultivation and enumeration of <i>Trichoderma</i> species.	24.00	500 g	3850.00
201160302500			2.5 k	On request
201160310100	Pseudomonas Agar Base A medium with added supplements, used for the selective isolation of <i>Pseudomonas</i> species.	48.40	100 g	960.00
201160310500			500 g	4480.00
204031020001	Cetrinix Supplement*	1 Vial / 500 mL	1 Vial	365.00
201160320100	Pseudomonas Agar Medium for Detection of Fluorescein A medium used for enhancement of fluorescein production by <i>Pseudomonas</i> species.	37.23 g / 990 mL	100 g	1165.00
201160320500			500 g	4840.00
201160330100	Pseudomonas Agar Medium for Detection of Pyocyanin A medium used for enhancement of pyocyanin production by <i>Pseudomonas</i> species.	46.40 g / 990 mL	100 g	1130.00
201160330500			500 g	4730.00
201160340500	Pseudomonas Isolation Agar Base A medium used for selective isolation and identification of <i>Pseudomonas aeruginosa</i> from clinical and non-clinical specimens.	45.03	500 g	4730.00
201160350500	Purple Agar Base A medium recommended for the preparation of carbohydrate media used in fermentation studies for the cultural identification of pure cultures of enteric and other microorganisms.	31.02	500 g	6050.00
201180010500	R-2A Broth A medium used for cultivation and maintenance of heterotrophic bacteria from potable waters.	3.12	500 g	4950.00
201180020100	R-2A Agar A medium used for enumeration of heterotrophic bacteria in treated potable water.	18.12	100 g	1210.00
201180020500			500 g	4950.00
201180022500			2.5 k	On request
201180030500	R-2A Agar (Agar Medium S) EP A medium used for enumeration of heterotrophic bacteria in treated potable water in compliance with EP.	18.12	500 g	4995.00
201180040500	R-2A Agar (Agar Medium S) BP A medium used for enumeration of heterotrophic bacteria in treated potable water in compliance with BP.	18.12	500 g	5060.00
201180050100	Rapid Chromogenic Coliform Broth Recommended for detection and confirmation of <i>Escherichia coli</i> and total coliforms from water samples using a combination of chromogenic and fluorogenic substrates.	16.03	100 g	4950.00
201180050500			500 g	24200.00

Store at 10-30°C,

* Store at 2-8°C,

Bulk packs are available On request.

CAT. NO.	PRODUCT	QTY. IN GRAMS PER LITRE	PACK SIZE	LIST PRICE (₹)
201180060500 201180062500 201180065000	Rappaport Vassiliadis Salmonella Enrichment Broth (Harmonized) A medium used for selective enrichment of <i>Salmonella</i> species under conditions of high osmotic pressure and low pH with modest nutritional requirements from pharmaceutical products in accordance with microbial limit testing by harmonized methodology of USP/EP/BP/JP/IP.	27.11	500 g 2.5 k 5 k	5250.00 On request On request
201180070500	Rappaport Vassiliadis Salmonella Enrichment Broth IP (Medium 9) A medium used for selective enrichment of <i>Salmonella</i> species under conditions of high osmotic pressure and low pH with modest nutritional requirements from pharmaceutical products in compliance with IP.	27.11	500 g	5720.00
201180410500	Rappaport Vassiliadis Soyabean Meal Broth (RVSM Broth) Recommended as selective enrichment medium for the isolation of <i>Salmonella</i> species.	26.58	500 g	4810.00
201180550500	Rappaport Vassiliadis Soyabean Meal Broth ISO Recommended as selective enrichment medium for the isolation of <i>Salmonella</i> species. The composition and performance criteria of this medium are as per specified in ISO 6579:2002.	26.58	500 g	4730.00
201180080100 201180080500	Reinforced Clostridial Agar A medium used for the cultivation and enumeration of Clostridia and other anaerobes.	51.00	100 g 500 g	1210.00 4730.00
201180090500 201180092500 201180095000	Reinforced Medium for Clostridia (Harmonized) A medium used for the cultivation and enumeration of Clostridia from pharmaceutical products in accordance with microbial limit testing by harmonized methodology of USP/EP/BP/JP/IP.	37.54	500 g 2.5 k 5 k	4600.00 On request On request
201180100500	Reinforced Medium for Clostridia (Medium 15) IP A medium used for the cultivation and enumeration of Clostridia and other anaerobes in compliance with IP.	38.00	500 g	4730.00
201180110500	Rhizobium Medium A medium used for cultivation and isolation of <i>Rhizobium</i> species.	31.80	500 g	3835.00
201180130100 201180130500	Rose Bengal Agar Base Recommended for selective isolation and enumeration of Yeasts and Moulds from environmental materials and food stuffs.	31.55	100 g 500 g	1045.00 3630.00
204031030005	Chloramphenicol Selective Supplement*	1Vial / 500 mL	5 Vials	1435.00
201180140100 201180140500	Rose Bengal Chloramphenicol Agar* A medium used for selective isolation and enumeration of Yeasts and Moulds from food and environmental materials.	32.15	100 g 500 g	1070.00 4840.00
201191830100 201191830500 201191832500	Sabouraud Chloramphenicol Agar A medium used for selective cultivation of Yeasts and Moulds.	65.05	100 g 500 g 2.5 k	1135.00 5115.00 On request
201190020100	Sabouraud Cycloheximide Chloramphenicol Agar* A medium used for selective isolation and cultivation of pathogenic fungi.	45.54	100 g	17570.00
201190030100 201190030500 201190032500	Sabouraud Dextrose Agar A general-purpose medium used for the cultivation of Yeasts, Moulds and Aciduric bacteria.	65.00	100 g 500 g 2.5 k	920.00 3615.00 On request
201190040500 201190042500 201190045000	Sabouraud Dextrose Agar (Harmonized) Recommended for the isolation and cultivation of Yeasts, Moulds and Aciduric bacteria from pharmaceutical products in accordance with microbial limit testing by harmonized methodology of USP/EP/BP/JP/IP.	65.00	500 g 2.5 k 5 k	3615.00 On request On request
201190050500	Sabouraud Dextrose Agar, Modified (Dextrose Agar Base, Emmons) A medium used in the conventional manner for cultivation of fungi.	47.00	500 g	4860.00
201190060100 201190060500	Sabouraud Dextrose Agar with Antibiotic(S) (Medium 4) IP A general-purpose medium used for the cultivation of Yeasts, Moulds and Aciduric bacteria in compliance with IP.	65.00	100 g 500 g	865.00 3780.00

Store at 10-30°C,

* Store at 2-8°C,

Bulk packs are available On request.

CAT. NO.	PRODUCT	QTY. IN GRAMS PER LITRE	PACK SIZE	LIST PRICE (₹)
201190070500	Sabouraud Dextrose Agar with Soya Lecithin and Polysorbate 80* A medium used for the cultivation of Yeasts, Moulds and Aciduric bacteria.	70.70	500 g	3695.00
201190080500 201190082500 201190085000	Sabouraud Dextrose Broth (Harmonized) A medium recommended for the isolation and cultivation of Yeasts, Moulds and Aciduric bacteria from pharmaceutical products in accordance with microbial limit testing by harmonized methodology of USP/EP/BP/JP/IP.	30.00	500 g 2.5 k 5 k	2560.00 On request On request
201190090100 201190090500 201190092500	Sabouraud Dextrose Broth A general-purpose medium used for the cultivation of Yeasts, Moulds and Aciduric bacteria.	30.00	100 g 500 g 2.5 k	595.00 2560.00 On request
201190100500	Sabouraud Glucose Agar A general-purpose medium used for the isolation and cultivation of Yeasts, Moulds and Aciduric bacteria.	65.00	500 g	4070.00
201190110500	Sabouraud Glucose Broth A medium recommended for the cultivation of Yeasts, Moulds and Aciduric bacteria.	30.00	500 g	2750.00
201190120500	Sabouraud Maltose Agar An excellent medium used for the propagation of Moulds and Yeasts, particularly the parasitic fungi concerned with skin and scalp lesions.	65.00	500 g	5060.00
201190130500	Salt Meat Broth An enrichment medium for the isolation of Staphylococci from grossly contaminated specimens.	150.00	500 g	4620.00
201190140100 201190140500	Selenite F Broth (Twin Pack) Used as an enrichment medium for the isolation of <i>Salmonella</i> species from faeces, urine, water, food and other materials of sanitary importance.	19.00 g of Part A + 4.00 g of Part B	100 g 500 g	1130.00 5095.00
201192190100	Selenite F Broth (Twin Pack) BIS A medium used as an enrichment medium for isolation of <i>Shigella</i> species from food samples. It is recommended by BIS committee under the specification IS:5887 (Part III)-1999.	19.00 g of Part A + 4.00 g of Part B	100 g	1430.00
201190150500 201190152500 201190155000	Selenite Cystine Broth Base without Biselenite Recommended as a selective enrichment media for <i>Salmonella</i> and possibly <i>Shigella sonnei</i> from faeces, urine, water and foodstuffs.	19.01	500 g 2.5 k 5 k	4620.00 On request On request
201191480500	Shigella Broth Base A medium used for the isolation and cultivation of <i>Shigella</i> species from food.	31.50	500 g	4495.00
204191470005	Shigella Selective Supplement*	1 Vial / 1000 mL	5 Vials	1420.00
201190160500	SIM Medium A medium used for determination of H ₂ S production, indole formation and motility of enteric bacteria.	36.23	500 g	4730.00
201190170100 201190170500 201190172500	Simmons Citrate Agar A medium used for the differentiation of Gram-negative bacteria on the basis of citrate utilization.	24.28	100 g 500 g 2.5 k	970.00 3890.00 On request
201190180100 201190180500	Simmons Citrate Agar BIS A medium used for the differentiation of Gram-negative bacteria on the basis of citrate utilization in compliance with BIS specification IS: 5887 (Part 1)-1976 reaffirmed 1986.	24.28	100 g 500 g	1010.00 4290.00
201190190500	Skim Milk Agar A medium used for cultivation and enumeration of microorganisms in milk and dairy products.	51.50	500 g	5390.00
201190200500 201190202500 201190205000	Soyabean Casein Digest Agar (Harmonized) Isolation and cultivation of a wide variety of microorganisms from pharmaceutical products in accordance with microbial limit testing by harmonized methodology of USP/EP/BP/JP/IP.	40.00	500 g 2.5 k 5 k	3910.00 On request On request
201190210100 201190210500 201190212500 201190215000	Soyabean Casein Digest Agar (Tryptone Soya Agar) A general-purpose medium used for the isolation and cultivation of a wide variety of fastidious and non-fastidious microorganisms.	40.00	100 g 500 g 2.5 k 5 k	990.00 3910.00 On request On request

Store at 10-30°C,

* Store at 2-8°C,

Bulk packs are available On request.

CAT. NO.	PRODUCT	QTY. IN GRAMS PER LITRE	PACK SIZE	LIST PRICE (₹)
201191680500	Soyabean Casein Digest Agar, VEG Recommended as a general-purpose medium used for cultivation of a wide variety of microorganisms from clinical and non-clinical samples and for sterility testing in pharmaceutical procedures.	40.00	500 g	3960.00
201190220500	Soyabean Casein Digest Agar (Casein Soyabean Digest Agar) IP (Medium 2) A general-purpose medium used for the isolation and cultivation of a wide variety of fastidious and non-fastidious microorganisms in compliance with IP.	40.00	500 g	4070.00
201190230500	Soyabean Casein Digest Agar with 2% Polysorbate 80 (Twin Pack) A medium used for determining efficiency of sanitization of containers, equipment surfaces, water miscible cosmetics etc.	40.00 g of Part A + 20 mL of Part B	500 g	9680.00
201190240500 201190242500 201190245000	Soyabean Casein Digest Medium (Tryptone Soya Broth) (Harmonized) Isolation and cultivation of a wide variety of microorganisms from pharmaceutical products with microbial limit testing by harmonized methodology of USP/EP/BP/JP/IP.	29.77	500 g 2.5 k 5 k	2005.00 On request On request
201190250100 201190250500 201190252500 201190255000	Soyabean Casein Digest Medium (Tryptone Soya Broth) A general-purpose medium used for the isolation and cultivation of a wide variety of fastidious and non-fastidious microorganisms.	30.00	100 g 500 g 2.5 k 5 k	450.00 2005.00 On request On request
201190260500	Soyabean Casein Digest Medium VEG A general-purpose medium used for the isolation and cultivation of a wide variety of fastidious and non-fastidious microorganisms.	30.00	500 g	2065.00
201190270500 201190275000	Soyabean Casein Digest Medium, Sterile Powder A medium used for evaluation of sterility in manufacturing process.	-	500 g 5 k	2750.00 On request
201191660500	Soyabean Medium, Sterile Powder VEG A medium used for evaluation of sterility in manufacturing process.	-	500 g	2750.00
201190280500	Soyabean Casein Digest Medium with Lecithin and Polysorbate 80* A medium used for determining efficiency of sanitization of containers, equipment surfaces, water miscible cosmetics etc.	35.70	500 g	5170.00
201191670500	Soya Agar with Lecithin and Polysorbate 80 VEG* A medium used for determining the efficiency of sanitization of containers, equipment surfaces, water miscible cosmetics etc.	35.70	500 g	5060.00
201191910100 201191910500	Soyabean Casein Digest Medium with 0.5% Soya Lecithin and 0.1% Polysorbate 80 A medium used for determining efficiency of sanitization of containers, equipment surfaces, water miscible cosmetics etc.	36.00	100 g 500 g	825.00 4885.00
201190290100 201190290500 201190292500	SS (Salmonella Shigella Agar) Agar A differential and selective medium used for isolation of <i>Salmonella</i> and some <i>Shigella</i> species from clinical and non-clinical specimens.	63.02	100 g 500 g 2.5 k	865.00 3890.00 On request
201190300100 201190300500	Salmonella Selective Enrichment Broth A medium recommended for selective enrichment of <i>Salmonella</i> species.	25.00	100 g 500 g	1265.00 5170.00
201190310500	Standard Nutrient Agar A general-purpose medium used for cultivation and enumeration of not particularly fastidious organisms.	45.00	500 g	4730.00
201190320500	Standard Nutrient Broth (H. S. Vaccine Medium) A highly nutritive medium recommended for the large scale cultivation of bacteria for production of vaccine preparation.	25.00	500 g	3080.00
201190330500	Starch Agar A medium used for detection of starch hydrolysing microorganisms.	25.00	500 g	4950.00
201190340500	Streptococcus Thermophilus Isolation Agar A medium recommended for determining the ratio of <i>Streptococcus thermophilus</i> and <i>Lactobacillus bulgaricus</i> in yoghurt.	42.00	500 g	5390.00
201190350500	Starch Casein Agar A medium recommended for detection of saccharolytic marine bacteria.	63.00	500 g	5060.00

Store at 10-30°C, * Store at 2-8°C, Bulk packs are available On request.

CAT. NO.	PRODUCT	QTY. IN GRAMS PER LITRE	PACK SIZE	LIST PRICE (₹)
201190360100 201190360500	Stuart Transport Medium A medium used for collecting, transporting and preserving microbiological specimens particularly <i>Neisseria</i> species and other fastidious organisms.	14.10	100 g 500 g	1890.00 7450.00
201200010100 201200010500	TCBS Agar A selective medium used for isolating and cultivating <i>Vibrios</i> causing cholera and food poisoning from clinical and non-clinical specimens.	89.08	100 g 500 g	1295.00 4970.00
201200810500	TCBS Agar BIS A medium used for selective isolation of <i>Vibrio cholerae</i> and other enteropathogenic <i>Vibrios</i> , in compliance with BIS IS:5887(Part V)-1976.	89.08	500 g	5830.00
201200020500	TCBS Agar - Selective Media Medium recommended for the selective isolation of <i>Vibrio cholerae</i> and other enteropathogenic <i>Vibrios</i> .	89.08	500 g	5020.00
201200030100 201200030500	TAT Broth Base A medium used for cultivating microorganisms from highly viscous or gelatinous materials.	25.00 g / 960 mL	100 g 500 g	1210.00 5005.00
201200040100 201200040500	Taurocholate Broth A medium used for selective isolation of coliforms from water, milk and other food products.	40.03	100 g 500 g	1045.00 5005.00
201200050100 201200050500	Tergitol-7 Agar Base A selective medium used for the detection of coliform bacteria and for early detection of <i>E. coli</i> in water analysis.	33.13	100 g 500 g	1165.00 5225.00
204200740010	TTC Solution 1%*	3 mL / 1000 mL	5 x 10 mL	1470.00
201200060500	Tellurite Blood Agar Base A medium used for the selective isolation and cultivation of <i>Corynebacterium</i> species.	62.00	500 g	5335.00
204080100100 204160730010	Haemoglobin Powder Soluble* Potassium Tellurite 1%*	10.00 g / 490 mL 1 Vial / 500 mL	100 g 5 x 10 mL	8200.00 850.00
201200070500	Tellurite Glycine Agar Base A medium used for quantitative detection of coagulase-positive <i>Staphylococci</i> from foods and other sources like skin, mucous membranes, faeces, air and soil.	56.00	500 g	5390.00
201200080100 201200080500	Tetrathionate Brilliant Green Bile Broth A medium used for isolation and identification of <i>Salmonella</i> .	63.07	100 g 500 g	880.00 3080.00
201200090100 201200090500	Tetrathionate Brilliant Green Bile Broth IP A medium used for isolation and identification of <i>Salmonella</i> in compliance with IP.	63.07	100 g 500 g	880.00 3135.00
201200100100 201200100500	Tetrathionate Broth Base, Hajna A medium used for selective enrichment of <i>Salmonella</i> , particularly in food and dairy products prior to isolation.	91.51	100 g 500 g	860.00 3410.00
201200110500	Thioglycollate Agar A medium recommended for cultivation of anaerobic microorganisms.	49.00	500 g	5005.00
201200120500	Thioglycollate Broth A medium used for sterility tests and the cultivation of microaerophilic and anaerobic organisms.	29.00	500 g	2145.00
201200150100 201200150500	Todd Hewitt Broth A medium used for the cultivation of group A Haemolytic <i>Streptococci</i> used for serological studies.	37.00	100 g 500 g	1030.00 4430.00
201200820100 201200820500	Toluidine Blue DNA Agar A medium used for detection of thermostable deoxyribonuclease activity.	26.48	100 g 500 g	9180.00 42120.00
201200160500	Tributyryn Agar w/o Tributyrin A medium used for detection of lipolytic microorganisms.	23.00 g / 990 mL	500 g	5345.00
204200750010	Tributyryn Supplement*	1 Vial / 1000 mL	5 x 10 mL	2255.00
201200170100 201200170500	Triple Sugar Iron Agar A medium used for the identification of Gram-negative enteric bacilli on the basis of dextrose, lactose and sucrose fermentation and hydrogen sulphide production.	64.52	100 g 500 g	840.00 3995.00

Store at 10-30°C,

* Store at 2-8°C,

Bulk packs are available On request.

CAT. NO.	PRODUCT	QTY. IN GRAMS PER LITRE	PACK SIZE	LIST PRICE (₹)
201200180500	Triple Sugar Iron Agar BIS A medium used for the identification of Gram-negative enteric bacilli on the basis of dextrose, lactose and sucrose fermentation and hydrogen sulphide production in compliance with BIS specification IS: 5887 (Part V)-1976.	64.62	500 g	4400.00
201201030500	Triple Sugar Iron Agar ISO Recommended for identification of <i>Enterobacteriaceae</i> especially <i>Salmonella</i> species. The composition and performance criteria of this medium are as per the specification laid down in ISO 6579-1:2017.	64.62	500 g	4400.00
201200190500	Tryptone Agar Base A medium used for determination of motility and carbohydrate fermentation reactions of aerobes and anaerobes.	23.52	500 g	5185.00
201200200100	Tryptone Salt Broth A medium recommended for preparation of specimens, stock suspensions and decimal dilutions for the purpose of microbiological tests.	9.50	100 g	810.00
201200200500		500 g	3565.00	
201200210500	Tryptone Salt Agar with 3% NaCl A medium used for differentiation of El Tor and Classical biotypes of <i>Vibrio</i> in accordance with FDA BAM, 1998.	60.00	500 g	4785.00
201200220500	Tryptose Blood Agar Base A medium recommended for the isolation of fastidious organisms and determining the haemolytic reactions.	33.00	500 g	5885.00
201200230500	Tryptose Phosphate Broth A medium used for cultivation of fastidious bacteria.	29.50	500 g	4015.00
201200240100	Tryptone Bile Agar A medium used for rapid detection and enumeration of <i>Escherichia coli</i> in food using a modified direct plating method.	36.50	100 g	1100.00
201200240500		500 g	5060.00	
201200250500	Tryptone Glucose Beef Extract Agar (TGB Agar) A medium used for the enumeration of bacteria in water, air, milk and dairy products.	24.00	500 g	5170.00
201200260500	Tryptone Glucose Yeast Extract Agar A medium recommended for enumeration of bacteria in water, air, milk and dairy products.	24.00	500 g	4180.00
201200780100	Tryptone Soya Agar with Lecithin and Polysorbate 80 (Soyabean Casein Digest Agar with Lecithin and Polysorbate 80) A medium recommended for validation of cleanliness on surfaces of containers, equipment surfaces and water miscible cosmetics.	45.70	100 g	1100.00
201200780500		500 g	4950.00	
201200290500	Tryptone Salt Agar with 1% NaCl A medium used for differentiation of El Tor and Classical biotypes of <i>Vibrio</i> in accordance with FDA BAM, 1998.	40.00	500 g	5060.00
201200300500	Tryptone Soya Broth with Phenol Red A general-purpose medium used for cultivation of a wide variety of microorganisms and recommended for sterility testing of moulds and lower bacteria.	30.02	500 g	2200.00
201200310500	Tryptone Soya Broth with 4% Polysorbate 20 and 0.5% Lecithin (Twin Pack) A general-purpose medium recommended for sanitary examination of surfaces.	35.00 g of Part A + 40 mL of Part B	500 g	11825.00
201200320500	Tryptone Soya Yeast Extract Agar ISO A medium used for confirmation of <i>Listeria</i> in Henry's light in compliance with ISO specifications ISO 10560:1993.	51.00	500 g	4675.00
201200340100	Tryptone Water (Tryptone Broth) A medium used for the detection of indole production of coliforms.	15.00	100 g	865.00
201200340500		500 g	3930.00	
201200342500		2.5 k	On request	
201200345000		5 k	On request	
201200350100	Tryptophan Broth A medium recommended for detection of indole production.	16.00	100 g	865.00
201200350500		500 g	3565.00	
201200360500	Tryptone Water without Sodium Chloride A medium used for the detection of <i>Vibrio cholerae</i> and <i>Vibrio parahaemolyticus</i> .	10.00	500 g	3850.00

Store at 10-30°C,

* Store at 2-8°C,

Bulk packs are available On request.

CAT. NO.	PRODUCT	QTY. IN GRAMS PER LITRE	PACK SIZE	LIST PRICE (₹)
201200370500	TSB CAP 4 with Tween 80 For determining efficiency of sanitization of containers, equipment surfaces, water miscible cosmetics etc.	45.00 g of Part A + 35 mL of Part B	500 g	7260.00
201210010100	Urea Agar Base, Christensen	24.01 g / 950 mL	100 g	1080.00
201210010500	A medium with added urea, used for the detection of urease production, particularly by the genus <i>Proteus</i> .		500 g	4430.00
204210060005	Urea 40%*	1 Vial / 95 mL	10 x 5 mL	1370.00
201210030100	Urea Broth Base	18.71 g / 950 mL	100 g	1135.00
201210030500	A medium with added urea, used for the detection of urease production, to differentiate <i>Proteus</i> species from <i>Salmonella</i> and <i>Shigella</i> species.		500 g	4700.00
204210060005	Urea 40%*	1 Vial / 95 mL	10 x 5 mL	1370.00
201220010100	Violet Red Bile Agar (Crystal Violet Neutral Red Bile Lactose Agar)	41.53	100 g	895.00
201220010500	A selective medium used for the detection and enumeration of coliforms.		500 g	4115.00
201220012500			2.5 k	On request
201220015000			5 k	On request
201220020500	Violet Red Bile Agar BIS A selective medium used for the detection and enumeration of coliforms in compliance with BIS specification IS:5401-1969.	41.53	500 g	3990.00
201220030100	Violet Red Bile Agar with MUG	41.63	100 g	1945.00
201220030500	A medium used as a selective medium for the detection and enumeration of coliform organisms by a fluorogenic procedure.		500 g	8100.00
201220040500	Violet Red Bile Glucose Agar (Harmonized)	40.62	500 g	4000.00
201220042500	Recommended for isolation and cultivation of <i>Enterobacteriaceae</i> from pharmaceutical products in accordance with microbial limit testing by harmonized methodology of USP/EP/BP/JP/IP.		2.5 k	On request
201220045000			5 k	On request
201220050500	Violet Red Bile Glucose Agar IP (Medium 6) A medium used for detecting and enumerating <i>Enterobacteriaceae</i> in accordance with IP.	40.62	500 g	4105.00
201220060100	Violet Red Bile Glucose Agar without Lactose	38.53	100 g	1780.00
201220060500	A medium used for enumeration of <i>Enterobacteriaceae</i> .		500 g	4210.00
201220220500	Violet Red Bile Glucose Agar without Lactose ISO A medium used for the detection and enumeration of <i>Enterobacteriaceae</i> in food, animal feed and environmental samples in compliance with ISO 21528-1:2017 and ISO 21528-2:2017.	38.53	500 g	4320.00
201220070500	Violet Red Bile Glucose Agar w/ Lactose (Crystal Violet, Neutral Red, Bile Agar with Glucose) (Agar Medium F) BP A medium recommended for detection and enumeration of <i>Enterobacteriaceae</i> from pharmaceutical products in accordance with the microbial limit testing by harmonized methodology of BP.	51.53	500 g	4535.00
201220080100	Vogel Johnson Agar Base w/o Tellurite	61.02	100 g	1025.00
201220080500	A medium, with the addition of potassium tellurite, recommended for isolation of <i>Staphylococcus aureus</i> from clinical and non-clinical specimens.		500 g	3940.00
204160730010	Potassium Tellurite 1%*	1 Vial / 500 mL	5 x 10 mL	850.00
201230010500	Wilson Blair Agar Base A medium used for isolation and differentiation of <i>Salmonella</i> serotype <i>Typhi</i> .	60.00	500 g	5345.00
201230020100	Wilson Blair Agar w/ BG A medium recommended for the isolation and preliminary identification of <i>Salmonella Typhi</i> from clinical specimens.	52.32	100 g	1405.00
201230030500	Willis and Hobbs Medium Base A medium used for isolation and identification of <i>Clostridium</i> from food.	47.03	500 g	5185.00
204230080005	Willis and Hobbs Supplement*	1 Vial / 475 mL	5 Vials	1760.00
201240010500	Xylose Lysine Deoxycholate Agar (Harmonized)	54.80	500 g	4110.00
201240012500	Recommended as a selective medium for isolation and cultivation of <i>Salmonella</i> species from pharmaceutical products in accordance with microbial limit testing by harmonized methodology of USP/EP/BP/JP/IP.		2.5 k	On request
201240015000			5 k	On request

Store at 10-30°C,

* Store at 2-8°C,

Bulk packs are available On request.

CAT. NO.	PRODUCT	QTY. IN GRAMS PER LITRE	PACK SIZE	LIST PRICE (₹)
201240020100 201240020500 201240022500	Xylose Lysine Deoxycholate Agar A moderately selective medium used for isolation and differentiation of <i>Salmonella</i> and <i>Shigella</i> .	56.68	100 g 500 g 2.5 k	930.00 4110.00 On request
201240030100 201240030500	Xylose Lysine Deoxycholate Agar (Medium 12) IP A moderately selective medium used for isolation and differentiation of <i>Salmonella</i> and <i>Shigella</i> in compliance with IP.	54.80	100 g 500 g	1025.00 4160.00
201240040100 201240040500	Xylose Lysine Deoxycholate Agar, Modified ISO A moderately selective medium for isolation and differentiation of <i>Salmonella</i> and <i>Shigella</i> in compliance with ISO specification ISO 6579:2017.	55.43	100 g 500 g	1045.00 4235.00
201270050500 201270052500	2XYT Growth Medium Medium is an optimized formulation for the growth and maintenance of M13 phage or other filamentous ssDNA bacteriophages.	31.00	500 g 2.5 k	5185.00 On request
201250010500	YEM Agar A medium widely used for the cultivation of <i>Agrobacterium</i> species and other soil microorganisms.	26.80	500 g	5995.00
201250020500	YEM Broth A medium widely used for the cultivation of <i>Agrobacterium</i> species and other soil microorganisms.	11.80	500 g	5335.00
201250030500	YPD (YEPD Growth Agar) Agar A medium used for the growth of <i>Saccharomyces cerevisiae</i> .	65.00	500 g	7315.00
201250060500	YPD Broth (YEPD Broth) A medium recommended for the growth of <i>Saccharomyces cerevisiae</i> for molecular biology purposes.	50.00	500 g	6160.00
201250070100 201250070500 201250072500	Yeast Extract Chloramphenicol Dextrose Agar* A medium used for selective enumeration of Yeasts and Moulds in milk and milk products.	40.00	100 g 500 g 2.5 k	1430.00 5940.00 On request
201250080500	Yeast Lactose Agar A medium used for cultivation of soil microorganisms such as <i>Rhizobium</i> species.	26.80	500 g	11020.00
201250090500	Yeast Malt Agar (YM Agar) A medium used for the isolation and cultivation of Yeasts, Moulds and other Aciduric microorganisms.	41.00	500 g	5500.00
201270210500	Yeast Malt Broth A medium used for the isolation and cultivation of Yeasts, Moulds and other Aciduric microorganisms.	10.50	500 g	4400.00
201250100500	Yeast Mannitol Agar with Congo Red A medium used for cultivation of soil microorganisms like <i>Rhizobium</i> species.	31.82	500 g	4950.00
201250110500	Yeast Mannitol Broth A medium used for cultivation of <i>Rhizobium</i> species.	12.80	500 g	4675.00
201250120100 201250120500	Yeast Nitrogen Base* A medium recommended for classification of Yeasts on the basis of their ability to assimilate carbon compounds.	6.75	100 g 500 g	3025.00 8030.00
201250130100 201250130500	Yeast Nitrogen Base Agar (Twin Pack) A medium used for assessing carbohydrate utilizing ability of yeasts using carbohydrate disc method.	40.00 g of Part A + 6.75 g of Part B	100 g 500 g	3115.00 17180.00

Store at 10-30°C,

* Store at 2-8°C,

Bulk packs are available On request.

CAT. NO.	PRODUCT	QTY. IN GRAMS PER LITRE	PACK SIZE	LIST PRICE (₹)
204010830005	Ampicillin Supplement An antibiotic supplement recommended for the isolation of <i>Aeromonas hydrophila</i> from foods.	1 Vial / 1000 mL	5 Vials	2000.00
204020670005	B P Sulpha Supplement An antibiotic supplement recommended for use in Baird Parker Agar Base to suppress the growth of <i>Proteus</i> species.	1 Vial / 1000 mL	5 Vials	1390.00
204020680005	Brucella Selective Supplement An antibiotic supplement recommended for selective isolation of <i>Brucella</i> species in milk.	1 Vial / 500 mL	5 Vials	4360.00
204020690005	Burkholderia Selective Supplement An antibiotic supplement recommended for selective isolation of <i>Burkholderia cepacia</i> .	1 Vial / 500 mL	5 Vials	2180.00
204020770005	Burkholderia Selective Supplement I An antibiotic supplement recommended for selective and differential isolation of <i>Burkholderia cepacia</i> .	1 Vial / 1000 mL	5 Vials	2310.00
204270700010	0.1% Brilliant Green Solution Supplement used in Mueller Kauffman Tetrathionate Broth Base.	-	5 x 10 mL	3065.00
204031000005	Campylobacter Supplement-I (Blaser Wang) An antibiotic supplement recommended for selective isolation of <i>Campylobacter</i> species.	1 Vial / 500 mL	5 Vials	1760.00
204031010005	Campylobacter Supplement-III (Skirrow) An antibiotic supplement recommended for selective isolation of <i>Campylobacter</i> species.	1 Vial / 500 mL	5 Vials	1685.00
204031020001	Cetrinix Supplement An antibiotic supplement recommended for selective isolation of <i>Pseudomonas</i> species.	1 Vial / 500 mL	1 Vial	365.00
204031030005	Chloramphenicol Selective Supplement An antibiotic supplement recommended for Yeasts and moulds.	1 Vial / 500 mL	5 Vials	1435.00
204031040005	C C Supplement An antibiotic supplement recommended for the selective cultivation of pathogenic fungi.	1 Vial / 500 mL	5 Vials	3035.00
204040320005	Dermato Supplement An antibiotic supplement recommended for the selective isolation of pathogenic dermatophytes.	1 Vial / 500 mL	5 Vials	1685.00
204050370100	Egg Yolk Emulsion A sterile, stabilized emulsion of egg yolk recommended for use in culture media.	50 mL / 950 mL (Baird Parker Agar Base) 100 mL / 950 mL (MYP Agar)	5 x 100 mL	2785.00
204050380100	Egg Yolk Tellurite Emulsion A sterile, stabilized tellurite emulsion of egg yolk recommended for identification of <i>Staphylococcus</i> species.	50 mL / 950 mL	5 x 100 mL	2785.00
204060350005	Fraser Selective Supplement An antibiotic supplement recommended for the selective isolation, cultivation and identification of <i>Listeria monocytogenes</i> from foods and environmental specimens.	1 Vial / 1000 mL	5 Vials	2000.00
204060360010	Fraser Supplement An antibiotic supplement recommended for the selective isolation, cultivation and identification of <i>Listeria monocytogenes</i> from foods, animals feed and environmental specimens.	1 Vial / 500 mL	10 Vials	1270.00
204060370005	Fraser Selective Supplement ISO An antibiotic supplement recommended by ISO committee for the selective isolation, cultivation and identification of <i>Listeria monocytogenes</i> from foods, animals feed and environmental specimens.	1 Vial / 1000 mL (Primary enrichment)	5 Vials	2155.00

Store at 2-8°C, *Store at 10-30°C.

CAT. NO.	PRODUCT	QTY. IN GRAMS PER LITRE	PACK SIZE	LIST PRICE (₹)
204070410005	Gardnerella Selective Supplement An antibiotic supplement recommended for the selective isolation of <i>Gardnerella vaginalis</i> .	1 Vial / 500 mL	5 Vials	1575.00
204070340005	G C Supplement An enrichment and antibiotic supplement recommended for the selective isolation of pathogenic <i>Neisseria</i> .	1 Vial / 500 mL	5 Vials	2310.00
204070350005	Gruft Mycobacterium Supplement An enrichment and antibiotic supplement recommended for the selective cultivation of Mycobacteria.	1 Vial / 400 mL	5 Vials	2045.00
204080100100	Haemoglobin Powder Soluble An enrichment supplement whose 2% w/v solution is autoclavable.	-	100 g	8200.00
204080110100	Horse Serum An enrichment supplement recommended for isolation and cultivation of <i>Mycoplasma</i> , <i>Trichomonas</i> , <i>Streptococcus</i> species and <i>C. diphtheriae</i> .	750 mL / 250 mL	100 mL	5365.00
204120530010	Legionella Growth Supplement An enrichment supplement used for enhancing growth of <i>Legionella</i> species.	1 Vial / 500 mL	10 Vials	845.00
204120540005	Legionella Selective Supplement An antibiotic supplement recommended for the selective isolation of <i>Legionella</i> species.	1 Vial / 500 mL	5 Vials	1450.00
204120550005	Listeria Selective Supplement (PALCAM) An antimicrobial supplement recommended for the selective isolation and identification of <i>Listeria monocytogenes</i> .	1 Vial / 500 mL	5 Vials	1635.00
204120560005	Listeria Moxalactam Supplement An antibiotic supplement recommended for the isolation of <i>Listeria monocytogenes</i> from mixed flora.	1 Vial / 500 mL	5 Vials	2860.00
204120570005	Listeria Selective Supplement I A supplement recommended for the selective cultivation of <i>Listeria</i> species.	1 Vial / 1000 mL	5 Vials	1845.00
204270580010	10% Lactic Acid Lactic Acid solution recommended for the adjustment of acidic pH.	1 Vial / 500 mL	5 x 10 mL	3830.00
204131390005	MKTT Novobiocin Supplement A selective supplement recommended for enrichment and isolation of <i>Salmonella</i> species.	1 Vial / 1000 mL	5 Vials	2580.00
204131490005	Modified Listeria Oxford Selective Supplement An antibiotic supplement recommended for the selective isolation and cultivation of <i>Listeria monocytogenes</i> from foodstuffs, clinical samples etc.	1 Vial / 1000 mL	5 Vials	1935.00
204132080005	Michrom™ VRE Supplement A supplement recommended for selective isolation of Vancomycin Resistant Enterococci (VRE).	1 Vial / 1000 mL	5 Vials	5445.00
204140370005	Nalidixic Selective Supplement An antibiotic supplement recommended for the selective isolation of <i>Pseudomonas aeruginosa</i> .	1 Vial / 1000 mL	5 Vials	1450.00
204140380005	Novobiocin Supplement An antibiotic supplement recommended for the presumptive identification of <i>Aeromonas hydrophila</i> .	1 Vial / 1000 mL	5 Vials	1765.00
204150130001	Oxford Listeria Supplement An antimicrobial supplement recommended for selective isolation of <i>Listeria</i> species.	1 Vial / 500 mL	1 Vial	1815.00
204160790100 204160790500	Polysorbate 20* A supplement used as a neutralizing agent.	-	100 mL 500 mL	3065.00 9920.00
204160700500	Polysorbate 80* A supplement used as a neutralizing agent.	-	500 mL	4480.00

Store at 2-8°C, *Store at 10-30°C.

CAT. NO.	PRODUCT	QTY. IN GRAMS PER LITRE	PACK SIZE	LIST PRICE (₹)
204160710005	Polymyxin B Selective Supplement An antibiotic supplement recommended for the selective isolation of <i>Bacillus cereus</i> .	1 Vial / 475 mL	5 Vials	1540.00
204160720001	Potassium Tellurite 3.5 % A filter-sterilized supplement recommended for the isolation of Staphylococci.	3 mL / 950 mL	5 x 1 mL	970.00
204160730010	Potassium Tellurite 1 % A filter-sterilized supplement recommended for the isolation of Staphylococci.	1 Vial / 500 mL	5 x 10 mL	850.00
204191470005	Shigella Selective Supplement An antibiotic supplement recommended for the selective isolation and cultivation of <i>Shigella</i> species.	1 Vial / 1000 mL	5 Vials	1420.00
204191340005	Staph-Strepto Supplement An antibiotic supplement recommended for the selective isolation of <i>Staphylococcus</i> and <i>Streptococcus</i> species.	1 Vial / 500 mL	5 Vials	1820.00
204191350010	Strepto Supplement An antibiotic supplement recommended for the selective isolation of <i>Streptococcus</i> species.	1 Vial / 500 mL	10 Vials	1450.00
204191360005	Sulpha Supplement An antibiotic supplement recommended for the selective isolation of <i>Salmonella</i> species.	1 Vial / 500 mL	5 Vials	1935.00
204200800005	Tellurite-Cefixime Supplement A selective supplement recommended by ISO Committee for the isolation of <i>Escherichia coli</i> 0157:H7.	1 Vial / 500 mL	5 Vials	1450.00
204200770005	T.S.C Supplement (Perfringens Supplement) An antibiotic supplement recommended for the selective isolation of <i>Clostridium perfringens</i> .	1 Vial / 500 mL	5 Vials	13150.00
204200740010	TTC Solution 1% A filter-sterilized solution recommended for the detection of microbial growth using TTC (2,3,5 - Triphenyl Tetrazolium Chloride) reduction.	3 mL / 1000 mL	5 x 10 mL	1470.00
204200750010	Tributyryn Supplement Recommended for detection of lipolytic microorganisms.	1 Vial / 1000 mL	5 x 10 mL	2255.00
204210060005	Urea 40% A filter-sterilized supplement for detection of urease activity.	1 Vial / 95 mL	10 x 5 mL	1370.00
204230080005	Willis and Hobbs Supplement An antibiotic supplement recommended for isolation of <i>Clostridium perfringens</i> and <i>Clostridium botulinum</i> species.	1 Vial / 475 mL	5 Vials	1760.00

Store at 2-8°C, *Store at 10-30°C.

CAT. NO.	PRODUCT	PACK SIZE	LIST PRICE (₹)
202010380500 202010382500 202010389925 202010389825	Agar Powder For use as a solidifying agent in microbiological culture media, Kosher and Halal certified.	500 g 2.5 k 25 k (Bag) 25 k (Drum)	6050.00 On request On request On request
202010390500 202010392500 202010399925 202010399825	Agar Agar; Type I Recommended for tissue culture work, Kosher certified.	500 g 2.5 k 25 k (Bag) 25 k (Drum)	5775.00 On request On request On request
202010400500 202010402500 202010409925 202010409825	Agar Agar, Bacteriological Grade Purified agar having premium transparency, high hysteresis and very reliable reproducibility, used as a solidifying agent with naturally occurring pigments, salts and miscellaneous matter reduced to a minimum, Kosher certified.	500 g 2.5 k 25 k (Bag) 25 k (Drum)	7450.00 On request On request On request
202020430500 202020432500 202020439925 202020439825	Beef Extract Powder A nutritious extract used in the preparation of a variety of culture media for the cultivation of a wide variety of microorganisms.	500 g 2.5 k 25 k (Bag) 25 k (Drum)	3270.00 On request On request On request
202020440100 202020442500 202020449925 202020449825	Bile Salt Mixture Used in microbiological culture media as selective inhibitory agent.	100 g 2.5 k 25 k (Bag) 25 k (Drum)	6715.00 On request On request On request
202030240500 202030242500 202030249925 202030249825	Casein Enzymic Hydrolysate (Tryptone) An ingredient used in the preparation of variety of culture media such as sterility testing media, diagnostic media and media for biochemical characterization, Halal certified.	500 g 2.5 k 25 k (Bag) 25 k (Drum)	3810.00 On request On request On request
202031140500 202031142500 202031149925 202031149825	Casein Enzymic Hydrolysate (Tryptone), Type I An ingredient used in the preparation of variety of culture media such as sterility testing media, diagnostic media and media for biochemical characterization.	500 g 2.5 k 25 k (Bag) 25 k (Drum)	3935.00 On request On request On request
202030250500 202030252500 202030259925 202030259825	Casein Peptone (Enzymic Digest of Casein) Used in the preparation of a variety of culture media such as sterility testing media, diagnostic media and media for biochemical characterization, Halal certified.	500 g 2.5 k 25 k (Bag) 25 k (Drum)	3810.00 On request On request On request
202070100500 202070102500 202070109925 202070109825	Gelwell® (Equivalent to Phytigel™ or Gelrite®) Recommended for tissue culture work.	500 g 2.5 k 25 k (Bag) 25 k (Drum)	12885.00 On request On request On request
202120340500 202120342500 202120349925 202120349825	Lactose Monohydrate Bacteriological grade.	500 g 2.5 k 25 k (Bag) 25 k (Drum)	970.00 On request On request On request
202130730500 202130732500 202130739925 202130739825	Malt Extract Powder An ideal ingredient used in the preparation of culture media for the cultivation of Yeasts and Moulds, Halal certified.	500 g 2.5 k 25 k (Bag) 25 k (Drum)	3630.00 On request On request On request
202130740500 202130742500 202130749925 202130749825	Meat Extract Powder A nutritious extract used as a ingredient in the preparation of culture media for cultivation of a wide variety of fastidious microorganisms, Halal certified.	500 g 2.5 k 25 k (Bag) 25 k (Drum)	3390.00 On request On request On request
202130750500 202130752500 202130759925 202130759825	Mycological Peptone (Peptone M) A nutritious ingredient used in the preparation of culture media for cultivation of Yeasts and Moulds, Halal certified.	500 g 2.5 k 25 k (Bag) 25 k (Drum)	4235.00 On request On request On request
202160360500 202160362500 202160369925 202160369825	Pancreatic Digest of Casein A medium used for preparation of a variety of culture media, Halal certified.	500 g 2.5 k 25 k (Bag) 25 k (Drum)	4235.00 On request On request On request

Store at 10-30°C,

* Store at 2-8°C.

CAT. NO.	PRODUCT	PACK SIZE	LIST PRICE (₹)
202160370500 202160372500 202160379925 202160379825	Peptone (VEG) A medium recommended for use as a culture media ingredient in variety of media as well as for commercial production of enzymes, vaccines, antibiotics and other products, Kosher certified.	500 g 2.5 k 25 k (Bag) 25 k (Drum)	3210.00 On request On request On request
202160380500 202160382500 202160389925 202160389825	Peptone, Bacteriological A nutritious ingredient used in the preparation of culture media for the cultivation of a wide variety of bacteria and fungi, Halal certified.	500 g 2.5 k 25 k (Bag) 25 k (Drum)	3370.00 On request On request On request
202160740500 202160742500 202160749925 202160749825	Peptone, Bacteriological Special A nutritious ingredient used in the preparation of culture media for the cultivation of a wide variety of bacteria and fungi.	500 g 2.5 k 25 k (Bag) 25 k (Drum)	3870.00 On request On request On request
202160390500 202160392500 202160399925 202160399825	Peptone Type III A nutritious ingredient used in the preparation of culture media for the cultivation of a wide variety of bacteria and fungi, Halal certified.	500 g 2.5 k 25 k (Bag) 25 k (Drum)	1880.00 On request On request On request
202160400500 202160402500 202160409925 202160409825	Proteose Peptone A nutritious ingredient used in the preparation of culture media employed for cultivation of a wide variety of microorganisms and in producing bacterial toxins, Halal certified.	500 g 2.5 k 25 k (Bag) 25 k (Drum)	3995.00 On request On request On request
202190370500 202190372500 202190379925 202190379825	Soya Peptone Papaic digest of soyabean meal used in the preparation of culture media, Halal certified.	500 g 2.5 k 25 k (Bag) 25 k (Drum)	3570.00 On request On request On request
202190380500 202190382500 202190389925 202190389825	Soya Peptone Grade I Enzymatic protein digest used for preparation of culture media for luxuriant growth of fastidious microorganisms.	500 g 2.5 k 25 k (Bag) 25 k (Drum)	2300.00 On request On request On request
202190390500 202190392500 202190399925 202190399825	Soya Peptone Grade II Papaic digest of soyabean meal used in the preparation of culture media to allow rapid growth of microorganisms.	500 g 2.5 k 25 k (Bag) 25 k (Drum)	3025.00 On request On request On request
202190400100 202190400500 202190402500 202190409925 202190409825	Soya Lecithin* Used as a natural emulsifier or stabilizer in various food.	100 g 500 g 2.5 k 25 k (Bag) 25 k (Drum)	4090.00 18755.00 On request On request On request
202200380500 202200382500 202200389925 202200389825	Tryptose An enzymatic hydrolysate of protein that can replace meat infusion used in the preparation of culture media for the cultivation of many fastidious microorganisms, Halal certified.	500 g 2.5 k 25 k (Bag) 25 k (Drum)	4960.00 On request On request On request
202250140500 202250142500 202250149925 202250149825	Yeast Peptone A nutritious extract used in the preparation of culture media for the cultivation of a wide variety of microorganisms, Kosher certified.	500 g 2.5k 25 k (Bag) 25 k (Drum)	3270.00 On request On request On request
202250150500 202250152500 202250159925 202250159825	Yeast Extract Powder Yeast extract powder is a water soluble extract of selected autolyzed yeast cells rich in vitamins, especially B complexes, amino acids and other growth factors. It is used in many microbiological culture media formulation as an excellent growth source, Kosher and Halal certified.	500 g 2.5 k 25 k (Bag) 25 k (Drum)	2540.00 On request On request On request
202250160500 202250162500 202250169925 202250169825	Yeast Extract Powder Type I Yeast extract manufactured under controlled conditions with excellent nutritional profile especially vitamins, amino acids and recommended for use in fermentation, microbial culture media and various other biological products, Kosher certified.	500 g 2.5 k 25 k (Bag) 25 k (Drum)	2090.00 On request On request On request
202250170500 202250172500 202250179925 202250179825	Yeast Extract Powder Type II A nutritious extract used in the preparation of culture media for the cultivation of a wide variety of microorganisms, Kosher certified.	500 g 2.5 k 25 k (Bag) 25 k (Drum)	2010.00 On request On request On request

Store at 10-30°C,

* Store at 2-8°C.



READY TO USE PRODUCTS

CAT. NO.	WATER QUALITY TESTING KITS	PACK SIZE	LIST PRICE (₹)
204160410001	PA Coliform Test Kit A medium used for the detection of presence or absence of coliform bacteria from water samples.	1 Kit (1 Test)	225.00
204030260001	Coliform Test Kit* A medium used for the detection of <i>E. coli</i> and coliforms from water samples on the basis of enzyme substrate reaction.	1 Kit (1 Test)	395.00
204180150001	H₂S Test Kit A medium used for simultaneous detection of <i>Salmonella</i> and <i>Citrobacter</i> from water samples.	1 Kit (4 Tests)	305.00
204080040001	H₂S Medium Kit A medium used for simultaneous detection of <i>Salmonella</i> and <i>Citrobacter</i> from water samples.	1 Kit (10 Tests)	760.00
CAT. NO.	PRESUMPTIVE IDENTIFICATION TESTS	PACK SIZE	LIST PRICE (₹)
203180160001	Rapid PYR Test Kit* Test to detect Group A Streptococci and Enterococci.	1 Kit (10 Tests)	740.00
203180170001	Rapid Presumptive Identification Test Kit for <i>E. coli</i>* Test for fluorescence detection of <i>E. coli</i> on the basis of enzyme substrate reaction.	1 Kit (10 Tests)	700.00
203180180001	Rapid Test Kit for <i>E. coli</i>* Test for presumptive identification of <i>E. coli</i> on the basis of enzyme substrate reaction and Indole test.	1 Kit (10 Tests)	700.00
203200390001	Test Kit for Esculin Hydrolysis* Test for detection of Esculin Hydrolysis.	1 Kit (10 Tests)	560.00

Store at 15-25°C, * Store at 2-8°C

CAT. NO.	PRESUMPTIVE IDENTIFICATION TESTS	PACK SIZE	LIST PRICE (₹)
203200400001	Test Kit for MR-VP* Test for detection of acid and acetoin production and for differentiation of <i>Enterobacteriaceae</i> .	1 Kit (10 Tests)	545.00
203180190001	Rapid Test Kit for Phenylalanine Deamination* Test for differentiation of <i>Proteus</i> , <i>Providencia</i> from Enteric Bacilli.	1 Kit (10 Tests)	560.00
203180200001	Rapid Test Kit for Tryptophan Deamination* Test for differentiation of <i>Proteus</i> from Enteric Bacilli.	1 Kit (10 Tests)	560.00
CAT. NO.	READY PREPARED MEDIA	PACK SIZE	LIST PRICE (₹)
203010980010	Alkaline Peptone Water A medium recommended as an enrichment broth for isolating <i>Vibrio cholerae</i> from clinical samples and non-clinical samples.	25 x 10 mL	2200.00
203011000005	Amies Transport Medium with Charcoal and with Cotton Swab A medium with cotton swab, recommended for transportation and preservation of microbiological specimen.	25 x 5 mL	2180.00
203010410005	Amies with Charcoal Transport Medium A medium recommended for transportation and preservation of microbiological specimen.	25 x 5 mL	1815.00
203010420005	Amies Transport Medium without Charcoal and with Cotton Swab A medium with cotton swab, recommended for transportation and preservation of microbiological specimen.	25 x 5 mL	1995.00
203010430005	Amies Transport Medium without Charcoal A medium recommended for transportation and preservation of microbiological specimen.	25 x 5 mL	1695.00
203020450005	BHI Broth A highly nutritious general-purpose liquid medium for cultivation of variety of fastidious and non-fastidious microorganisms, including aerobic and anaerobic bacteria.	50 x 5 mL	1755.00
203030280100 203030280250	Cetrimide Agar (Harmonized) A medium used for isolation and cultivation of <i>Pseudomonas aeruginosa</i> from pharmaceutical products in accordance with microbial limit testing by harmonized methodology of USP/EP/BP/JP/IP.	100 mL 6 x 250 mL	285.00 3025.00
203030290100 203030290250	Columbia Agar (Harmonized) A medium used for detection of <i>Clostridium sporogenes</i> from pharmaceutical products in accordance with the microbial limit testing by harmonized methodology of USP/EP/BP/JP/IP.	100 mL 6 x 250 mL	235.00 3025.00
203040190100	Dey-Engley Neutralizing Broth A medium used in disinfectant testing where the neutralization of antiseptics and disinfectant is important for determining its bactericidal activity.	100 mL	230.00
203040430010	Dey-Engley Neutralizing Broth I A medium used in disinfectant testing where the neutralization of antiseptics and disinfectant is important for determining its bactericidal activity.	25 x 10 mL	1695.00
203050250010 203050740090 203050850090	Enterobacteria Enrichment Broth, Mossel (Harmonized) Used for isolation and cultivation of <i>Enterobacteriaceae</i> from pharmaceutical products in accordance with microbial limit testing by harmonized methodology of USP/EP/BP/JP/IP.	25 x 10 mL 90 mL 10 x 90 mL	1735.00 290.00 2905.00
203060430090	Fluid Thioglycollate Medium with 1% Polysorbate 80 I A medium used for validation of cleanliness on surfaces of containers, equipment surfaces and water miscible cosmetics by canister device.	90 mL	240.00
203060160100	Fluid Thioglycollate Medium with 0.5% Soya Lecithin and 4% Polysorbate 80 A medium used for validation of cleanliness on surfaces of containers, equipment surfaces and water miscible cosmetics.	100 mL	275.00
203060170100	Fluid Lactose Medium Medium recommended for the detection of coliform bacteria in water, dairy products and food samples.	100 mL	290.00
203070110010 203070110100	GN Broth IP (Medium 11) A medium used for the isolation of <i>Shigella</i> species in compliance with IP.	25 x 10 mL 100 mL	2750.00 280.00
203070120005	Glucose Broth A medium used for cultivation and fermentation studies of microorganisms.	50 x 5 mL	2400.00

Store at 15-25°C, * Store at 2-8°C

CAT. NO.	READY PREPARED MEDIA	PACK SIZE	LIST PRICE (₹)
203080050005	Hartley Broth A medium used for cultivation of wide variety of bacteria from blood specially Streptococci and <i>Corynebacterium diphtheriae</i> .	50 x 5 mL	2340.00
203120700090	Letheen Broth A medium recommended for determination of bactericidal activity of quaternary ammonium compounds using <i>Escherichia coli</i> or <i>Staphylococcus aureus</i> .	10 x 90 mL	6050.00
203130760100 203130760250	MacConkey Agar with Crystal Violet, NaCl and 0.15% Bile Salts A slightly selective and differential medium recommended for the detection of coliforms and other enteric pathogens.	100 mL 6 x 250 mL	300.00 2660.00
203130770100 203130770250	MacConkey Agar without Crystal Violet, NaCl and with 0.5% Sodium Taurocholate A medium used for the cultivation and differentiation of enteric bacteria and potentially pathogenic Gram-positive organisms while restricting swarming of <i>Proteus</i> species.	100 mL 6 x 250 mL	300.00 2630.00
203130790010	MacConkey Broth (Harmonized) Used for isolation and cultivation of coliforms from pharmaceutical products in accordance with microbial limit testing by harmonized methodology of USP/EP/BP/JP/IP.	25 x 10 mL	2480.00
203131440100	MacConkey Broth (Harmonized) III Used for isolation and cultivation of coliforms from pharmaceutical products in accordance with microbial limit testing by harmonized methodology of USP/EP/BP/JP/IP in wide mouth bottle.	100 mL	475.00
203130830100 203130830250	Mueller Hinton Agar A medium used for antimicrobial susceptibility testing of common, rapidly growing microorganisms by the Kirby-Bauer method.	100 mL 6 x 250 mL	300.00 2980.00
203140140100 203140140250	Nutrient Agar A medium used for cultivation of a wide variety of less fastidious microorganisms which can be enriched by the addition of blood or other biological fluids.	100 mL 6 x 250 mL	230.00 2835.00
203140160005	Nutrient Broth A general-purpose medium used for cultivation of bacteria.	50 x 5 mL	1755.00
203270420009 203270420010 203270420100 203270420500	0.1% Peptone Water Used as a diluent in testing of pharmaceuticals in accordance with USP.	50 x 9 mL 25 x 10 mL 100 mL 500 mL	4600.00 2200.00 220.00 825.00
203270430100	0.1% Peptone Water I Used as a diluent in testing of pharmaceuticals in accordance with USP by canister device.	100 mL	225.00
203270490100	0.1% Peptone Water II Used as a diluent in testing of pharmaceuticals in accordance with USP in screw cap + septa bottle.	100 mL	240.00
203161350100	0.1% Peptone Water IV A medium used as a diluent in pharmaceutical testing.	100 mL	240.00
203161170100	0.1% Peptone Water with 0.1% Polysorbate 80 A medium used as a diluent in testing of pharmaceuticals in accordance with USP.	100 mL	300.00
203161180100	0.1% Peptone Water with 1% Polysorbate 80 A medium used as a diluent in testing of pharmaceuticals in accordance with USP.	100 mL	305.00
203161210100	0.1% Peptone Water with 1% Polysorbate 80 II A medium used as a diluent in testing of pharmaceuticals in accordance with USP in screw cap + septa bottle.	100 mL	400.00
203160450005 203160450100	Peptone Water A non-selective medium used for cultivating non-fastidious organisms.	50 x 5 mL 100 mL	1755.00 210.00
203160460009 203160460100	Phosphate Buffer USP Diluent used for raw material and finished product testing as per US Pharmacopoeia.	50 x 9 mL 100 mL	2915.00 330.00
203180210100 203180210250	R-2A Agar Recommended for enumeration of heterotrophic bacteria in treated potable water.	100 mL 6 x 250 mL	280.00 2905.00
203180220010 203180220100	R-2A Broth Medium used for cultivation and maintenance of heterotrophic bacteria from potable water.	25 x 10 mL 100 mL	2200.00 255.00

Store at 15-25°C, * Store at 2-8°C

CAT. NO.	READY PREPARED MEDIA	PACK SIZE	LIST PRICE (₹)
203180230010 203180590100 203180230250	R-2A Broth (Double Strength) Medium used for cultivation and maintenance of heterotrophic bacteria from potable water.	25 x 10 mL 100 mL 6 x 250 mL	2310.00 475.00 2820.00
203180240010	Rappaport Vassiliadis Salmonella Enrichment Broth (Harmonized) (Sterile 10 mL Vials) Selective enrichment medium for <i>Salmonella</i> species from pharmaceutical products in accordance with microbial limit testing by harmonized methodology of USP/EP/BP/JP/IP.	25 x 10 mL	1705.00
203180530010	Rappaport Vassiliadis Salmonella Enrichment Broth (Harmonized) Selective enrichment medium for <i>Salmonella</i> species from pharmaceutical products in accordance with microbial limit testing by harmonized methodology of USP/EP/BP/JP/IP.	50 x 10 mL	3850.00
203190410010	Saline Diluent used for raw material and finished product testing.	50 x 10 mL	4430.00
203192370050	Sterile Polysorbate 80 III Used as an emulsifier or surfactant in wide mouth bottle.	50 mL	505.00
203190450500	Sterile Saline 0.9% with 0.05% Polysorbate 80 Diluent used for raw material and finished product testing.	500 mL	1210.00
203190460050 203190460100 203190460500 203190460009 203190460010	Sterile Saline 0.9% Diluent used for raw material and finished product testing.	50 mL 100 mL 500 mL 50 x 9 mL 25 x 10 mL	180.00 235.00 1055.00 3720.00 2310.00
203191810009	Saline 0.85% with Beads Used as a diluent.	50 x 9 mL	3750.00
203190440100	Saline Lactose Broth An enrichment broth recommended for the detection of coagulase positive <i>Staphylococcus aureus</i> .	100 mL	365.00
203190470100 203190470250	Sabouraud Chloramphenicol Agar A medium used for selective cultivation of Yeasts and Moulds.	100 mL 6 x 250 mL	300.00 3630.00
203190490100 203190490250 203190490500	Sabouraud Dextrose Agar (Harmonized) Used for isolation and cultivation of Yeasts, Moulds and Aciduric bacteria from pharmaceutical products in accordance with microbial limit testing by harmonized methodology of USP/EP/BP/JP/IP.	100 mL 6 x 250 mL 500 mL	255.00 2905.00 970.00
203190500100 203190500500	Sabouraud Dextrose Agar A general-purpose media used for isolation and cultivation of Yeasts, Moulds and Aciduric bacteria.	100 mL 500 mL	255.00 970.00
203191520100	Sabouraud Dextrose Broth (Harmonized) III Used for isolation and cultivation of Yeasts, Moulds and Aciduric bacteria from pharmaceutical products in accordance with microbial limit testing by harmonized methodology of USP/EP/BP/JP/IP in wide mouth bottle.	100 mL	400.00
203190530010	Selenite F Broth* An enrichment medium used for isolation of <i>Salmonella</i> species from faeces, urine or other pathological materials.	25 x 10 mL	2200.00
203191870100	Sodium Bi-carbonate 5% I Used as buffering agent by canister device.	100 mL	630.00
203190560100 203190560250 203190560500	Soyabean Casein Digest Agar (Harmonized) Isolation and cultivation of a wide variety of microorganisms from pharmaceutical products in accordance with microbial limit testing by harmonized methodology of USP/EP/BP/JP/IP.	100 mL 6 x 250 mL 500 mL	255.00 2915.00 970.00
203190580100 203190580250 203190580500	Soyabean Casein Digest Agar (Tryptone Soya Agar) A general-purpose medium for isolation and cultivation of a wide variety of fastidious and non-fastidious microorganisms.	100 mL 6 x 250 mL 500 mL	255.00 2915.00 970.00
203192070250	Soyabean Casein Digest Agar with 0.5% Lecithin and 4% Polysorbate 20 A medium used for validation of cleanliness on surfaces of containers, equipment surfaces and water miscible cosmetics.	6 x 250 mL	5565.00

Store at 15-25°C, * Store at 2-8°C



CAT. NO.	READY PREPARED MEDIA	PACK SIZE	LIST PRICE (₹)
203190600010	Soyabean Casein Digest Medium (Sterility Testing Medium)	25 x 10 mL	2420.00
203190600020	Sterility testing medium recommended for the detection and cultivation of a wide variety of microorganisms.	10 x 20 mL	1465.00
203191950090		90 mL	240.00
203192440090		10 x 90 mL	2420.00
203190610010	Soyabean Casein Digest Medium (Harmonized)	25 x 10 mL	2420.00
203190610100	A medium used for the total bacterial detection, cultivation and recommended for sterility testing in accordance with microbial limit testing by harmonized methodology of USP/EP/BP/JP/IP.	100 mL	265.00
203192420090		10 x 90 mL	2420.00
203191750100	Soyabean Casein Digest Medium (Harmonized) III	100 mL	450.00
203191750090	A medium used for the total bacterial detection, cultivation and recommended for sterility testing in accordance with microbial limit testing by harmonized methodology of USP/EP/BP/JP/IP in wide mouth bottle.	90 mL	440.00
203190710100	Soyabean Casein Digest Medium (Double Strength)	100 mL	485.00
	A general-purpose medium used for the isolation and cultivation of a wide variety of fastidious and non-fastidious microorganisms from large sample.		
203190640100	Soyabean Casein Digest Medium with Polysorbate 80	100 mL	285.00
	A medium used for validation of cleanliness on surfaces of containers, equipment surfaces and water miscible cosmetics.		
203190670010	Soyabean Casein Digest Medium with 0.1% Polysorbate 80	25 x 10 mL	2530.00
203190670100	A medium used for validation of cleanliness on surfaces of containers, equipment surfaces and water miscible cosmetics.	100 mL	280.00
203191960090		90 mL	265.00
203192480090		10 x 90 mL	2660.00
203190680010	Soyabean Casein Digest Medium with 1% Polysorbate 80	25 x 10 mL	2585.00
203190680090	A medium used for validation of cleanliness on surfaces of containers, equipment surfaces and water miscible cosmetics.	90 mL	280.00
203192490090		10 x 90 mL	2905.00
203191700090	Soyabean Casein Digest Medium with 1% Polysorbate 80 I	90 mL	300.00
	A medium used for validation of cleanliness on surfaces of containers, equipment surfaces and water miscible cosmetics by canister device.		
203191760100	Soyabean Casein Digest Medium with 1% Polysorbate 80 III	100 mL	485.00
203191760090	A medium used for validation of cleanliness on surfaces of containers, equipment surfaces and water miscible cosmetics in wide mouth bottle.	90 mL	470.00
203192270100	Soyabean Casein Digest Medium with 0.5% Soya Lecithin	100 mL	365.00
	A medium used for validation of cleanliness on surfaces of containers, equipment surfaces and water miscible cosmetics.		
203191970090	Soyabean Casein Digest Medium with 0.5% Soya Lecithin and 4% Polysorbate 20	90 mL	385.00
203192500090	A medium used for validation of cleanliness on surfaces of containers, equipment surfaces and water miscible cosmetics.	10 x 90 mL	3025.00
203191690100		100 mL	400.00
203190660010	Soyabean Casein Digest Medium with 0.5% Soya Lecithin and 4% Polysorbate 80	25 x 10 mL	2610.00
203190660100	A medium used for validation of cleanliness on surfaces of containers, equipment surfaces and water miscible cosmetics.	100 mL	385.00
203191980090		90 mL	375.00
203192510090		10 x 90 mL	3020.00
203191380090	Soyabean Casein Digest Medium with 1% Polysorbate 80 and 0.5% Soya Lecithin	90 mL	320.00
203192520090	A medium used for validation of cleanliness on surfaces of containers, equipment surfaces and water miscible cosmetics.	10 x 90 mL	2905.00
203191380100		100 mL	335.00
203190690100	Soyabean Casein Digest Medium with 0.5% Soya Lecithin and 5% Polysorbate 80	100 mL	415.00
	A medium used for validation of cleanliness on surfaces of containers, equipment surfaces and water miscible cosmetics.		
203190700100	Soyabean Casein Digest Medium with 0.5% Soya Lecithin and 5% Polysorbate 20	100 mL	415.00
	A medium used for validation of cleanliness on surfaces of containers, equipment surfaces and water miscible cosmetics.		
203192590090	Soyabean Casein Digest Medium with 0.3% Soya Lecithin and 3% Polysorbate 80	90 mL	400.00
203191940090	A medium used for validation of cleanliness on surfaces of containers, equipment surfaces and water miscible cosmetics.	10 x 90 mL	4600.00
203192010010	Soyabean Casein Digest Medium with 20% Glycerol	25 x 10 mL	2180.00
	A medium used for the preservation of microbial cultures.		

Store at 15-25°C, * Store at 2-8°C

CAT. NO.	READY PREPARED MEDIA	PACK SIZE	LIST PRICE (₹)
203190720100 203190720500	Soya Lecithin* Used as a natural emulsifier or stabilizer in various food.	100 mL 500 mL	675.00 3025.00
203200410009 203200410090 203200960090	TAT Broth Medium used for cultivating microorganisms from highly viscous or gelatinous materials.	50 x 9 mL 90 mL 10 x 90 mL	4600.00 350.00 3025.00
203200980090 203200470009	TAT Broth with Beads Medium used for sterility testing of highly viscous or gelatinous substances such as salves, ointments and other cosmetic products in accordance with USP.	10 x 90 mL 50 x 9 mL	4575.00 5060.00
203200830010	Thioglycollate Broth A medium used for cultivation and isolation of obligate and facultative anaerobic and microaerophilic bacteria and for aseptic process simulations.	25 x 10 mL	2310.00
203200430005	Transport Swab w/ Cary Blair Medium A medium used for recovery of aerobic, anaerobic and fastidious bacteria from faecal specimens.	25 x 5 mL	2250.00
CAT. NO.	ENVIRONMENTAL MONITORING SWAB	PACK SIZE	LIST PRICE (₹)
203050210050 203050600050	EMswab™ – Buffered Sodium Chloride Peptone Solution pH 7.0 I Ready to use sterile (Gamma-Irradiated) ICR Cotton swab with Buffered Sodium Chloride Peptone Solution pH 7.0 filled in polypropylene tubes. The product is used as rinse solution for surface, equipment sampling in clean rooms and isolators.	50 Tests (50x2 mL) 50 Tests (50x10 mL)	10440.00 16700.00
203050220050 203050700050	EMswab™ – Buffered Sodium Chloride Peptone Solution pH 7.0 II Ready to use sterile (Gamma-Irradiated) ICR Dacron® swab with Buffered Sodium Chloride Peptone Solution pH 7.0 filled in polypropylene tubes. The product is used as rinse solution for surface, equipment sampling in clean rooms and isolators.	50 Tests (50x2 mL) 50 Tests (50x10 mL)	16840.00 26160.00
203050630050	EMswab™ – Buffered Sodium Chloride Peptone Solution pH 7.0 with Polysorbate 80 I Ready to use sterile (Gamma-Irradiated) ICR Cotton swab with Buffered Sodium Chloride Peptone Solution pH 7.0 with Polysorbate 80 filled in polypropylene tubes. The product is used as rinse solution for surface, equipment sampling in clean rooms and isolators.	50 Tests (50x2 mL)	10860.00
203050640050	EMswab™ – Buffered Sodium Chloride Peptone Solution pH 7.0 with Polysorbate 80 II Ready to use sterile (Gamma-Irradiated) ICR Dacron® swab with Buffered Sodium Chloride Peptone Solution pH 7.0 with Polysorbate 80 filled in polypropylene tubes. The product is used as rinse solution for surface, equipment sampling in clean rooms and isolators.	50 Tests (50x2 mL)	17115.00
203050420050	EMswab™ – Buffered Sodium Chloride Peptone Solution pH 7.0 with Lecithin and Polysorbate 80 II Ready to use sterile (Gamma-Irradiated) ICR Dacron® swab with Buffered Sodium Chloride Peptone Solution pH 7.0 with Lecithin and Polysorbate 80 filled in polypropylene tubes. The product is used as rinse solution for surface, equipment sampling in clean rooms and isolators.	50 Tests (50x2 mL)	17390.00
203050170050	EMswab™ – Dey-Engley Neutralizing Broth I* Ready to use sterile (Gamma-Irradiated) ICR Cotton swab with Dey-Engley Neutralizing Broth filled in polypropylene tubes. This product is used for environmental sampling in clean rooms and isolators.	50 Tests (50x2 mL)	13625.00
203050180050	EMswab™ – Dey-Engley Neutralizing Broth II* Ready to use sterile (Gamma-Irradiated) ICR Dacron® swab with Dey-Engley Neutralizing Broth filled in polypropylene tubes. This product is used for environmental sampling in clean rooms and isolators.	50 Tests (50x2 mL)	16835.00
203050190050	EMswab™ – Lethen Broth I Ready to use sterile (Gamma-Irradiated) ICR Cotton swab with Lethen Broth filled in polypropylene tubes. This product is used for environmental sampling in clean rooms and isolators.	50 Tests (50x2 mL)	13625.00
203050200050	EMswab™ – Lethen Broth II Ready to use sterile (Gamma-Irradiated) ICR Dacron® swab with Lethen Broth filled in polypropylene tubes. This product is used for environmental sampling in clean rooms and isolators.	50 Tests (50x2 mL)	16835.00
203050580050	EMswab™ – 0.1% Peptone Water II Ready to use sterile (Gamma-Irradiated) ICR Dacron® swab with 0.1% Peptone Water filled in polypropylene tubes. The product is used as rinse solution for surface, equipment sampling in clean rooms and isolators.	50 Tests (50x10 mL)	16700.00

Store at 15-25°C, * Store at 2-8°C



CAT. NO.	ENVIRONMENTAL MONITORING SWAB	PACK SIZE	LIST PRICE (₹)
203050150050	EMswab™ – Saline I	50 Tests (50x2 mL)	12550.00
203050470050	Ready to use sterile (Gamma-Irradiated) ICR Cotton swab with Saline filled in polystyrene tubes used as rinse solution for surface, equipment sampling in clean rooms and isolators.	50 Tests (50x5 mL)	13400.00
203050550050		50 Tests (50x10 mL)	19480.00
203050160050	EMswab™ – Saline II	50 Tests (50x2 mL)	16075.00
203050560050	Ready to use sterile (Gamma-Irradiated) ICR Dacron® swab with Saline filled in polystyrene tubes used as rinse solution for surface, equipment sampling in clean rooms and isolators.	50 Tests (50x10 mL)	26440.00
203050410050	EMswab™ – Saline with Lecithin and Polysorbate 80 II	50 Tests (50x2 mL)	16280.00
203050620050	Ready to use sterile (Gamma-Irradiated) ICR Dacron® swab with Saline with Lecithin and Polysorbate 80 filled in polystyrene tubes used as rinse solution for surface, equipment sampling in clean rooms and isolators.	50 Tests (50x10 mL)	17395.00
203050520050	EMswab™ – Saline with Lecithin, Sodium Thiosulphate and Polysorbate 80 I	50 Tests (50x5 mL)	13500.00
	Ready to use sterile (Gamma-Irradiated) ICR Cotton swab with Saline with Lecithin, Sodium Thiosulphate and Polysorbate 80 filled in polystyrene tubes used as rinse solution for surface, equipment sampling in clean rooms and isolators.		
203050440050	EMswab™ – Saline with Histidine, Lecithin, Sodium Thiosulphate and Polysorbate 80 I	50 Tests (50x2 mL)	14390.00
	Ready to use sterile (Gamma-Irradiated) ICR Cotton swab with Saline with Histidine, Lecithin, Sodium Thiosulphate and Polysorbate 80 filled in polystyrene tubes used as rinse solution for surface, equipment sampling in clean rooms and isolators.		
203050720050	EMswab™ – Saline with 0.07% Soya Lecithin and 0.5% Polysorbate 80 I	50 Tests (50x2 mL)	13310.00
	Ready to use sterile (Gamma-Irradiated) ICR Cotton swab with Saline with 0.07% Soya Lecithin and 0.5% Polysorbate 80 filled in polystyrene tubes, used as rinse solution for surface, equipment sampling in clean rooms and isolators.		
203050230050	EMswab™ – Soyabean Casein Digest Medium I	50 Tests (50x2 mL)	13625.00
	Ready to use sterile (Gamma-Irradiated) ICR Cotton swab with Soyabean Casein Digest Medium as per USP (Harmonized chapter 62) filled in polypropylene tubes. This product is used for environmental sampling in clean rooms and isolators.		
203050240050	EMswab™ – Soyabean Casein Digest Medium II	50 Tests (50x2 mL)	16835.00
203050610050	Ready to use sterile (Gamma-Irradiated) ICR Dacron® swab with Soyabean Casein Digest Medium as per USP (Harmonized chapter 62) filled in polypropylene tubes. This product is used for environmental sampling in clean rooms and isolators.	50 Tests (50x10 mL)	17395.00
203050430050	EMswab™ – Soyabean Casein Digest Medium with Lecithin and Polysorbate 80 II	50 Tests (50x2 mL)	13925.00
	Ready to use sterile (Gamma-Irradiated) ICR Dacron® swab with Soyabean Casein Digest Medium with Lecithin and Polysorbate 80 filled in polypropylene tubes. This product is used for environmental sampling in clean rooms and isolators.		
203050390025	EMswab™ – Twin Pack System (Saline with Swab Stick + Soyabean Casein Digest Medium) I	25 Tests (50x2 mL)	13785.00
	Ready to use sterile (Gamma-Irradiated) ICR Cotton swab with combo pack of Saline with swab stick in polystyrene tube and Soyabean Casein Digest Medium filled in polypropylene tube. This product is used for environmental sampling in clean rooms and isolators.		
203050400025	EMswab™ – Twin Pack System (Saline with Swab Stick + Soyabean Casein Digest Medium) II	25 Tests (50x2 mL)	16075.00
	Ready to use sterile (Gamma-Irradiated) ICR Dacron® swab with combo pack of Saline with swab stick in polystyrene tube and Soyabean Casein Digest Medium filled in polypropylene tube. This product is used for environmental sampling in clean rooms and isolators.		
203050460025	EMswab™ – Twin Pack System (Swab in Saline with Lecithin and Polysorbate 80 + Soyabean Casein Digest Medium) II	25 Tests (50x2 mL)	13780.00
	Ready to use sterile (Gamma-Irradiated) ICR Dacron® swab with combo pack of swab in Saline with Lecithin and Polysorbate 80 in polystyrene tube and Soyabean Casein Digest Medium filled in polypropylene tube. This product is used for environmental sampling in clean rooms and isolators.		
203050800025	EMswab™ – Twin Pack System (Swab in Saline + Soyabean Casein Digest Medium with Lecithin and Polysorbate 80) II	25 Tests (50x2 mL)	13780.00
	Ready to use sterile (Gamma-Irradiated) ICR Dacron® swab with combo pack of swab in Saline in polystyrene tube and Soyabean Casein Digest Medium with Lecithin and Polysorbate 80 filled in polypropylene tube. This product is used for environmental sampling in clean rooms and isolators.		
CAT. NO.	READY PREPARED SLANT	PACK SIZE	LIST PRICE (₹)
203010440012	Antibiotic Assay Medium No. 1 Slant A medium used in the microbiological assay of beta-lactam and other antibiotics.	12 Slants	1045.00

Store at 15-25°C, * Store at 2-8°C

CAT. NO.	READY PREPARED SLANT	PACK SIZE	LIST PRICE (₹)
203140150012	Nutrient Agar Slant Used for cultivation of wide variety of less fastidious microorganisms which can be enriched by the addition of blood or other biological fluids.	12 Slants	1090.00
203190480012	Sabouraud Chloramphenicol Agar Slant A medium used for selective cultivation of Yeast and Moulds.	12 Slants	1045.00
203190510012	Sabouraud Dextrose Agar Slant A general-purpose media used for isolation and cultivation of Yeasts, Moulds and Aciduric bacteria.	12 Slants	970.00
203190540012	Simmons Citrate Agar Slant Used for the differentiation of Gram-negative bacteria on the basis of citrate utilization.	12 Slants	970.00
203190570012	Soyabean Casein Digest Agar (Harmonized) Slant A general-purpose growth medium used for the cultivation of a wide variety of microorganisms.	12 Slants	1045.00
203190620012	Soyabean Casein Digest Agar Slant Used for the isolation and cultivation of a wide variety of fastidious and non-fastidious microorganisms.	12 Slants	1045.00
203200440025	Triple Sugar Iron Agar Slant Used for identification of Gram-negative enteric bacilli on the basis of dextrose, lactose and sucrose fermentation and hydrogen sulphide production.	25 Slants	1810.00
203210040012	Urea Agar Slant Used for detection of urease production, particularly by the genus <i>Proteus</i> .	12 Slants	985.00
CAT. NO.	STERILITY TEST MEDIA	PACK SIZE	LIST PRICE (₹)
203010460100	Alternative Thioglycollate Medium (Sterility Testing Medium) Recommended for sterility testing of certain biological products, which may be turbid or viscous.	100 mL	255.00
203010470100	Alternative Thioglycollate Medium (Sterility Testing Medium) I Recommended for sterility testing of certain biological products, which may be turbid or viscous by canister device.	100 mL	250.00
203060180100	Fluid Thioglycollate Medium (Sterility Testing Medium) Sterility testing medium recommended for the cultivation of aerobes, anaerobes and microaerophiles.	100 mL	240.00
203060190100	Fluid Thioglycollate Medium (Sterility Testing Medium) I Sterility testing medium recommended for the cultivation of aerobes, anaerobes and microaerophiles by canister device.	100 mL	250.00
203060190090		90 mL	230.00
203060200100	Fluid Thioglycollate Medium (Sterility Testing Medium) II Sterility testing medium recommended for the cultivation of aerobes, anaerobes and microaerophiles in screw cap + septa bottle.	100 mL	250.00
203060210100	Fluid Thioglycollate Medium (Sterility Testing Medium) III Sterility testing medium recommended for the cultivation of aerobes, anaerobes and microaerophiles in wide mouth bottle.	100 mL	475.00
203060470100	Fluid Thioglycollate Medium (Sterility Testing Medium) IV Sterility testing medium recommended for the cultivation of aerobes, anaerobes and microaerophiles.	100 mL	235.00
203190600100	Soyabean Casein Digest Medium (Sterility Testing Medium) Sterility testing medium recommended for the detection and cultivation of a wide variety of microorganisms.	100 mL	265.00
203190730100	Soyabean Casein Digest Medium (Sterility Testing Medium) I Sterility testing medium recommended for the detection and cultivation of a wide variety of microorganisms by canister device.	100 mL	300.00
203190730090		90 mL	265.00
203190740100	Soyabean Casein Digest Medium (Sterility Testing Medium) II Sterility testing medium recommended for the detection and cultivation of a wide variety of microorganisms in screw cap + septa bottle.	100 mL	250.00
203190750100	Soyabean Casein Digest Medium (Sterility Testing Medium) III Sterility testing medium recommended for the detection and cultivation of a wide variety of microorganisms in wide mouth bottle.	100 mL	450.00

Store at 15-25°C, * Store at 2-8°C

CAT. NO.	STERILITY TEST MEDIA	PACK SIZE	LIST PRICE (₹)
203193370100	Soyabean Casein Digest Medium (Sterility Testing Medium) IV Sterility testing medium recommended for the detection and cultivation of a wide variety of microorganisms.	100 mL	250.00
CAT. NO.	WASH SOLUTIONS	PACK SIZE	LIST PRICE (₹)
203020510010	Buffered Sodium Chloride-Peptone Solution pH 7.0 (Harmonized) A medium recommended as a diluent for carrying out microbial limit test from pharmaceutical products in accordance with microbial limit testing by harmonized methodology of USP/EP/BP/JP/IP.	25 x 10 mL	2310.00
203020510100		100 mL	230.00
203020510500		500 mL	910.00
203020710100	Buffered Sodium Chloride-Peptone Solution pH 7.0 (Harmonized) I A medium recommended as a diluent for carrying out microbial limit test from pharmaceutical products in accordance with microbial limit testing by harmonized methodology of USP/EP/BP/JP/IP by canister device.	100 mL	240.00
203020520010	Buffered Sodium Chloride-Peptone Solution pH 7.0 with 0.1% Polysorbate 80 Used for dissolving, suspending and diluting test samples.	25 x 10 mL	2905.00
203020520100		100 mL	235.00
203020860100	Buffered Sodium Chloride-Peptone Solution pH 7.0 with 0.1% Polysorbate 80 and 0.7% Soya Lecithin A medium used for dissolving, suspending and diluting test samples.	100 mL	475.00
203020790100	Buffered Sodium Chloride-Peptone Solution pH 7.0 (Harmonized) III A medium recommended as a diluent for carrying out microbial limit testing by harmonized methodology of USP/EP/BP/JP/IP in wide mouth bottle.	100 mL	435.00
203020800009	Buffered Sodium Chloride-Peptone Solution pH 7.0 with 1% Polysorbate 80 and 0.5% Soya Lecithin A medium used for dissolving, suspending and diluting test samples.	50 x 9 mL	3145.00
203020810010	Buffered Sodium Chloride-Peptone Solution pH 7.0 with 0.05% Polysorbate 80 A medium used for dissolving, suspending and diluting test samples.	50 x 10 mL	3510.00
203040210100	Diluting Fluid A Used as a diluent in testing of pharmaceuticals in accordance with USP.	100 mL	220.00
203040450100	Diluting Fluid A I Used as a diluent in testing of pharmaceuticals in accordance with USP by canister device.	100 mL	275.00
203040220100	Diluting Fluid D Used as a diluent in testing of pharmaceuticals in accordance with USP.	100 mL	220.00
203040460100	Diluting Fluid D I Used as a diluent in testing of pharmaceuticals in accordance with USP by canister device.	100 mL	265.00
203040200100	Diluting Fluid K Used as a diluent in testing of pharmaceuticals in accordance with USP.	100 mL	220.00
203190410009	Saline Diluent used for raw material and finished product testing.	50 x 9 mL	4355.00
203190410100		100 mL	220.00
203190760100	Saline I Diluent used for raw material and finished product testing by canister device.	100 mL	280.00
CAT. NO.	MICROBIAL LIMIT TESTING	PACK SIZE	LIST PRICE (₹)
203050250100	Enterobacteria Enrichment Broth, Mossel (Harmonized) Used for isolation and cultivation of <i>Enterobacteriaceae</i> from pharmaceutical products in accordance with microbial limit testing by harmonized methodology of USP/EP/BP/JP/IP.	100 mL	320.00
203050530100	Enterobacteria Enrichment Broth, Mossel (Harmonized) III Used for isolation and cultivation of <i>Enterobacteriaceae</i> from pharmaceutical products in accordance with microbial limit testing by harmonized methodology of USP/EP/BP/JP/IP in wide mouth bottle.	100 mL	475.00
203130790100	MacConkey Broth (Harmonized) Used for isolation and cultivation of coliforms from pharmaceutical products in accordance with microbial limit testing by harmonized methodology of USP/EP/BP/JP/IP.	100 mL	300.00

Store at 15-25°C, * Store at 2-8°C

CAT. NO.	MICROBIAL LIMIT TESTING	PACK SIZE	LIST PRICE (₹)
203180250100	Reinforced Medium For Clostridia (Harmonized) A medium used for cultivation and enumeration of Clostridia from pharmaceutical products in accordance with microbial limit testing by harmonized methodology of USP/EP/BP/JP/IP.	100 mL	285.00
203190520100	Sabouraud Dextrose Broth (Harmonized) Used for isolation and cultivation of Yeasts, Moulds and Aciduric bacteria from pharmaceutical products in accordance with microbial limit testing by harmonized methodology of USP/EP/BP/JP/IP.	100 mL	240.00
CAT. NO.	VIRAL TRANSPORT MEDIUM	PACK SIZE	LIST PRICE (₹)
203220250050	Safeshield™-VLTm (Viral Lysis Transport Medium) SafeShield™-VLTm is intended for the collection, inactivation and transport of clinical specimens containing viruses and bacteria from the collection site to the testing laboratory. It is ideally suited for molecular testing of microbial RNA and DNA employing amplification tests.	50 Tests	18495.00
203220100050	Viral Transport Kit I Kit consists of 3 mL of Viral Transport Medium in 15 mL screw cap centrifuge tube with conical bottom and sterile Nasopharyngeal swab flocced with nylon microfibers, recommended for collection and transport of viruses.	50 Tests	13915.00
203220110050	Viral Transport Kit II Kit consists of 3 mL of Viral Transport Medium in 15 mL screw cap centrifuge tube with conical bottom and sterile Throat swab flocced with nylon microfibers, recommended for collection and transport of viruses.	50 Tests	13915.00
203220190050	Viral Transport Kit III Kit consists of 3 mL of Viral Transport Medium in 15 mL screw cap centrifuge tube with conical bottom and sterile Nasopharyngeal + Throat swab flocced with nylon microfibers, recommended for collection and transport of viruses.	50 Tests	14540.00
203220120050	Viral Transport Medium Recommended for collection and transport of viruses.	50 Tests	13215.00
CAT. NO.	BLOOD CULTURING SYSTEM	PACK SIZE	LIST PRICE (₹)
203020530020 203020530050 203020530070	BHI-Supplemented with 0.05% SPS For qualitative detection of microorganisms in blood.	20 mL 50 mL 70 mL	180.00 190.00 210.00
203031220030	Colorcult® Aerobic Culture Vial Colorcult® Culture Vials used for detection of significant pathogenic microorganisms in Blood.	25 x 30 mL	6655.00
203031060030	Colorcult® Anaerobic Culture Vial Colorcult® Culture Vials used for detection of significant pathogenic microorganisms in Blood.	1 x 30 mL	275.00
203031240030	Colorcult® Paediatric Culture Vial Colorcult® Culture Vials used for detection of significant pathogenic microorganisms in Blood.	25 x 40 mL	6900.00
203031080030	Colorcult® Selective Yeast and Fungi Culture Vial Colorcult® Culture Vials used for detection of significant pathogenic microorganisms in Blood.	1 x 30 mL	305.00
203031300030	Colorcult®-System Pack (Aerobic Culture Vial) Colorcult® Culture Vials used for detection of significant pathogenic microorganisms in Blood using Colorcult® Scan System.	25 x 30 mL	6655.00
203031310040	Colorcult®-System Pack (Paediatric Culture Vial) Colorcult® Culture Vials used for detection of significant pathogenic microorganisms in Blood using Colorcult® Scan System.	25 x 40 mL	6900.00
203070130020 203070130050 203070130070	Glucose Broth - Supplemented with 0.05% SPS For qualitative detection of microorganisms in blood.	20 mL 50 mL 70 mL	180.00 190.00 210.00
203190770020 203190770050 203190770070	Soyabean Casein Digest Broth- Supplemented with 0.05% SPS For qualitative detection of microorganisms in blood.	20 mL 50 mL 70 mL	180.00 190.00 210.00

Store at 15-25°C, * Store at 2-8°C

CAT. NO.	INSTAPREP® RANGE	PACK SIZE (Pouches)	LIST PRICE (₹)
203090050015	INSTAPREP® Nutrient Agar	20 x 15 mL	1210.00
203090050030	A medium used for cultivation of a wide variety of less fastidious microorganisms which can be enriched by the addition of blood or other biological body fluids.	20 x 30 mL	1595.00
203090060015	INSTAPREP® MacConkey Agar	20 x 15 mL	1370.00
203090060030	A medium used for selective isolation and differentiation of coliforms and other enteric pathogens.	20 x 30 mL	1765.00
203090070015	INSTAPREP® Mueller Hinton Agar	20 x 15 mL	1465.00
203090070030	A medium used for antimicrobial susceptibility testing of common and rapidly growing microorganisms by the disc diffusion technique.	20 x 30 mL	1950.00
203090080015	INSTAPREP® Sabouraud Dextrose Agar	20 x 15 mL	1685.00
	A medium used for cultivation of Yeasts, Moulds and Aciduric bacteria.		
203090090015	INSTAPREP® Salmonella Shigella Agar	20 x 15 mL	1210.00
	A medium used for differential and selective isolation of <i>Salmonella</i> and some <i>Shigella</i> species from pathological specimens and suspected food stuffs.		
CAT. NO.	URINE CULTURE	PACK SIZE	LIST PRICE (₹)
203050280012	Easybact®* Differential, semi-quantitative bacteriuria collection and screening system.	12 Tests	915.00
CAT. NO.	MYCOBACTERIOLOGY	PACK SIZE	LIST PRICE (₹)
203010450500	Acid Fast Decolorizer** 3% concentrated HCl in 95% Ethanol for decolorization of Acid Fast smears.	500 mL	1970.00
203030340125	Carbol Fuchsin Strong (1%)** Used as a dye to detect acid fast bacteria.	125 mL	230.00
203030340250		250 mL	520.00
203030340500		500 mL	885.00
203030350020	Catalase Detection Kit* For differentiation of isoniazid resistant strains of <i>Mycobacterium tuberculosis</i> and <i>Mycobacterium gastri</i> from genus <i>Mycobacterium</i> based on catalase activity.	20 Tests	4125.00
203030360001	Combicult®* Ready to use, combipack of solid and liquid medium for <i>Mycobacterium tuberculosis</i> isolation.	One Set	440.00
203120350012	Lyfectol®* Mucolytic, disinfectant, specimen pretreatment and buffering system for AFB staining and culture.	12 Tests	600.00
203130850125	Methylene Blue (Aq) 1%** General purpose biological stain and capsule staining.	125 mL	230.00
203130850250		250 mL	365.00
203130850500		500 mL	585.00
203130860006	Mycocult®* Ready to use, Lowenstein Jensen solid medium for <i>Mycobacterium tuberculosis</i> isolation.	6 Slants	790.00
203130870006	Mycocult® PY* Ready to use, Lowenstein Jensen solid medium with sodium pyruvate for <i>Mycobacterium bovis</i> isolation.	6 Slants	910.00
203130880125	Mycostain®** AFB stain set for screening of <i>Mycobacterium tuberculosis</i> and <i>Mycobacterium leprae</i> .	3 x 125 mL	1025.00
203140170025	Novachrom®** Rapid two step cold AFB stain.	2 x 25 mL	690.00
203160480006	PNB Sensitivity Test* Ready to use Lowenstein Jensen solid media with para-nitro benzoic (PNB) acid for differentiating primary isolates into <i>Mycobacterium tuberculosis</i> complex and Non-Tuberculous Mycobacteria.	6 Tests	1660.00
203190780001	Sensicult® Primary* Ready to use Lowenstein Jensen solid media containing five primary drug panels (Isoniazid, Rifampin, Ethambutol, Streptomycin and Pyrazinamide) for <i>Mycobacterium tuberculosis</i> sensitivity test.	One Set	830.00

Store at 15-25°C, * Store at 2-8°C, ** Store at 15-30°C

CAT. NO.	MYCOBACTERIOLOGY	PACK SIZE	LIST PRICE (₹)
203190790001	Sensicult® Secondary (6 drugs)* Ready to use Lowenstein Jensen solid media containing six secondary drug panels (Ciprofloxacin, para-Aminosalicylic acid, Amikacin, D-cycloserine, Kanamycin and Ethionamide) for <i>Mycobacterium tuberculosis</i> sensitivity test.	One Set	1100.00
203190800001	Sensicult® Secondary (10 drugs)* Ready to use Lowenstein Jensen solid media containing ten secondary drug panels (Ciprofloxacin, para-Aminosalicylic Acid, Amikacin, Kanamycin, Ethionamide, Pefloxacin, Lomefloxacin, Rifabutin, Levofloxacin and Ofloxacin) for <i>Mycobacterium tuberculosis</i> sensitivity test.	One Set	1115.00
203190810001	Sensicult® Secondary 2.0 (10 drugs)* Ready to use Lowenstein Jensen solid media containing ten secondary drug panels (Ciprofloxacin, para-Aminosalicylic Acid, Amikacin, Kanamycin, Ethionamide, D-cycloserine, Lomefloxacin, Rifabutin, Clarithromycin and Ofloxacin) for <i>Mycobacterium tuberculosis</i> sensitivity test.	One Set	1115.00
203190820001	Sensicult® Secondary 3.0 (10 drugs)* Ready to use Lowenstein Jensen solid media containing ten secondary drug panels (Pefloxacin, para-Aminosalicylic Acid, Amikacin, Kanamycin, Ethionamide, D-cycloserine, Levofloxacin, Rifabutin, Clarithromycin and Ofloxacin) for <i>Mycobacterium tuberculosis</i> sensitivity test.	One Set	1115.00
203190830001	Sensivue® Primary* Ready to use Lowenstein Jensen nitrate substrate media incorporated with four primary drugs (Isoniazid, Ethambutol, Rifampin, Streptomycin) for Drug Susceptibility Testing of <i>Mycobacterium tuberculosis</i> with a Nitrate Reductase Assay using Proportion Method.	One Set	1115.00
203190840001	Sensivue® Secondary (10 drugs)* Ready to use Lowenstein Jensen nitrate substrate media incorporated with ten secondary drugs (para-Aminosalicylic Acid, Ciprofloxacin, Amikacin, Kanamycin, Ethionamide, Pefloxacin, Lomefloxacin, Rifabutin, Levofloxacin, Ofloxacin) for Drug Susceptibility Testing of <i>Mycobacterium tuberculosis</i> with a Nitrate Reductase Assay using Proportion Method.	One Set	1115.00
203200450100	Tween 80 Hydrolysis* Biochemical test for differentiation of saprophytic species of Mycobacteria.	100 Tests	12160.00
CAT. NO.	BIOCHEMICAL IDENTIFICATION KITS	PACK SIZE	LIST PRICE (₹)
203020540001	Bifidobacterium Identification Kit* A panel of 12 tests for identification of <i>Bifidobacterium</i> species (Kit contains sterile medium for Catalase Detection and 11 different carbohydrates-Arabinose, Cellobiose, Fructose, Lactose, Maltose, Mannose, Melibiose, Raffinose, Salicin, Sucrose, Xylose).	1 Kit (1 Test)	870.00
203030370001	Candida Identification Kit* A panel of 12 test for identification of <i>Candida</i> species (Kit contains sterile medium for Urease Detection and 11 different carbohydrates-Melibiose, Lactose, Maltose, Sucrose, Raffinose, Galactose, Trehalose, Cellobiose, Inositol, Xylose, Dulcitol).	1 Kit (1 Test)	870.00
203050300001	E. coli Identification Kit* A panel of 12 tests for identification of <i>E. coli</i> (Kit contains sterile medium for Indole Test, Methyl Red Test, Voges Proskauer Test, Citrate Utilization Test, Glucuronidase Test, Nitrate Reduction Test, ONPG Test, Lysine Decarboxylase Test and 4 different carbohydrates-Glucose, Lactose, Sucrose, Sorbitol). Reagents supplied with the kit: Barritt Reagent A, Barritt Reagent B and Creatine, Methyl Red Indicator, Nitrite Detection Strip, Zinc Dust, Kovac's Reagent.	1 Kit (1 Test)	870.00
203090100001	IMViC Test Kit* Used for differentiation and identification of <i>Enterobacteriaceae</i> species.	1 Kit (1 Test)	440.00
203050290001	Enterobacteriaceae Identification Test Kit* A panel of 12 tests for differentiation of <i>Enterobacteriaceae</i> species (Kit contain sterile medium for Indole Test, Methyl Red Test, Voges Proskauer Test, Citrate Utilization Test and 8 different carbohydrates-Glucose, Adonitol, Arabinose, Lactose, Sorbitol, Mannitol, Rhamnose, Sucrose). Reagents supplied with the kit: Kovac's reagent, Methyl Red Indicator, Barritt Reagent A, Barritt Reagent B and Creatine.	1 Kit (1 test)	870.00
203120370001	Lactobacillus Identification Kit* A panel of 12 tests for identification of <i>Lactobacillus</i> species (Kit contains sterile medium for Esculin Hydrolysis, Catalase Detection and 10 different carbohydrates-Xylose, Cellobiose, Arabinose, Maltose, Galactose, Mannose, Melibiose, Raffinose, Sucrose, Trehalose).	1 Kit (1 Test)	870.00

Store at 15-25°C, * Store at 2-8°C, ** Store at 15-30°C

CAT. NO.	BIOCHEMICAL IDENTIFICATION KITS	PACK SIZE	LIST PRICE (₹)
203070140001	Gram - Negative Bacteria Identification Test Kit* A panel of 13 tests for identification of Gram-negative rods (Kit contains sterile medium for Lysine Decarboxylase Test, Ornithine Decarboxylase Test, Urease Detection, Phenylalanine Deaminase Test (TDA), Nitrate Reduction, H ₂ S Production, Oxidase Detection, Citrate Utilization Test and 5 different carbohydrates-Glucose, Adonitol, Arabinose, Lactose, Sorbitol). Reagents supplied with the kit: TDA Reagent, Nitrite Detection Strip, Zinc Dust, Gordon McLeod Reagent (Oxidase Reagent).	1 Kit (1 Test)	860.00
203120360001	Listeria Identification Kit* A panel of 12 tests for identification of <i>Listeria</i> species (Kit contains sterile medium for Esculin Hydrolysis, Voges Proskauer Test, Nitrate Reduction Test, Methyl Red Test, Catalase Detection and 7 different carbohydrates-Glucose, Xylose, Lactose, Mannitol, Rhamnose, α-Methyl-D-Mannoside, Ribose). Reagents supplied with the kit: Barritt Reagent A, Barritt Reagent B and Creatine, Methyl Red Indicator, Nitrite Detection Strip, Zinc Dust.	1 Kit (1 Test)	870.00
203140180001	Neisseria Identification Kit* A panel of 12 tests for identification of <i>Neisseria</i> species (Kit contains sterile medium for Urease Detection, Voges Proskauer Test, Oxidase Detection, Catalase Detection, Nitrate Reduction Test, ONPG Test and 6 different carbohydrates-Glucose, Maltose, Lactose, Sucrose, Fructose, Mannose). Reagents supplied with the kit: Barritt Reagent A, Barritt Reagent B and Creatine, Gordon McLeod Reagent (Oxidase Reagent), Nitrite Detection Strip, Zinc Dust.	1 Kit (1 Test)	870.00
203180350100	Rapid Gram Screening Kit Rapid method that aids in distinguishing Gram-negative from Gram-positive bacteria.	1 Kit (100 Tests)	730.00
203190870001	Salmonella Identification Kit* A panel of 12 tests for the identification of <i>Salmonella</i> species (Kit contains sterile medium for Methyl Red Test, Voges Proskauer Test, Citrate Utilization Test, Urease Detection, H ₂ S Production, ONPG Test, Lysine Decarboxylase Test and 5 different carbohydrates-Arabinose, Lactose, Maltose, Sorbitol, Dulcitol). Reagents supplied with the kit: Barritt Reagent A, Barritt Reagent B and Creatine, Methyl Red Indicator.	1 Kit (1 Test)	870.00
203190850001	Staph Identification Kit* A panel of 12 tests for identification of <i>Staphylococcus</i> species (Kit contains sterile medium for Alkaline Phosphatase Detection, Voges Proskauer Test, ONPG Test, Arginine Dihydrolase Test, Urease Detection, and 7 different carbohydrates-Arabinose, Lactose, Mannitol, Sucrose, Raffinose, Trehalose, Maltose). Reagents supplied with the kit: Barritt Reagent A, Barritt Reagent B and Creatine.	1 Kit (1 Test)	860.00
203190860001	Strep Identification Kit* A panel of 12 tests for identification of <i>Streptococcus</i> species (Kit contains sterile medium for Esculin Hydrolysis, Voges Proskauer Test, Arginine Dihydrolase Test, PYR Test, ONPG Test and 7 different carbohydrates-Glucose, Arabinose, Sorbitol, Mannitol, Sucrose, Raffinose, Ribose). Reagents supplied with the kit: Barritt Reagent A, Barritt Reagent B and Creatine, PYR Reagent.	1 Kit (1 Test)	860.00
203220130001	Vibrio Identification Kit* A panel of 20 tests for identification of <i>Vibrio</i> species (Kit contains sterile medium for Indole Test, Voges Proskauer Test, ONPG Utilization, Citrate Utilization Test, Urease Detection, Nitrite Detection, Ornithine Decarboxylase Test, Lysine Decarboxylase Test, Arginine Dihydrolase Test, 0% Salt Tolerance Test, 3% Salt Tolerance Test, 6% Salt Tolerance Test, 8% Salt Tolerance Test, 10% Salt Tolerance Test and 6 different carbohydrates-Amygdalin, Glucosamine, Sucrose, Arabinose, Mannitol, Melibiose). Reagents supplied with the kit: Barritt Reagent A, Barritt Reagent B, Kovac's Reagent, Nitrite Detection Strip and Zinc Dust.	1 Kit (1 Test)	1205.00
CAT. NO.	ANALYTICAL REAGENTS AND INDICATORS	PACK SIZE	LIST PRICE (₹)
204020570100	Barritt Reagent A For Voges Proskauer (VP) Test.	100 mL	525.00
204020580100	Barritt Reagent B For Voges Proskauer (VP) Test.	100 mL	240.00
204070150100	Oxidase Reagent (Gordon McLeod Reagent)* An oxidase reagent to detect the presence of an enzyme cytochrome oxidase found in some bacteria.	100 mL	810.00
204110090100	Kovac's Indole Reagent For Indole Test, particularly useful in the identification of <i>E.coli</i> .	100 mL	545.00

Store at 15-25°C, * Store at 2-8°C

CAT. NO.	ANALYTICAL REAGENTS AND INDICATORS	PACK SIZE	LIST PRICE (₹)
204130990125	Methyl Red Indicator To detect the ability of an organism to produce and maintain stable acid end products formed from glucose fermentation.	125 mL	375.00
204131000500	Mastindex® For early detection of sub-clinical Mastitis.	500 mL	860.00
204140200001	Nitrite Detection Kit* For differentiating and identifying various types of bacteria by their ability to reduce nitrate.	1 Kit (25 Tests)	2300.00
204160520010	PYR Reagent For detection of pyroglutamate aminopeptidase activity in group A Streptococci and Enterococci.	10 mL	970.00
204200580010	TDA Reagent For phenylalanine deamination reaction in differentiating <i>Proteus</i> from other members of <i>Enterobacteriaceae</i> .	10 mL	425.00

Store at 15-25°C, * Store at 2-8°C

CAT. NO.	STERILE READY PREPARED PLATES (90 mm)	PACK SIZE	LIST PRICE (₹)
205010480100	Anaerobic Agar Plate A medium used for cultivation of anaerobic microorganisms.	100 Plates	7625.00
205010490100	Antibiotic Assay Medium No.11 (Neomycin, Erythromycin Assay Agar) Plate (Triple Layer Pack, Gamma-Irradiated) A medium used for determining antibiotic potency by microbiological assay techniques as per USP.	100 Plates	8770.00
205020870100	Burkholderia Cepacia Selective Agar USP Plate (Triple Layer Pack, Gamma-Irradiated) A medium used for the selective detection and isolation of <i>Burkholderia cepacia</i> complex from non-sterile and aqueous pharmaceutical and cosmetic products in compliance with USP.	100 Plates	10890.00
205030380100	C.L.E.D. Agar with Bromothymol Blue Plate* Used for isolation and differentiation of urinary tract pathogens on the basis of lactose fermentation.	100 Plates	8470.00
205030380020		20 Plates	1815.00
205030390100	Cetrimide Agar Plate (Harmonized) Isolation and cultivation of <i>Pseudomonas aeruginosa</i> from pharmaceutical products in accordance with microbial limit testing by harmonized methodology of USP/EP/BP/JP/IP.	100 Plates	8350.00
205030400100	Columbia Agar Plate (Harmonized) A medium used for detection of aerobes and anaerobes, especially <i>Clostridium sporogenes</i> from pharmaceutical products in accordance with the harmonized methodology of USP/EP/BP/JP/IP.	100 Plates	8350.00
205040230100	Dey-Engley Neutralizing Agar Plate (Triple Layer Pack, Gamma-Irradiated) Used in disinfectant testing where the neutralization of antiseptics and disinfectants is important for determining its bactericidal activity.	100 Plates	9165.00
205050310100	EMB Agar, Levine Plate Used for isolation, enumeration and differentiation of members of <i>Enterobacteriaceae</i> .	100 Plates	9945.00
205130890100	M-Endo Agar LES Plate A medium used for enumerating coliforms in water by membrane filtration.	100 Plates	9565.00
205130900100	MacConkey Agar Plate (Harmonized) Recommended for selective isolation and cultivation of coliforms from pharmaceutical products in accordance with microbial limit testing by harmonized methodology of USP/EP/BP/JP/IP.	100 Plates	7955.00
205130910100	MacConkey Agar without CV, NaCl and with 0.5% Sodium Taurocholate Plate Used for cultivation and differentiation of enteric bacteria and potentially pathogenic Gram-positive organisms while restricting swarming of <i>Proteus</i> species.	100 Plates	7660.00
205130910020		20 Plates	1650.00
205130920100	MacConkey Agar without CV, NaCl and with 0.15% Bile Salts Plate A medium used for selective isolation and differentiation of lactose fermenting and non-lactose fermenting enteric bacteria.	100 Plates	7625.00
205130920020		20 Plates	1640.00

Store at 15-25°C, * Store at 2-8°C



CAT. NO.	STERILE READY PREPARED PLATES (90 mm)	PACK SIZE	LIST PRICE (₹)
205130930100	Mannitol Salt Agar Plate (Harmonized) A medium used for the isolation and cultivation of Staphylococci in accordance with microbial limit testing by harmonized methodology of USP/EP/BP/JP/IP.	100 Plates	7865.00
205131520100	Michrom™ E. coli Agar Plate* A medium used for the simultaneous detection of <i>Escherichia coli</i> and total coliforms in water and food samples.	100 Plates	9920.00
205130940020	Michrom™ UTI Agar Plate* Used for presumptive identification of microorganisms mainly causing urinary tract infections.	20 Plates	2580.00
205130950050	Mitis Salivarius Agar Plate A medium recommended for the isolation of Streptococci, especially <i>Streptococcus mitis</i> , <i>Streptococcus salivarius</i> and <i>Enterococcus faecalis</i> from grossly contaminated specimens.	50 Plates	3790.00
205131790100	Mueller Hinton Agar Plate (Gamma-Irradiated) Used for antimicrobial disc diffusion susceptibility testing of common, rapidly growing bacteria by Kirby-Bauer method.	100 Plates	8110.00
205131790020		20 Plates	1830.00
205140410100	Nutrient Agar Plate (Gamma-Irradiated) A general-purpose medium used for cultivation of wide variety of microorganisms.	100 Plates	8290.00
205160510100	Plate Count Agar Plate (Gamma-Irradiated) Used for obtaining microbial plate counts from milk, dairy products, food, water and other materials of sanitary importance.	100 Plates	6050.00
205160990100	Pseudomonas Agar for Detection of Fluorescein Plate A medium used for enhancement of fluorescein production by <i>Pseudomonas</i> species.	100 Plates	6050.00
205161000100	Pseudomonas Agar for Detection of Pyocyanin Plate A medium used for enhancement of pyocyanin production by <i>Pseudomonas</i> species.	100 Plates	6050.00
205180260100	R-2A Agar Plate (Triple Layer Pack, Gamma-Irradiated) Used for heterotrophic plate count of treated potable water.	100 Plates	9320.00
205180430100	Rose Bengal Chloramphenicol Agar Plate (Gamma-Irradiated) A medium used for selective isolation and enumeration of yeasts and moulds from environmental materials and food stuffs.	100 Plates	8590.00
205180270100	Reinforced Clostridial Agar Plate Used for the cultivation and enumeration of Clostridia and other anaerobes.	100 Plates	8570.00
205191720100	Sabouraud Chloramphenicol Agar Plate (Triple Layer Pack, Gamma-Irradiated) A medium used for selective cultivation of yeasts and moulds.	100 Plates	9505.00
205190890100	Sabouraud Dextrose Agar Plate (Triple Layer Pack, Gamma-Irradiated) Used for cultivation of yeasts, moulds and aciduric microorganisms.	100 Plates	8230.00
205191620100	Sabouraud Dextrose Agar with 1% Glycerol Plate (Triple Layer Pack, Gamma-Irradiated) Used for cultivation of yeasts, moulds and aciduric microorganisms.	100 Plates	8590.00
205190900100	Soyabean Casein Digest Agar Plate (Triple Layer Pack, Gamma-Irradiated) Used for cultivation of a wide variety of microorganisms and for Environmental Monitoring in sterile area.	100 Plates	8110.00
205190900400		400 Plates	32400.00
205191710100	Soyabean Casein Digest Agar with 1% Glycerol Plate (Triple Layer Pack, Gamma-Irradiated) Used for cultivation of a wide variety of microorganisms and for Environmental Monitoring in sterile area.	100 Plates	9440.00
205192630100	Soyabean Casein Digest Agar with 0.5% Glycerol Plate (Triple Layer Pack, Gamma-Irradiated) Used for cultivation of a wide variety of microorganisms and for Environmental Monitoring in sterile area.	100 Plates	8110.00
205190920100	Soyabean Casein Digest Agar with 0.5% Polysorbate 80 and 1% Glycerol Plate (Triple Layer Pack, Gamma-Irradiated) Used for cultivation of a wide variety of microorganisms and for Environmental Monitoring in sterile area.	100 Plates	9440.00
205190930100	Soyabean Casein Digest Agar with 0.5% Polysorbate 80 and 0.05% Soya Lecithin Plate (Triple Layer Pack, Gamma-Irradiated) Used for cultivation of a wide variety of microorganisms and for Environmental Monitoring in sterile area.	100 Plates	8990.00

Store at 15-25°C, * Store at 2-8°C

CAT. NO.	STERILE READY PREPARED PLATES (90 mm)	PACK SIZE	LIST PRICE (₹)
205190940100	Soyabean Casein Digest Agar with Soya Lecithin and 4% Polysorbate 20 Plate (Triple Layer Pack, Gamma-Irradiated) Used for determining efficacy of sanitization of containers, equipment, surfaces, water miscible cosmetics etc.	100 Plates	9500.00
205190950100	Soyabean Casein Digest Agar with 1% Polysorbate 80 and 1% Glycerol Plate (Triple Layer Pack, Gamma-Irradiated) Used for determining efficacy of sanitization of containers, equipment, surfaces, water miscible cosmetics etc.	100 Plates	9065.00
205190960100	Soyabean Casein Digest Agar with 0.5% Lecithin, 2% Polysorbate 80 and 1% Glycerol Plate (Triple Layer Pack, Gamma-Irradiated) Used for determining efficacy of sanitization of containers, equipment, surfaces, water miscible cosmetics etc.	100 Plates	9215.00
205190970100	Soyabean Casein Digest Agar with 1% Glycerol, 0.5% Polysorbate 80 and 0.07% Lecithin Plate (Triple Layer Pack, Gamma-Irradiated) Used for determining efficacy of sanitization of containers, equipment, surfaces, water miscible cosmetics etc.	100 Plates	9065.00
205191600100	Soyabean Casein Digest Agar with 0.05% Polysorbate 80 and 0.07% Soya Lecithin Plate (Triple Layer Pack, Gamma-Irradiated) Used for determining efficacy of sanitization of containers, equipment, surfaces, water miscible cosmetics etc.	100 Plates	8920.00
205190980100	Soyabean Casein Digest Agar with 4% Polysorbate 80 and 1% Glycerol Plate (Triple Layer Pack, Gamma-Irradiated) Used for determining efficacy of sanitization of containers, equipment, surfaces, water miscible cosmetics etc.	100 Plates	9215.00
205190990100	Soyabean Casein Digest Agar with 0.5% Polysorbate 80, 0.05% Soya Lecithin and 2% Glycerol Plate (Triple Layer Pack, Gamma-Irradiated) Used for determining efficacy of sanitization of containers, equipment, surfaces, water miscible cosmetics etc.	100 Plates	8920.00
205191000100	Soyabean Casein Digest Agar with 0.5% Lecithin and 4% Polysorbate 80 Plate (Triple Layer Pack, Gamma-Irradiated) Used for determining efficacy of sanitization of containers, equipment, surfaces, water miscible cosmetics etc.	100 Plates	9215.00
205200490100	Tryptone Soya Agar with Soya Lecithin and 1% Polysorbate 80 Plate (Triple Layer Pack, Gamma-Irradiated) Used for validation of cleanliness on surfaces of containers, equipment surfaces and water miscible cosmetics.	100 Plates	8920.00
205200500100	Tryptone Soya Agar with Lecithin and Polysorbate 80 Plate (Triple Layer Pack, Gamma-Irradiated) Used for validation of cleanliness on surfaces of containers, equipment surfaces and water miscible cosmetics.	100 Plates	9075.00
205200510100	Tryptone Soya Agar with Lecithin, Polysorbate 80, Histidine and Sodium Thiosulphate Plate (Triple Layer Pack, Gamma-Irradiated) Used for validation of cleanliness on surfaces of containers, equipment, surfaces and water miscible cosmetics.	100 Plates	12070.00
205200520100	Tryptic Soya Agar (VEG) Plate (Triple Layer Pack, Gamma-Irradiated) Used for cultivation of a wide variety of microorganisms and for Environmental Monitoring in sterile area.	100 Plates	10485.00
205220140100	Violet Red Bile Glucose Agar Plate (Harmonized) Used for isolation and cultivation of <i>Enterobacteriaceae</i> from pharmaceutical products in accordance with microbial limit testing by harmonized methodology of USP/EP/BP/JP/IP.	100 Plates	8350.00
205240080100	Xylose Lysine Deoxycholate Agar Plate (Harmonized) Recommended as a selective medium for isolation and cultivation of <i>Salmonella</i> species from pharmaceutical products in accordance with microbial limit testing by harmonized methodology of USP/EP/BP/JP/IP.	100 Plates	8350.00

Store at 15-25°C, * Store at 2-8°C

CAT. NO.	STERILE READY PREPARED PLATES (55 mm)	PACK SIZE	LIST PRICE (₹)
205040240200 205040240800	Dey-Engley Neutralizing Agar Plate (Triple Layer Pack, Gamma-Irradiated) Used in disinfectant testing where the neutralization of antiseptics and disinfectants is important for determining its bactericidal activity.	200 Plates 800 Plates	19505.00 76955.00
205191610200	Sabouraud Chloramphenicol Agar Plate (Triple Layer Pack, Gamma-Irradiated) A medium used for selective cultivation of yeasts and moulds.	200 Plates	16095.00
205191030200	Sabouraud Dextrose Agar Plate (Triple Layer Pack, Gamma-Irradiated) Used for cultivation of Yeasts, Moulds and Aciduric microorganisms.	200 Plates	15970.00
205191040200 205191040800	Soyabean Casein Digest Agar Plate (Triple Layer Pack, Gamma-Irradiated) Used for cultivation of a wide variety of microorganisms and for Environmental Monitoring in sterile area.	200 Plates 800 Plates	15970.00 63465.00
205191050200	Soyabean Casein Digest Agar with 0.5% Polysorbate 80 and 1% Glycerol Plate (Triple Layer Pack, Gamma-Irradiated) Used for determining efficacy of sanitization of containers, equipment, surfaces, water miscible cosmetics etc.	200 Plates	19125.00
205191060200	Soyabean Casein Digest Agar with 0.5% Polysorbate 80 and 0.05% Soya Lecithin Plate (Triple Layer Pack, Gamma-Irradiated) Used for cultivation of a wide variety of microorganisms and for Environmental Monitoring in sterile area.	200 Plates	19125.00
205191070200	Soyabean Casein Digest Agar with 1% Glycerol, 0.5% Polysorbate 80 and 0.07% Soya Lecithin Plate (Triple Layer Pack, Gamma-Irradiated) Used for determining efficacy of sanitization of containers, equipment, surfaces, water miscible cosmetics etc.	200 Plates	19725.00
205191080200	Soyabean Casein Digest Agar with Soya Lecithin and 4% Polysorbate 20 Plate (Triple Layer Pack, Gamma-Irradiated) Used for determining efficacy of sanitization of containers, equipment, surfaces, water miscible cosmetics etc.	200 Plates	20455.00
205192030200	Soyabean Casein Digest Agar with 0.5% Soya Lecithin and 4% Polysorbate 20 Plate (Triple Layer Pack, Gamma-Irradiated) Used for determining efficacy of sanitization of containers, equipment, surfaces, water miscible cosmetics etc.	200 Plates	21530.00
205191090200	Soyabean Casein Digest Agar with 0.5% Polysorbate 80, 0.05% Soya Lecithin and 2% Glycerol Plate (Triple Layer Pack, Gamma-Irradiated) Used for determining efficacy of sanitization of containers, equipment, surfaces, water miscible cosmetics etc.	200 Plates	19725.00
205191100200	Soyabean Casein Digest Agar with 4% Polysorbate 80 and 1% Glycerol Plate (Triple Layer Pack, Gamma-Irradiated) Used for determining efficacy of sanitization of containers, equipment, surfaces, water miscible cosmetics etc.	200 Plates	20165.00
205191110200	Soyabean Casein Digest Agar with 0.5% Lecithin, 2% Polysorbate 80 and 1% Glycerol Plate (Triple Layer Pack, Gamma-Irradiated) Used for determining efficacy of sanitization of containers, equipment, surfaces, water miscible cosmetics etc.	200 Plates	20570.00
205191120200	Soyabean Casein Digest Agar with 2% Polysorbate 80 Plate (Triple Layer Pack, Gamma-Irradiated) Used for determining efficacy of sanitization of containers, equipment, surfaces, water miscible cosmetics etc.	200 Plates	19000.00
205200530200	Tryptone Soya Agar with Soya Lecithin and 1% Polysorbate 80 Plate (Triple Layer Pack, Gamma-Irradiated) Used for validation of cleanliness on surfaces of containers, equipment surfaces and water miscible cosmetics.	200 Plates	18535.00
205200540200	Tryptone Soya Agar with Lecithin and Polysorbate 80 Plate (Triple Layer Pack, Gamma-Irradiated) Used for validation of cleanliness on surfaces of containers, equipment surfaces and water miscible cosmetics.	200 Plates	20330.00
205200550200	Tryptone Soya Agar with Lecithin, Polysorbate 80, Histidine and Sodium Thiosulphate Plate (Triple Layer Pack, Gamma-Irradiated) Used for validation of cleanliness on surfaces of containers, equipment surfaces and water miscible cosmetics.	200 Plates	22490.00

Store at 15-25°C, * Store at 2-8°C

CAT. NO.	STERILE READY PREPARED PLATES (55 mm)	PACK SIZE	LIST PRICE (₹)
205200560200	Tryptone Soya Agar with Lecithin and 4% Polysorbate 80 Plate (Triple Layer Pack, Gamma-Irradiated) Used for validation of cleanliness on surfaces of containers, equipment, surfaces and water miscible cosmetics.	200 Plates	21055.00
205200570200	Tryptic Soya Agar (VEG) Plate (Triple Layer Pack, Gamma-Irradiated) Used for cultivation of a wide variety of microorganisms and for Environmental Monitoring in sterile area.	200 Plates	18330.00

Store at 15-25°C, * Store at 2-8°C



MICROKROM®

CAT. NO.	STAINING SOLUTIONS FOR MICROBIOLOGY	PACK SIZE	LIST PRICE (₹)
207010500100	Albert's Stain A	100 mL	300.00
207010500250	Used for observing metachromatic granules.	250 mL	530.00
207010510100	Albert's Stain B	100 mL	505.00
207010510250	Used for observing metachromatic granules.	250 mL	1180.00
203010450500	Acid Fast Decolorizer 3% Concentrated HCl in 95% Ethanol for decolorization of Acid Fast smears.	500 mL	1970.00
203030340125	Carbol Fuchsin Strong (1%)	125 mL	230.00
203030340250	Used as a dye to detect acid fast bacteria.	250 mL	520.00
203030340500		500 mL	885.00
207070170125	Gram Crystal Violet	125 mL	255.00
207070170250	Used as staining solution for monochrome staining of microbes.	250 mL	400.00
207070170500		500 mL	865.00
207070171000		1000 mL	1580.00
207070180125	Gram Decolorizer	125 mL	605.00
207070180250	Used as a decolourizing solution in Gram staining.	250 mL	1155.00
207070180500		500 mL	2130.00
207070190100	Gram Iodine	100 mL	260.00
207070190250	Used as a mordant in Gram staining.	250 mL	590.00

Store at 15-30°C



CAT. NO.	STAINING SOLUTIONS FOR MICROBIOLOGY	PACK SIZE	LIST PRICE (₹)
207070200125 207070200250 207070200500	Gram Safranin 0.5% Used as a counterstain in Gram staining.	125 mL 250 mL 500 mL	280.00 540.00 820.00
207120390100	Lactophenol Cotton Blue Used for wet mount and staining of fungi.	100 mL	270.00
207120400100	Lactophenol Picric Acid Used for wet mount and staining of fungi.	100 mL	260.00
207120410100	Lugol's Iodine Used as staining solution for wet mount and other Haematology staining.	100 mL	290.00
207131010125	Malachite Green 1% Bacterial endospore staining and simple staining.	125 mL	260.00
203130850125 203130850250 203130850500	Methylene Blue (Aqu) 1% General-purpose biological stain & capsule staining.	125 mL 250 mL 500 mL	230.00 365.00 585.00
203130880125	Mycostain® AFB stain set for screening of <i>Mycobacterium tuberculosis</i> and <i>Mycobacterium leprae</i> .	3 x 125 mL	1025.00
203140170025 203140170250	Novachrom® Rapid two step cold AFB stain.	2 x 25 mL 2 x 250 mL	690.00 1765.00
207140210125 207140210250 207140210500	Nigrosin (10%) Used for negative staining of bacteria.	125 mL 250 mL 500 mL	250.00 605.00 1020.00
207160530100	Picric Acid Used as a fixing agent and for staining of fungi.	100 mL	275.00
CAT. NO.	STAINS FOR HAEMATOLOGY	PACK SIZE	LIST PRICE (₹)
207020590100	Brilliant Cresyl Blue For staining reticulocytes (immature red blood cells) and platelets.	100 mL	1670.00
207060220250 207060220500 207060221000 207060225000	Field Stain A Field stain is a histological method for staining of blood smears.	250 mL 500 mL 1000 mL 5000 mL	610.00 1060.00 1975.00 On request
207060230250 207060230500 207060231000 207060235000	Field Stain B Field stain is a histological method for staining of blood smears.	250 mL 500 mL 1000 mL 5000 mL	565.00 975.00 1900.00 On request
207070210100 207070210250 207070210500 207070211000	Giemsa Stain For cytogenetics and histopathological diagnosis.	100 mL 250 mL 500 mL 1000 mL	640.00 900.00 1625.00 3725.00
207120420250 207120420500 207120421000	Leishman Stain Used in microscopy for staining of blood smears.	250 mL 500 mL 1000 mL	395.00 680.00 1155.00
207131020250 207131020500	May Grunwald For staining of blood, bone marrow smears and clinical cytological specimens.	250 mL 500 mL	475.00 1435.00
207230050250 207230050500	Wright's Stain Used for staining of peripheral blood and bone marrow smears.	250 mL 500 mL	385.00 665.00
CAT. NO.	STAINS FOR CYTOLOGY AND HISTOLOGY	PACK SIZE	LIST PRICE (₹)
207050320125 207050320250 207050320500 207050325000	Eosin (Aqu.) 2% Used as monochrome for bacterial staining and as a counter stain for hematoxylin.	125 mL 250 mL 500 mL 5000 mL	220.00 385.00 720.00 On request

Store at 15-30°C

CAT. NO.	STAINS FOR CYTOLOGY AND HISTOLOGY	PACK SIZE	LIST PRICE (₹)
207080070125 207080070250 207080070500 207080075000	Hematoxylin Harris Used as nuclear stain for Immuno-histochemical and cytochemical staining.	125 mL 250 mL 500 mL 5000 mL	600.00 1375.00 2240.00 On request
207080080125 207080080250 207080080500	Hematoxylin Gills II Used for nuclear staining in histology and cytology.	125 mL 250 mL 500 mL	990.00 1750.00 3380.00
207080200125 207080200250 207080200500 207080205000	Hematoxylin Mayers Used as nuclear stain for Immuno-histochemical and cytochemical staining.	125 mL 250 mL 500 mL 5000 mL	660.00 1650.00 2300.00 On request
207160540125 207160540250 207160540500 207160545000	Papanicolaou EA - 36 Cytoplasmic staining of gynaecological and non-gynaecological samples.	125 mL 250 mL 500 mL 5000 mL	680.00 1320.00 2460.00 On request
207160550125 207160550250 207160550500 207160555000	Papanicolaou EA - 65 Counterstain with Haematoxylin Stains in Papanicolaou Staining procedure.	125 mL 250 mL 500 mL 5000 mL	680.00 1320.00 2460.00 On request
207160560125 207160560250 207160560500 207160565000	Papanicolaou OG - 6 Cytoplasmic staining for the keratinized cells in the Papanicolaou staining method.	125 mL 250 mL 500 mL 5000 mL	525.00 1195.00 1790.00 On request
207210090500	ULTRA-PAP Nuclear Stain Used in Ultra fast Papanicolaou Staining kit.	500 mL	1180.00
207210100500	ULTRA-PAP Cyto-Stain A Used in Ultra fast Papanicolaou Staining kit.	500 mL	1180.00
207210110500	ULTRA-PAP Cyto-Stain B Used in Ultra fast Papanicolaou Staining kit.	500 mL	1060.00
CAT. NO.	STAIN AVAILABLE IN READY TO USE KITS FOR AUTOKROM™	PACK SIZE	LIST PRICE (₹)
207011030125 207011030250	Albert's Stain Kit Ready to use combi kit each of Albert's Stain A and Albert's Stain B for observing metachromatic granules.	2 x 125 mL 2 x 250 mL	685.00 1280.00
207060240250 207060240500	Field Stain A & Field Stain B with Fixative Spray (Field Stain Kit) Ready to use combi kit each of Field Stain A and Field Stain B with Heme-Fixative for staining of blood smears.	2 X 250 mL 2 X 500 mL	940.00 1820.00
207070160125 207070160250	Gram Stain Kit Ready to use combi kit each of Gram Crystal Violet (A), Gram Iodine (B), Gram Decolorizer (C) and Gram Safranin (D) to differentiate between Gram-positive and Gram-negative bacteria.	4 x 125 mL 4 x 250 mL	1860.00 3530.00
207070440250 207070440500	Giemsa Stain Kit Ready to use combi kit each of Giemsa Stain and Phosphate Buffer 3X (pH 7) for cytogenetics and histopathological diagnosis.	2 x 250 mL 2 x 500 mL	925.00 1790.00
207080190125 207080190250	H & E Stain Kit Ready to use combi kit each of Hematoxylin Harris and Eosin (Aq.) 2% for routine diagnosis in the study of histochemical tissue pathology.	2 x 125 mL 2 x 250 mL	925.00 1825.00
207120670250 207120670500	Leishman Stain Kit Ready to use combi kit each of Leishman Stain and Phosphate Buffer used in microscopy for staining of blood smears.	2 x 250 mL 2 x 500 mL	525.00 1020.00
207131700125 207131700250	May Grunwald-Giemsa (MGG) Stain Kit Ready to use combi kit each of May Grunwald Stain and Giemsa Stain for staining of blood, bone marrow smears and clinical cytological specimens.	2 x 125 mL 2 x 250 mL	825.00 1485.00

Store at 15-30°C

CAT. NO.	STAIN AVAILABLE IN READY TO USE KITS FOR AUTOKROM™	PACK SIZE	LIST PRICE (₹)
203140170250	Novachrom® Rapid two step cold AFB stain.	2 x 250 mL	1765.00
207210050250 207210050600	ULTRA - PAP Ultra fast Papanicolaou Staining kit.	250 smears 600 smears	3295.00 7590.00
207230050250 207230050500	Wright's Stain Used for staining of peripheral blood and bone marrow smears.	250 mL 500 mL	385.00 665.00
CAT. NO.	OTHER ANALYTICAL REAGENTS	PACK SIZE	LIST PRICE (₹)
207020600500	Bouin's Fixative Used as a fixative for Histological specimens.	500 mL	805.00
207020610500 207020615000	Buffered Formalin 10% Used as routine fixative for fixing cytological or histological specimens.	500 mL 5000 mL	495.00 3250.00
207030410050	Cytofix Fixative Commonly used fixative for Cytological specimens.	50 mL	600.00
207060250500 207060255000	Formal Saline Used for routine histopathology.	500 mL 5000 mL	445.00 2875.00
207040250100 207040250250	DPX Mountant For preserving stains in specimen slides.	100 mL 250 mL	645.00 850.00
207040260500	Dacie's (RBC Diluting) Fluid Used as diluting fluid for blood specimens to count RBCs in microscopy by hemocytometry.	500 mL	485.00
207080090500	Hayem's (RBC Diluting) Fluid Diluting fluid for RBC count.	500 mL	600.00
207090110025 207090110100	Immersion Oil Used in light microscopy, to increase the resolution of microscope.	25 mL 100 mL	530.00 1980.00
207161060250 207161060500	Phosphate Buffer (pH 7) Ready to use buffering solution of pH 7.0 used in routine staining techniques.	250 mL 500 mL	90.00 180.00
207191390030 207191390250 207191395000	Scott's Tap Water Buffer Ready to use buffering solution used in cytological staining techniques.	30 mL 250 mL 5000 mL	60.00 390.00 1880.00
207230060500	WBC Diluting Fluid Diluting fluid for WBC count.	500 mL	450.00
207230070010	Weiss Buffer Buffer for staining.	10 mL	180.00

Store at 15-30°C

CAT. NO.	CONTENTS	PACK SIZE	LIST PRICE (₹)
210011010001	AutoKrom™ -12-25 Automated staining machine for biological samples.	1 Unit	On request
	Trough with Lid PP trough with PP lid for each trough.	9 Nos.	
	Trough with POM Lid POM trough with POM lid for each trough.	1 No.	
	Rack RV-25 Stainless steel rack for holding 25 slides.	2 Nos.	

CAT. NO.	CONTENTS	PACK SIZE	LIST PRICE (₹)
	Blotter For holding blotting sheets to drain excess staining solutions or reagents.	1 No.	
	Stainer Accessories User Manual, power cable, fuse, dust cover etc.	1 No.	
	Stainer Kit for Tap Water Connection, including: Hose for water connection drain hose.	1 No.	
CAT. NO.	CONSUMABLE PACKS	PACK SIZE	LIST PRICE (₹)
211200850001	Trough with Lid PP trough with PP lid for each trough.	1 No.	On request
211200890001	Trough with POM Lid POM trough with POM lid for each trough.	1 No.	On request
211180420001	Rack RV-25 Stainless steel rack for holding 25 slides.	1 No.	On request

CAT. NO.	ANTIBACTERIAL DISC AS PER CLSI (FORMERLY NCCLS) STANDARDS	SYMBOL	DISC CONTENT	PACK SIZE	LIST PRICE (₹)
206030420250	Carbenicillin	CB	100 mcg	5 Carts	570.00
206030420500				5 Vials	1010.00
206030420100				Single Vial	270.00
206030430250	Cefaclor	CF	30 mcg	5 Carts	515.00
206030430500				5 Vials	920.00
206030430100				Single Vial	240.00
206030440250	Cefazolin	CZ	30 mcg	5 Carts	515.00
206030440500				5 Vials	920.00
206030440100				Single Vial	240.00
206030450250	Cefdinir	CDR	5 mcg	5 Carts	515.00
206030450500				5 Vials	920.00
206030450100				Single Vial	240.00
206030460250	Cefepime	CPM	30 mcg	5 Carts	580.00
206030460500				5 Vials	1010.00
206030460100				Single Vial	275.00
206030470250	Cefixime	CFM	5 mcg	5 Carts	515.00
206030470500				5 Vials	920.00
206030470100				Single Vial	240.00
206030480250	Cefoperazone	CPZ	75 mcg	5 Carts	570.00
206030480500				5 Vials	1010.00
206030480100				Single Vial	270.00
206030490250	Cefotaxime (Cephotaxime)	CTX	30 mcg	5 Carts	515.00
206030490500				5 Vials	920.00
206030490100				Single Vial	240.00
206030500250	Cefpodoxime	CPD	10 mcg	5 Carts	515.00
206030500500				5 Vials	920.00
206030500100				Single Vial	240.00
206030510250	Cefoxitin	CX	30 mcg	5 Carts	570.00
206030510500				5 Vials	1010.00
206030510100				Single Vial	270.00
206030520250	Cefprozil	CPR	30 mcg	5 Carts	515.00
206030520500				5 Vials	920.00
206030520100				Single Vial	240.00
206030530250	Ceftazidime	CAZ	30 mcg	5 Carts	515.00
206030530500				5 Vials	920.00
206030530100				Single Vial	240.00
206030540250	Ceftizoxime	CZX	30 mcg	5 Carts	570.00
206030540500				5 Vials	1010.00
206030540100				Single Vial	270.00
206030550250	Ceftriaxone	CTR	30 mcg	5 Carts	515.00
206030550500				5 Vials	920.00
206030550100				Single Vial	240.00
206030560250	Cefuroxime	CXM	30 mcg	5 Carts	515.00
206030560500				5 Vials	920.00
206030560100				Single Vial	240.00
206030570250	Cephalothin	CEP	30 mcg	5 Carts	570.00
206030570500				5 Vials	1010.00
206030570100				Single Vial	270.00
206030580250	Chloramphenicol	C	30 mcg	5 Carts	515.00
206030580500				5 Vials	920.00
206030580100				Single Vial	240.00

Biogram® Pack Size: 5 Cartridges (Each cartridge contains 50 discs) and Vials (5 Vials = 5 x 100 discs in each Vial and 1 Vial = 1 x 100 discs in Vial).
Discs in routine use should be stored at 2-8°C. Longer term storage should be at -20°C.

CAT. NO.	ANTIBACTERIAL DISC AS PER CLSI (FORMERLY NCCLS) STANDARDS	SYMBOL	DISC CONTENT	PACK SIZE	LIST PRICE (₹)
206030590250	Ciprofloxacin	CIP	5 mcg	5 Carts	515.00
206030590500				5 Vials	920.00
206030590100				Single Vial	240.00
206030600250	Clarithromycin	CLR	15 mcg	5 Carts	515.00
206030600500				5 Vials	920.00
206030600100				Single Vial	240.00
206030610250	Clindamycin	CD	2 mcg	5 Carts	515.00
206030610500				5 Vials	920.00
206030610100				Single Vial	240.00
206030620250	Colistin (Methane Sulfonate)	CL	10 mcg	5 Carts	640.00
206030620500				5 Vials	1090.00
206030620100				Single Vial	320.00
206031210250	Ceftazidime / Avibactam	CZA	30/20 mcg	5 Carts	2140.00
206031210500				5 Vials	3530.00
206031210100				Single Vial	590.00
206040270250	Doripenem	DOR	10 mcg	5 Carts	3140.00
206040270500				5 Vials	5520.00
206040270100				Single Vial	1510.00
206040280250	Doxycycline	DOX	30 mcg	5 Carts	515.00
206040280500				5 Vials	920.00
206040280100				Single Vial	240.00
206050330250	Ertapenem	ETP	10 mcg	5 Carts	1925.00
206050330500				5 Vials	2920.00
206050330100				Single Vial	770.00
206050340250	Erythromycin	E	15 mcg	5 Carts	515.00
206050340500				5 Vials	920.00
206050340100				Single Vial	240.00
206060260250	Faropenem	FAR	5 mcg	5 Carts	1925.00
206060260500				5 Vials	3415.00
206060260100				Single Vial	845.00
206060280250	Fosfomycin	FO	200 mcg	5 Carts	1110.00
206060280500				5 Vials	1735.00
206060280100				Single Vial	465.00
206070360250	Gatifloxacin	GAT	5 mcg	5Carts	615.00
206070360500				5 Vials	1090.00
206070360100				Single Vial	285.00
206070220250	Gemifloxacin	GEM	5 mcg	5 Carts	615.00
206070220500				5 Vials	1090.00
206070220100				Single Vial	285.00
206070230250	Gentamicin	GEN	10 mcg	5 Carts	515.00
206070230500				5 Vials	920.00
206070230100				Single Vial	240.00
206070240250	Gentamicin	HLG	120 mcg	5 Carts	615.00
206070240500				5 Vials	1090.00
206070240100				Single Vial	285.00
206090120250	Imipenem	IPM	10 mcg	5 Carts	2135.00
206090120500				5 Vials	3050.00
206090120100				Single Vial	805.00
206110100250	Kanamycin	K	30 mcg	5 Carts	620.00
206110100500				5 Vials	1095.00
206110100100				Single Vial	275.00

Biogram® Pack Size: 5 Cartridges (Each cartridge contains 50 discs) and Vials (5 Vials = 5 x 100 discs in each Vial and 1 Vial = 1 x 100 discs in Vial). Discs in routine use should be stored at 2-8°C. Longer term storage should be at -20°C.

CAT. NO.	ANTIBACTERIAL DISC AS PER CLSI (FORMERLY NCCLS) STANDARDS	SYMBOL	DISC CONTENT	PACK SIZE	LIST PRICE (₹)
206120430250 206120430500 206120430100	Levofloxacin	LE	5 mcg	5 Cartridges 5 Vials Single Vial	515.00 920.00 240.00
206120440250 206120440500 206120440100	Linezolid	LZ	30 mcg	5 Cartridges 5 Vials Single Vial	515.00 920.00 240.00
206120450250 206120450500 206120450100	Lomefloxacin	LOM	10 mcg	5 Cartridges 5 Vials Single Vial	615.00 1090.00 285.00
206131030250 206131030500 206131030100	Meropenem	MRP	10 mcg	5 Cartridges 5 Vials Single Vial	1925.00 2920.00 735.00
206131040250 206131040500 206131040100	Minocycline	MI	30 mcg	5 Cartridges 5 Vials Single Vial	515.00 920.00 240.00
206131050250 206131050500 206131050100	Moxifloxacin	MXF	5 mcg	5 Cartridges 5 Vials Single Vial	515.00 920.00 240.00
206140220250 206140220500 206140220100	Nalidixic Acid	NA	30 mcg	5 Cartridges 5 Vials Single Vial	515.00 920.00 240.00
206140230250 206140230500 206140230100	Netilmicin	NET	30 mcg	5 Cartridges 5 Vials Single Vial	570.00 1010.00 270.00
206140240250 206140240500 206140240100	Nitrofurantoin	NIT	300 mcg	5 Cartridges 5 Vials Single Vial	515.00 920.00 240.00
206140290250 206140290500 206140290100	Norfloxacin	NX	10 mcg	5 Cartridges 5 Vials Single Vial	515.00 920.00 240.00
206150050250 206150050500 206150050100	Ofloxacin	OF	5 mcg	5 Cartridges 5 Vials Single Vial	515.00 920.00 240.00
206150060250 206150060500 206150060100	Oxacillin	OX	1 mcg	5 Cartridges 5 Vials Single Vial	615.00 1080.00 270.00
206160570250 206160570500 206160570100	Penicillin	P	10 units	5 Cartridges 5 Vials Single Vial	515.00 920.00 240.00
206160580250 206160580500 206160580100	Pefloxacin	PF	5 mcg	5 Cartridges 5 Vials Single Vial	515.00 920.00 240.00
206160590250 206160590500 206160590100	Piperacillin	PI	100 mcg	5 Cartridges 5 Vials Single Vial	680.00 1080.00 275.00
206160600250 206160600500 206160600100	Piperacillin / Tazobactam	PTZ	100/10 mcg	5 Cartridges 5 Vials Single Vial	615.00 1080.00 275.00
206160610250 206160610500 206160610100	Polymyxin B	PB	300 units	5 Cartridges 5 Vials Single Vial	570.00 1010.00 270.00

Biogram® Pack Size: 5 Cartridges (Each cartridge contains 50 discs) and Vials (5 Vials = 5 x 100 discs in each Vial and 1 Vial = 1 x 100 discs in Vial).
Discs in routine use should be stored at 2-8°C. Longer term storage should be at -20°C.

CAT. NO.	ANTIBACTERIAL DISC AS PER CLSI (FORMERLY NCCLS) STANDARDS	SYMBOL	DISC CONTENT	PACK SIZE	LIST PRICE (₹)
206160620250 206160620500 206160620100	Prulifloxacin (Ulifloxacin)	PRU	5 mcg	5 Carts 5 Vials Single Vial	615.00 1090.00 285.00
206180280250 206180280500 206180280100	Rifampin	RIF	5 mcg	5 Carts 5 Vials Single Vial	515.00 920.00 240.00
206191130250 206191130500 206191130100	Sparfloxacin	SPX	5 mcg	5 Carts 5 Vials Single Vial	515.00 920.00 240.00
206191140250 206191140500 206191140100	Spectinomycin	SPT	100 mcg	5 Carts 5 Vials Single Vial	570.00 920.00 240.00
206191150250 206191150500 206191150100	Streptomycin	S	10 mcg	5 Carts 5 Vials Single Vial	515.00 920.00 240.00
206191160250 206191160500 206191160100	Streptomycin	HLS	300 mcg	5 Carts 5 Vials Single Vial	615.00 1090.00 285.00
206200590250 206200590500 206200590100	Teicoplanin	TEI	30 mcg	5 Carts 5 Vials Single Vial	935.00 1660.00 420.00
206200600250 206200600500 206200600100	Tetracycline	TE	30 mcg	5 Carts 5 Vials Single Vial	515.00 920.00 240.00
206200610250 206200610500 206200610100	Ticarcillin	TI	75 mcg	5 Carts 5 Vials Single Vial	1030.00 1850.00 375.00
206200620250 206200620500 206200620100	Ticarcillin / Clavulanate	TCC	75/10 mcg	5 Carts 5 Vials Single Vial	690.00 1210.00 325.00
206200630250 206200630500 206200630100	Tigecycline	TGC	15 mcg	5 Carts 5 Vials Single Vial	940.00 1650.00 425.00
206200640250 206200640500 206200640100	Tobramycin	TOB	10 mcg	5 Carts 5 Vials Single Vial	570.00 920.00 240.00
206200650250 206200650500 206200650100	Trimethoprim	TR	5 mcg	5 Carts 5 Vials Single Vial	515.00 920.00 240.00
206200660250 206200660500 206200660100	Trimethoprim / Sulphamethoxazole	COT	1.25/23.75 mcg	5 Carts 5 Vials Single Vial	515.00 920.00 240.00
206220150250 206220150500 206220150100	Vancomycin	VA	30 mcg	5 Carts 5 Vials Single Vial	570.00 920.00 240.00
CAT. NO.	ANTIFUNGAL DISC AS PER CLSI (FORMERLY NCCLS) STANDARDS	SYMBOL	DISC CONTENT	PACK SIZE	LIST PRICE (₹)
206060270250 206060270500 206060270100	Fluconazole	FLC	25 mcg	5 Carts 5 Vials Single Vial	515.00 920.00 240.00

Biogram® Pack Size: 5 Cartridges (Each cartridge contains 50 discs) and Vials (5 Vials = 5 x 100 discs in each Vial and 1 Vial = 1 x 100 discs in Vial). Discs in routine use should be stored at 2-8°C. Longer term storage should be at -20°C.

CAT. NO.	ANTIFUNGAL DISC AS PER CLSI (FORMERLY NCCLS) STANDARDS	SYMBOL	DISC CONTENT	PACK SIZE	LIST PRICE (₹)
206220160250 206220160500 206220160100	Voriconazole	VRC	1 mcg	5 Carts 5 Vials Single Vial	655.00 1165.00 295.00
CAT. NO.	ANTIBACTERIAL DISC CUSTOMIZED CONCENTRATIONS	SYMBOL	DISC CONTENT	PACK SIZE	LIST PRICE (₹)
206010580250 206010580500 206010580100	Amikacin	AK	10 mcg	5 Carts 5 Vials Single Vial	515.00 920.00 240.00
206010620250 206010620500 206010620100	Ampicillin	AMP	2 mcg	5 Carts 5 Vials Single Vial	515.00 920.00 240.00
206010630250 206010630500 206010630100	Ampicillin	AMP	25 mcg	5 Carts 5 Vials Single Vial	515.00 920.00 240.00
206010640250 206010640500 206010640100	Ampicillin / Cloxacillin	AX	10 mcg	5 Carts 5 Vials Single Vial	515.00 920.00 240.00
206010650250 206010650500 206010650100	Amoxicillin	AMX	10 mcg	5 Carts 5 Vials Single Vial	515.00 920.00 240.00
206010660250 206010660500 206010660100	Amoxicillin	AMX	25 mcg	5 Carts 5 Vials Single Vial	515.00 920.00 240.00
206010670250 206010670500 206010670100	Amoxicillin	AMX	30 mcg	5 Carts 5 Vials Single Vial	515.00 920.00 240.00
206010680250 206010680500 206010680100	(Amoxicillin / Clavulanate) Amoxyclav	AMC	50/10 mcg	5 Carts 5 Vials Single Vial	515.00 920.00 240.00
206010690250 206010690500 206010690100	Amoxyclav	AMC	10 mcg	5 Carts 5 Vials Single Vial	515.00 920.00 240.00
206010700250 206010700500 206010700100	Amoxicillin / Sulbactam	AMS	30/15 mcg	5 Carts 5 Vials Single Vial	615.00 1090.00 285.00
206010710250 206010710500 206010710100	Azithromycin	AZM	30 mcg	5 Carts 5 Vials Single Vial	515.00 920.00 240.00
206010720250 206010720500 206010720100	Aztreonam	AT	50 mcg	5 Carts 5 Vials Single Vial	680.00 1090.00 285.00
206020620250 206020620500 206020620100	Bacitracin	B	10 units	5 Carts 5 Vials Single Vial	570.00 1010.00 270.00
206020630250 206020630500 206020630100	Bacitracin	B	8 units	5 Carts 5 Vials Single Vial	570.00 1010.00 270.00
206020640250 206020640500 206020640100	Bacitracin	B	0.04 units	5 Carts 5 Vials Single Vial	1265.00 1815.00 370.00

Biogram® Pack Size: 5 Cartridges (Each cartridge contains 50 discs) and Vials (5 Vials = 5 x 100 discs in each Vial and 1 Vial = 1 x 100 discs in Vial).
Discs in routine use should be stored at 2-8°C. Longer term storage should be at -20°C.

CAT. NO.	ANTIBACTERIAL DISC CUSTOMIZED CONCENTRATIONS	SYMBOL	DISC CONTENT	PACK SIZE	LIST PRICE (₹)
206030630250	Cefadroxil (Cephadroxil)	CFR	30 mcg	5 Carts	525.00
206030630500				5 Vials	940.00
206030630100				Single Vial	240.00
206030640250	Cefalexin (Cephalexin)	CN	30 mcg	5 Carts	525.00
206030640500				5 Vials	940.00
206030640100				Single Vial	240.00
206030650250	Cefepime	CPM	50 mcg	5 Carts	615.00
206030650500				5 Vials	1090.00
206030650100				Single Vial	285.00
206030660250	Cefepime / Tazobactam	CPT	80/10 mcg	5 Carts	615.00
206030660500				5 Vials	1090.00
206030660100				Single Vial	285.00
206030670250	Cefepime / Tazobactam	CPT	30/10 mcg	5 Carts	615.00
206030670500				5 Vials	1090.00
206030670100				Single Vial	285.00
206030680250	Cefixime / Clavulanic acid	CMC	5/10 mcg	5 Carts	615.00
206030680500				5 Vials	1090.00
206030680100				Single Vial	285.00
206030690250	Cefoperazone / Sulbactam	CFS	75/30 mcg	5 Carts	615.00
206030690500				5 Vials	1090.00
206030690100				Single Vial	285.00
206030700250	Cefoperazone / Sulbactam	CFS	75/10 mcg	5 Carts	615.00
206030700500				5 Vials	1090.00
206030700100				Single Vial	285.00
206030710250	Cefoperazone / Sulbactam	CFS	50/50 mcg	5 Carts	615.00
206030710500				5 Vials	1090.00
206030710100				Single Vial	285.00
206030720250	Cefoperazone / Tazobactam	CST	75/10 mcg	5 Carts	615.00
206030720500				5 Vials	1090.00
206030720100				Single Vial	285.00
206030730250	Cefotaxime (Cephotaxime)	CTX	10 mcg	5 Carts	515.00
206030730500				5 Vials	920.00
206030730100				Single Vial	240.00
206030740250	Cefotaxime / Clavulanic acid	CEC	30/10 mcg	5 Carts	525.00
206030740500				5 Vials	950.00
206030740100				Single Vial	250.00
206030750250	Cefpirome	CFP	30 mcg	5 Carts	515.00
206030750500				5 Vials	920.00
206030750100				Single Vial	240.00
206030760250	Cefpodoxime / Clavulanic acid	CCL	10/5 mcg	5 Carts	655.00
206030760500				5 Vials	1155.00
206030760100				Single Vial	265.00
206030770250	Ceftazidime / Clavulanic acid	CAC	30/10 mcg	5 Carts	655.00
206030770500				5 Vials	1155.00
206030770100				Single Vial	260.00
206030780250	Ceftazidime / Tazobactam	CAT	80/10 mcg	5 Carts	615.00
206030780500				5 Vials	1090.00
206030780100				Single Vial	285.00
206030790250	Ceftazidime / Tazobactam	CAT	30/10 mcg	5 Carts	615.00
206030790500				5 Vials	1090.00
206030790100				Single Vial	285.00

Biogram® Pack Size: 5 Cartridges (Each cartridge contains 50 discs) and Vials (5 Vials = 5 x 100 discs in each Vial and 1 Vial = 1 x 100 discs in Vial). Discs in routine use should be stored at 2-8°C. Longer term storage should be at -20°C.

CAT. NO.	ANTIBACTERIAL DISC CUSTOMIZED CONCENTRATIONS	SYMBOL	DISC CONTENT	PACK SIZE	LIST PRICE (₹)
206030800250 206030800500 206030800100	Ceftriaxone	CTR	10 mcg	5 Carts 5 Vials Single Vial	515.00 920.00 240.00
206030810250 206030810500 206030810100	Ceftriaxone / Sulbactam	CIS	30/15 mcg	5 Carts 5 Vials Single Vial	615.00 1090.00 285.00
206030820250 206030820500 206030820100	Ceftriaxone / Tazobactam	CIT	80/10 mcg	5 Carts 5 Vials Single Vial	615.00 1090.00 285.00
206030830250 206030830500 206030830100	Ceftriaxone / Tazobactam	CIT	30/10 mcg	5 Carts 5 Vials Single Vial	615.00 1090.00 285.00
206030840250 206030840500 206030840100	Chloramphenicol	C	10 mcg	5 Carts 5 Vials Single Vial	515.00 920.00 240.00
206030850250 206030850500 206030850100	Chloramphenicol	C	50 mcg	5 Carts 5 Vials Single Vial	515.00 920.00 240.00
206030860250 206030860500 206030860100	Chloramphenicol	C	25 mcg	5 Carts 5 Vials Single Vial	515.00 920.00 240.00
206030870250 206030870500 206030870100	Ciprofloxacin	CIP	1 mcg	5 Carts 5 Vials Single Vial	515.00 920.00 240.00
206030880250 206030880500 206030880100	Ciprofloxacin	CIP	10 mcg	5 Carts 5 Vials Single Vial	515.00 920.00 240.00
206030890250 206030890500 206030890100	Ciprofloxacin	CIP	30 mcg	5 Carts 5 Vials Single Vial	515.00 920.00 240.00
206030900250 206030900500 206030900100	Clindamycin	CD	10 mcg	5 Carts 5 Vials Single Vial	515.00 920.00 240.00
206030920250 206030920500 206030920100	Cloxacillin	COX	1 mcg	5 Carts 5 Vials Single Vial	515.00 920.00 240.00
206030930250 206030930500 206030930100	Cloxacillin	COX	5 mcg	5 Carts 5 Vials Single Vial	515.00 920.00 240.00
206030940250 206030940500 206030940100	Cloxacillin	COX	10 mcg	5 Carts 5 Vials Single Vial	515.00 920.00 240.00
206030950250 206030950500 206030950100	Cloxacillin	COX	30 mcg	5 Carts 5 Vials Single Vial	515.00 920.00 240.00
206030960250 206030960500 206030960100	Colistin (Methane Sulfonate)	CL	25 mcg	5 Carts 5 Vials Single Vial	655.00 1155.00 260.00
206030970250 206030970500 206030970100	Colistin (Methane Sulfonate)	CL	50 mcg	5 Carts 5 Vials Single Vial	655.00 1155.00 260.00

Biogram® Pack Size: 5 Cartridges (Each cartridge contains 50 discs) and Vials (5 Vials = 5 x 100 discs in each Vial and 1 Vial = 1 x 100 discs in Vial).
Discs in routine use should be stored at 2-8°C. Longer term storage should be at -20°C.

CAT. NO.	ANTIBACTERIAL DISC CUSTOMIZED CONCENTRATIONS	SYMBOL	DISC CONTENT	PACK SIZE	LIST PRICE (₹)
206031250250 206031250500 206031250100	Ceftriaxone / Sulbactam / EDTA	CSE	30/15/100 mcg	5 Cartridges 5 Vials Single Vial	640.00 1180.00 300.00
206040290250 206040290500 206040290100	Doxycycline	DOX	10 mcg	5 Cartridges 5 Vials Single Vial	515.00 920.00 240.00
206050770250 206050770500 206050770100	Enrofloxacin	EN	5 mcg	5 Cartridges 5 Vials Single Vial	480.00 805.00 215.00
206050350250 206050350500 206050350100	Erythromycin	E	10 mcg	5 Cartridges 5 Vials Single Vial	515.00 920.00 240.00
206050360250 206050360500 206050360100	Erythromycin	E	5 mcg	5 Cartridges 5 Vials Single Vial	515.00 920.00 240.00
206060300250 206060300500 206060300100	Fosfomicin	FO	50 mcg	5 Cartridges 5 Vials Single Vial	1060.00 1650.00 445.00
206060310250 206060310500 206060310100	Furazolidone	FR	50 mcg	5 Cartridges 5 Vials Single Vial	515.00 920.00 240.00
206060380250 206060380500 206060380100	Furazolidone	FR	100 mcg	5 Cartridges 5 Vials Single Vial	515.00 920.00 240.00
206070380250 206070380500 206070380100	Gatifloxacin	GAT	10 mcg	5 Cartridges 5 Vials Single Vials	515.00 920.00 240.00
206070390250 206070390500 206070390100	Gatifloxacin	GAT	30 mcg	5 Cartridges 5 Vials Single Vials	515.00 920.00 240.00
206070250250 206070250500 206070250100	Gentamicin	GEN	30 mcg	5 Cartridges 5 Vials Single Vial	515.00 920.00 240.00
206070260250 206070260500 206070260100	Gentamicin	GEN	50 mcg	5 Cartridges 5 Vials Single Vial	515.00 920.00 240.00
206090130250 206090130500 206090130100	Imipenem / Cilastatin	IC	10/10 mcg	5 Cartridges 5 Vials Single Vial	1800.00 3025.00 775.00
206090190250 206090190500 206090190100	Imipenem/EDTA	IE	10/750 mcg	5 Cartridges 5 Vials Single Vial	1800.00 3025.00 775.00
206110110250 206110110500 206110110100	Kanamycin	K	5 mcg	5 Cartridges 5 Vials Single Vial	600.00 1070.00 280.00
206120460250 206120460500 206120460100	Lincomycin	L	2 mcg	5 Cartridges 5 Vials Single Vial	515.00 920.00 240.00
206120470250 206120470500 206120470100	Lincomycin	L	10 mcg	5 Cartridges 5 Vials Single Vial	515.00 920.00 240.00

Biogram® Pack Size: 5 Cartridges (Each cartridge contains 50 discs) and Vials (5 Vials = 5 x 100 discs in each Vial and 1 Vial = 1 x 100 discs in Vial).
Discs in routine use should be stored at 2-8°C. Longer term storage should be at -20°C.

CAT. NO.	ANTIBACTERIAL DISC CUSTOMIZED CONCENTRATIONS	SYMBOL	DISC CONTENT	PACK SIZE	LIST PRICE (₹)
206120480250 206120480500 206120480100	Lincomycin	L	15 mcg	5 Carts 5 Vials Single Vial	515.00 920.00 240.00
206120490250 206120490500 206120490100	Lomefloxacin	LOM	15 mcg	5 Carts 5 Vials Single Vial	615.00 1090.00 285.00
206120500250 206120500500 206120500100	Lomefloxacin	LOM	30 mcg	5 Carts 5 Vials Single Vial	615.00 1090.00 285.00
206132190250 206132190500 206132190100	Meropenem/EDTA	MRE	10/750 mcg	5 Carts 5 Vials Single Vial	1750.00 2950.00 750.00
206140250250 206140250500 206140250100	Neomycin	N	30 mcg	5 Carts 5 Vials Single Vial	515.00 920.00 240.00
206140260250 206140260500 206140260100	Netilmicin	NET	10 mcg	5 Carts 5 Vials Single Vial	680.00 1200.00 310.00
206140270250 206140270500 206140270100	Nitrofurantoin	NIT	200 mcg	5 Carts 5 Vials Single Vial	515.00 920.00 240.00
206140280250 206140280500 206140280100	Nitrofurantoin	NIT	100 mcg	5 Carts 5 Vials Single Vial	525.00 940.00 245.00
206140300250 206140300500 206140300100	Novobiocin	NV	30 mcg	5 Carts 5 Vials Single Vial	570.00 1010.00 270.00
206140310250 206140310500 206140310100	Novobiocin	NV	5 mcg	5 Carts 5 Vials Single Vial	515.00 920.00 240.00
206150070250 206150070500 206150070100	Ofloxacin	OF	2 mcg	5 Carts 5 Vials Single Vial	515.00 920.00 240.00
206150080250 206150080500 206150080100	Oxacillin	OX	5 mcg	5 Carts 5 Vials Single Vial	655.00 1155.00 260.00
206150090250 206150090500 206150090100	Oxytetracycline	O	30 mcg	5 Carts 5 Vials Single Vial	515.00 920.00 240.00
206160630250 206160630500 206160630100	Penicillin	P	2 units	5 Carts 5 Vials Single Vial	515.00 920.00 240.00
206160640250 206160640500 206160640100	Polymyxin B	PB	100 units	5 Carts 5 Vials Single Vial	570.00 920.00 240.00
206160650250 206160650500 206160650100	Polymyxin B	PB	50 units	5 Carts 5 Vials Single Vial	570.00 920.00 240.00
206160660250 206160660500 206160660100	Prulifloxacin (Ulifloxacin)	PRU	10 mcg	5 Carts 5 Vials Single Vial	615.00 1090.00 285.00

Biogram® Pack Size: 5 Cartridges (Each cartridge contains 50 discs) and Vials (5 Vials = 5 x 100 discs in each Vial and 1 Vial = 1 x 100 discs in Vial). Discs in routine use should be stored at 2-8°C. Longer term storage should be at -20°C.

CAT. NO.	ANTIBACTERIAL DISC CUSTOMIZED CONCENTRATIONS	SYMBOL	DISC CONTENT	PACK SIZE	LIST PRICE (₹)
206180290250 206180290500 206180290100	Rifampin	RIF	2 mcg	5 Carts 5 Vials Single Vial	515.00 920.00 240.00
206180300250 206180300500 206180300100	Rifampin	RIF	15 mcg	5 Carts 5 Vials Single Vial	515.00 920.00 240.00
206180310250 206180310500 206180310100	Rifampin	RIF	30 mcg	5 Carts 5 Vials Single Vial	515.00 920.00 240.00
206180320250 206180320500 206180320100	Roxithromycin	RO	30 mcg	5 Carts 5 Vials Single Vial	515.00 920.00 240.00
206191170250 206191170500 206191170100	Spiramycin	SR	30 mcg	5 Carts 5 Vials Single Vial	515.00 920.00 240.00
206191180250 206191180500 206191180100	Spiramycin	SR	100 mcg	5 Carts 5 Vials Single Vial	515.00 920.00 240.00
206191190250 206191190500 206191190100	Sterile Discs	SD	-	5 Carts 5 Vials Single Vial	515.00 920.00 240.00
206191200250 206191200500 206191200100	Streptomycin	S	25 mcg	5 Carts 5 Vials Single Vial	515.00 920.00 240.00
206200670250 206200670500 206200670100	Tetracycline	TE	10 mcg	5 Carts 5 Vials Single Vial	515.00 920.00 240.00
206200680250 206200680500 206200680100	Tobramycin	TOB	30 mcg	5 Carts 5 Vials Single Vial	515.00 920.00 240.00
206200690250 206200690500 206200690100	Trimethoprim	TR	10 mcg	5 Carts 5 Vials Single Vial	515.00 920.00 240.00
206200700250 206200700500 206200700100	Trimethoprim	TR	25 mcg	5 Carts 5 Vials Single Vial	515.00 920.00 240.00
206200710250 206200710500 206200710100	Trimethoprim	TR	30 mcg	5 Carts 5 Vials Single Vial	515.00 920.00 240.00
206200720250 206200720500 206200720100	Tylosine	TL	15 mcg	5 Carts 5 Vials Single Vial	515.00 920.00 240.00
206220170250 206220170500 206220170100	Vancomycin	VA	5 mcg	5 Carts 5 Vials Single Vial	570.00 920.00 240.00
206220180250 206220180500 206220180100	Vancomycin	VA	10 mcg	5 Carts 5 Vials Single Vial	570.00 920.00 240.00

Biogram® Pack Size: 5 Cartridges (Each cartridge contains 50 discs) and Vials (5 Vials = 5 x 100 discs in each Vial and 1 Vial = 1 x 100 discs in Vial).
Discs in routine use should be stored at 2-8°C. Longer term storage should be at -20°C.

CAT. NO.	ANTIFUNGAL DISC CUSTOMIZED CONCENTRATIONS	SYMBOL	DISC CONTENT	PACK SIZE	LIST PRICE (₹)
206010590250 206010590500 206010590100	Amphotericin-B	AP	100 units	5 Carts 5 Vials Single Vial	835.00 1500.00 380.00
206010600250 206010600500 206010600100	Amphotericin-B	AP	20 mcg	5 Carts 5 Vials Single Vial	835.00 1500.00 380.00
206010610250 206010610500 206010610100	Amphotericin-B	AP	50 mcg	5 Carts 5 Vials Single Vial	835.00 1500.00 380.00
206030910250 206030910500 206030910100	Clotrimazole	CC	10 mcg	5 Carts 5 Vials Single Vial	515.00 920.00 240.00
206060290250 206060290500 206060290100	Fluconazole	FLC	10 mcg	5 Carts 5 Vials Single Vial	515.00 920.00 240.00
206090140250 206090140500 206090140100	Itraconazole	IT	10 mcg	5 Carts 5 Vials Single Vial	515.00 920.00 240.00
206090150250 206090150500 206090150100	Itraconazole	IT	30 mcg	5 Carts 5 Vials Single Vial	515.00 920.00 240.00
206110120250 206110120500 206110120100	Ketoconazole	KT	10 mcg	5 Carts 5 Vials Single Vial	515.00 920.00 240.00
206110130250 206110130500 206110130100	Ketoconazole	KT	30 mcg	5 Carts 5 Vials Single Vial	515.00 920.00 240.00
206110140250 206110140500 206110140100	Ketoconazole	KT	50 mcg	5 Carts 5 Vials Single Vial	515.00 920.00 240.00
206131060250 206131060500 206131060100	Metronidazole	MTZ	5 mcg	5 Carts 5 Vials Single Vial	515.00 920.00 240.00
206131070250 206131070500 206131070100	Metronidazole	MTZ	4 mcg	5 Carts 5 Vials Single Vial	515.00 920.00 240.00
206140320250 206140320500 206140320100	Nystatin	NS	100 units	5 Carts 5 Vials Single Vial	515.00 920.00 240.00
206140330250 206140330500 206140330100	Nystatin	NS	50 mcg	5 Carts 5 Vials Single Vial	515.00 920.00 240.00

Biogram® Pack Size: 5 Cartridges (Each cartridge contains 50 discs) and Vials (5 Vials = 5 x 100 discs in each Vial and 1 Vial = 1 x 100 discs in Vial).
Discs in routine use should be stored at 2-8°C. Longer term storage should be at -20°C.

CAT. NO.	BACTERIOLOGICAL DIFFERENTIATION DISCS*	SYMBOL	DISC CONTENT	PACK SIZE	LIST PRICE (₹)
206020650050	Bile Esculin Disc (50 Discs) For detection of Esculin Hydrolysis in the presence of bile.	-	-	Single Vial	445.00
206150100050	Optochin (50 Discs) For differentiation of <i>Streptococcus pneumoniae</i> .	OP	5 mcg	Single Vial	250.00
206150110050	Oxidase Disc (50 Discs) For Oxidase testing.	-	-	Single Vial	285.00
206150140050	ONPG Disc (50 Discs) For detection of Beta-Glactosidase activity.	-	-	Single Vial	430.00
CAT. NO.	CARBOHYDRATE FERMENTATION DISCS**	SYMBOL	PACK SIZE	LIST PRICE (₹)	
206010730050	Adonitol	Ad	Single Vial	675.00	
206010740050	Arabinose	Ar	Single Vial	400.00	
206030980050	Cellobiose	Ce	Single Vial	615.00	
206040300050	Dextrose	De	Single Vial	175.00	
206040310050	Dulcitol	Du	Single Vial	420.00	
206070270050	Galactose	Ga	Single Vial	215.00	
206060320050	Fructose	Fc	Single Vial	215.00	
206090160050	Inositol	Is	Single Vial	410.00	
206090170050	Inulin	In	Single Vial	420.00	
206120510050	Lactose	La	Single Vial	175.00	
206131080050	Maltose	Ma	Single Vial	175.00	
206131090050	Mannitol	Mn	Single Vial	175.00	
206131100050	Mannose	Mo	Single Vial	345.00	
206131110050	Melibiose	Mb	Single Vial	840.00	
206180330050	Raffinose	Rf	Single Vial	430.00	
206180340050	Rhamnose	Rh	Single Vial	440.00	
206191210050	Salicin	Sa	Single Vial	540.00	
206191220050	Sorbitol	Sb	Single Vial	175.00	
206191230050	Sucrose	Su	Single Vial	175.00	
206200730050	Trehalose	Te	Single Vial	445.00	
206240090050	Xylose	Xy	Single Vial	260.00	
CAT. NO.	AMINO ACID DISCS**	PACK SIZE	LIST PRICE (₹)		
206120520050	Lysine Hydrochloride	Single Vial	615.00		
206010750050	Arginine Hydrochloride	Single Vial	615.00		
206150120050	Ornithine Hydrochloride	Single Vial	760.00		

Pack Size: 1 Vial = 50 Discs

*Discs in routine use should be stored at 2-8°C. Longer term storage should be at -20°C, **Store between 10-30°C



MICROPRO[®] SYSTEM

CAT. NO.	MICROPRO [®] ValiD COMPONENTS	PACK SIZE	LIST PRICE (₹)
209131730001	Micropro[®] - ValiD Identification Kit – GN (25 Tests) a) Micropro[®] - ValiD GN Panel with a Dropper* Precoated wells with substrates for Identification of pathogens. b) Empty Tray with Tray Cover Tray to place ID panels while testing. c) Micropro[®] - ValiD GN Reagent W11** For biochemical reaction in well no. 11. d) Micropro[®] - ValiD GN Reagent W12** For biochemical reaction in well no. 12. e) Sterile Paraffin Oil W9 To prevent oxidation of the substrate in well no. 9.	1 Kit 25 Nos. 2 Nos. 1 No. 1 No. 1 No.	4995.00
209131740001	Micropro[®] - ValiD Identification Kit – GP (25 Tests) a) Micropro[®] - ValiD GP Panel with a Dropper* Precoated wells with substrates for Identification of pathogens. b) Empty Tray with Tray Cover Tray to place ID panels while testing. c) Micropro[®] - ValiD GP Reagent W11** For biochemical reaction in well no. 11. d) Micropro[®] - ValiD GP Reagent W12** For biochemical reaction in well no. 12.	1 Kit 25 Nos. 2 Nos. 1 No. 1 No.	4995.00
209131750001	Micropro[®] - ValiD Reagent Kit (25 Tests) a) Micropro[®] - ValiD Inoculum Broth** For inoculum preparation.	1 Kit 25 Nos.	On request

* Store at 2-8°C



CAT. NO.	COMPONENTS	PACK SIZE	LIST PRICE (₹)
209131120001	<p>Micropro® - BCS Analyzer + One Cable Cord and Two Fuses For detection and enumeration of UTI pathogens.</p> <p>Blanking Cuvettes (3 mL)* For zero blanking the Micropro® BCS Analyzer.</p> <p>Printer Paper Roll For printing the test results.</p> <p>Micropro® - ID Well Stand For ID test wells.</p> <p>Fixed Volume Micropipette 100 µL For dispensing urine specimen into Barcoded Cuvette (A) and Testing Vial (B).</p> <p>Fixed Volume Micropipette 300 µL For dispensing the broth culture growth into ID test wells.</p> <p>User Manual</p>	<p>1 Unit</p> <p>2 Nos.</p> <p>1 No.</p> <p>1 No.</p> <p>1 No.</p> <p>1 No.</p> <p>1 No.</p>	On request
CAT. NO.	REAGENT PACKS	PACK SIZE	LIST PRICE (₹)
209131130025	<p>Micropro® - Broth Culture Kit (25 Tests)</p> <p>(A) Barcoded Cuvettes A - Black Cap (3 mL)* Ready to use, barcoded cuvettes for use on Micropro® BCS Analyzer.</p> <p>(B) Test Vials B - Green Cap (1.5 mL)* Ready to use, broth culture test vials for ID test only.</p> <p>(C) Gamma-Sterile Microtips (100 µL) Gamma-Sterile microtips with filter barrier for use with 100 µL fixed volume pipette.</p>	2 x 25 Nos.	4260.00
209131140050	<p>Micropro® - ID Kit (50 Tests)</p> <p>(A) Micropro® ID Reagents (5 mL)* For biochemical identification of the UTI pathogens.</p> <p>(B) Micropro® ID Wells Breakable test wells for use in the Biochemical ID Test.</p>	<p>8 x 1 No.</p> <p>25 x 12 wells</p>	1665.00
209131150050	<p>Micropro® - UTI Screening Kit (50 Tests)</p> <p>a) Barcoded Cuvettes (A) - Black Cap (3 mL)* Ready to use, barcoded, broth culture cuvettes for use on Micropro® BCS Analyzer.</p> <p>b) Gamma-Sterile Microtips (100 µL) Gamma-Sterile microtips with filter barrier for use with 100 µL fixed volume pipette.</p>	50 Nos.	3995.00
CAT. NO.	CONSUMABLE PACKS	PACK SIZE	LIST PRICE (₹)
209070280025	<p>Gamma Sterile Microtips (100 µL) Gamma-Sterile microtips with filter barrier for use with 100 µL fixed volume pipette.</p>	2 x 25 Nos.	255.00
209271160001	<p>300 µL Microtips Microtips in a tipbox.</p>	1 Box	790.00
209020660002	<p>Blanking Cuvettes (3 mL)* Cuvettes for zero blanking the Micropro® - BCS Analyzer.</p>	2 Nos.	120.00
209160670002	<p>Printer Paper Roll Paper Roll for printing the test results.</p>	2 Nos.	280.00
209131170001	<p>Micropro® - ID Well Stand Stand for ID test wells.</p>	1 No.	665.00
209060330001	<p>Fixed Volume Micropipette 100 µL For dispensing urine specimens into Barcoded Cuvette (A) and Testing Vial (B).</p>	1 No.	10650.00
209060340001	<p>Fixed Volume Micropipette 300 µL For dispensing the broth culture growth into ID test wells.</p>	1 No.	10650.00

* Store at 2-8°C

NOTE: With Micropro®-AST Susceptibility Test Panel Kit - UTI (209131190020) / GN (209131200020) / GN. 1 (209131210020) / GN. 2 (209131220020) / GP (209131230020) / GP. 1 (209131240020), Micropro®-AST Inoculum Preparation Kit (209131250020) and Reagent Kit Accessories (209131260020) are provided.

CAT. NO.	COMPONENTS	PACK SIZE	LIST PRICE (₹)
209131180001	Micropro® - AST Analyzer Analyzer for Reading AST microplates. MICROXPRESS® McFarland Reader McFarland reader for inoculum preparation. Susceptibility Test Panel Tray with Tray Cover Tray to place susceptibility test panels while testing. Multichannel Micropipette (12 Channel, Fixed-200 µL) Micropipette for dispensing inoculum. Gamma Sterile Microtips (200 µL) Gamma sterile tips. Tip Box Tip Box. Analyzer Accessories User Manual, power cable, rs232 cable, fuses, lamp etc. (rs232 port or Serial converter if required).	1 Unit 1 Unit 10 Nos. 1 No. 12 x 20 Nos. 1 No. 1 No.	On request
CAT. NO.	REAGENT PACKS	PACK SIZE	LIST PRICE (₹)
209131190020	Micropro® - AST Susceptibility Test Panel Kit - UTI (20 Tests)* Micropro®- AST Susceptibility Test Panel - UTI (Sensitivity Panels).	20 Nos.	4260.00
209131200020	Micropro® - AST Susceptibility Test Panel Kit - GN (20 Tests)* Micropro®- AST Susceptibility Test Panel - GN (Sensitivity Panels).	20 Nos.	5325.00
209131210020	Micropro® - AST Susceptibility Test Panel Kit - GN.1 (20 Tests)* Micropro®- AST Susceptibility Test Panel - GN.1 (Sensitivity Panels).	20 Nos.	5325.00
209131220020	Micropro® - AST Susceptibility Test Panel Kit - GN.2 (20 Tests)* Micropro®- AST Susceptibility Test Panel - GN.2 (Sensitivity Panels).	20 Nos.	5325.00
209131230020	Micropro® - AST Susceptibility Test Panel Kit - GP (20 Tests)* Micropro®- AST Susceptibility Test Panel - GP (Sensitivity Panels).	20 Nos.	5325.00
209131240020	Micropro® - AST Susceptibility Test Panel Kit - GP.1 (20 Tests)* Micropro®- AST Susceptibility Test Panel - GP.1 (Sensitivity Panels).	20 Nos.	5325.00
209131250020	Micropro® - AST Inoculum Preparation Kit (20 Tests)* a) Normal Saline For inoculum preparation. b) MH Broth-Cation Adjusted Ready to use broth for culture growth.	20 Nos.	
209131260020	Micropro® - AST Reagent Kit Accessories (20 Tests) a) Gamma Sterile Loop Gamma sterile loop for inoculum preparation. b) Gamma Sterile Dropper Gamma sterile droppers for inoculum preparation. c) Gamma Sterile Reservoir Gamma sterile reservoirs for inoculum preparation.	20 Nos.	
209070300020	Gamma Sterile Tips (200 µL) (20 Tests) Gamma Sterile tips without tipbox.	12 x 20 Nos.	
CAT. NO.	CONSUMABLE PACKS	PACK SIZE	LIST PRICE (₹)
209131870001	MICROXPRESS® McFarland Reader McFarland reader for inoculum preparation.	1 Unit	26620.00
209070300020	Gamma Sterile Tips (200 µL) (20 Tests) Gamma Sterile tips without tipbox.	12 x 20 Nos.	400.00
209070310001	Gamma Sterile Tipbox (200 µL) Gamma Sterile tipbox.	1 Box	400.00
209131280001	Multichannel Micropipette (12 Channel, Fixed-200 µL) Micropipette for dispensing inoculum.	1 No.	26620.00
209191240005	Susceptibility Test Panel Tray with Tray Cover Tray to place susceptibility test panels while testing and cover for protection against dust.	2 x 5 Nos.	600.00

* Store at 2-8°C

NOTE: With Micropro®-AST Susceptibility Test Panel Kit - UTI (209131190020) / GN (209131200020) / GN. 1 (209131210020) / GN. 2 (209131220020) / GP (209131230020) / GP. 1 (209131240020), Micropro®-AST Inoculum Preparation Kit (209131250020) and Reagent Kit Accessories (209131260020) are provided.

CAT. NO.	COMPONENTS	PACK SIZE	LIST PRICE (₹)
209131290001	<p>Micropro® - MIC Analyzer Analyzer for Reading MIC Susceptibility Test Panels.</p> <p>MICROXPRESS® McFarland Reader McFarland reader for inoculum preparation.</p> <p>Susceptibility Test Panel Tray Cover Cover for susceptibility test panel.</p> <p>Multichannel Stepper Micropipette (8 Channel, 1200 µL) Micropipette for dispensing inoculum.</p> <p>Gamma Sterile Microtips (1200 µL) Gamma sterile tips.</p> <p>Gamma Sterile Tip Box (1200 µL) Gamma sterile tip box.</p> <p>Analyzer Accessories User Manual, power cable, rs232 cable, fuses, lamp, etc. (rs232 port or Serial converter if required).</p>	<p>1 Unit</p> <p>1 Unit</p> <p>10 Nos.</p> <p>1 Unit</p> <p>8 x 30 Nos.</p> <p>1 No.</p> <p>1 No.</p>	<p>On request</p>
CAT. NO.	REAGENT PACKS	PACK SIZE	LIST PRICE (₹)
209131300030	<p>Micropro® - MIC GN1 Test Kit (30 Tests)* Micropro® - MIC Test Panel - GN1.</p>	30 Nos.	11980.00
209131320030	<p>Micropro® - MIC GN3 Test Kit (30 Tests)* Micropro® - MIC Test Panel - GN3.</p>	30 Nos.	11980.00
209131330030	<p>Micropro® - MIC GP1 Test Kit (30 Tests)* Micropro® - MIC Test Panel - GP1.</p>	30 Nos.	11980.00
209131350030	<p>Micropro® - MIC Inoculum Preparation (30 Tests) a) Normal Saline* For inoculum preparation.</p> <p>b) MH Broth-Cation Adjusted* Ready to use broth for culture growth.</p>	30 Nos.	
209131360030	<p>Micropro® - MIC Reagent Accessories (30 Tests) a) Gamma Sterile Loop Gamma sterile loop for inoculum preparation.</p> <p>b) Gamma Sterile Dropper Gamma sterile droppers for inoculum preparation.</p> <p>c) Gamma Sterile Reservoir Gamma sterile reservoirs for inoculum preparation.</p>	30 Nos.	
209070320030	<p>Gamma Sterile Microtips (1200 µL) (30 Tests) Gamma sterile tips without tipbox.</p>	8 x 30 Nos.	590.00
CAT. NO.	CONSUMABLE PACKS	PACK SIZE	LIST PRICE (₹)
209131870001	<p>MICROXPRESS® McFarland Reader McFarland reader for inoculum preparation.</p>	1 Unit	26620.00
209070320030	<p>Gamma Sterile Microtips (1200 µL) (30 Tests) Gamma Sterile tips without tipbox.</p>	8 x 30 Nos.	590.00
209070330001	<p>Gamma Sterile Tipbox (1200 µL) Gamma Sterile tipbox without tips.</p>	1 Box	1000.00
209131370001	<p>Multichannel Stepper Micropipette (8 Channel, 1200 µL) Micropipette for dispensing inoculum.</p>	1 No.	106480.00
209191250020	<p>Susceptibility Test Panel Tray Cover Tray cover for susceptibility test panel.</p>	20 Nos.	600.00
209191250010		10 Nos.	305.00
209140340001	<p>Normal Saline (30 Tests)* For inoculum preparation.</p>	1 No.	1070.00
209131660030	<p>MH Broth-Cation Adjusted (25 mL)* Ready to use broth for culture growth.</p>	30 Tests	3730.00

* Store at 2-8°C

Note: Micropro®-MIC Inoculum Preparation Kit (209131350030) and Reagent Kit Accessories (209131360030) are provided.



CAT. NO.	COMPONENTS	PACK SIZE	LIST PRICE (₹)
209131860025	Micropro® - BMD Susceptibility Test Panel Kit- Colistin* Micropro® - BMD Susceptibility Test Panel - Colistin (Sensitivity Strips).	25 Tests	5080.00
209131770025	Micropro® - BMD Susceptibility Test Panel Kit- Colistin/Polymyxin B* Micropro® - BMD Susceptibility Test Panel - Colistin/Polymyxin B (Sensitivity Strips).	25 Tests	4960.00
209131930025	Micropro® - BMD Susceptibility Test Panel Kit- Chloramphenicol* Micropro® - BMD Susceptibility Test Panel - Chloramphenicol (Sensitivity Strips).	25 Tests	5445.00
209131920025	Micropro® - BMD Susceptibility Test Panel Kit- Ceftriaxone* Micropro® - BMD Susceptibility Test Panel - Ceftriaxone (Sensitivity Strips).	25 Tests	5445.00
209132030025	Micropro® - BMD Susceptibility Test Panel Kit- Ceftazidime/Avibactam* Micropro® - BMD Susceptibility Test Panel - Ceftazidime/Avibactam (Sensitivity Strips).	25 Tests	5690.00
209131850025	Micropro® - BMD Susceptibility Test Panel Kit- Fosfomycin* Micropro® - BMD Susceptibility Test Panel - Fosfomycin (Sensitivity Strips).	25 Tests	5080.00
209131940025	Micropro® - BMD Susceptibility Test Panel Kit- Imipenem* Micropro® - BMD Susceptibility Test Panel - Imipenem (Sensitivity Strips).	25 Tests	5565.00
209132000025	Micropro® - BMD Susceptibility Test Panel Kit- Meropenem* Micropro® - BMD Susceptibility Test Panel - Meropenem (Sensitivity Strips).	25 Tests	5080.00
209131840025	Micropro® - BMD Susceptibility Test Panel Kit- Teicoplanin* Micropro® - BMD Susceptibility Test Panel - Teicoplanin (Sensitivity Strips).	25 Tests	5080.00
209132010025	Micropro® - BMD Susceptibility Test Panel Kit- Tigecycline* Micropro® - BMD Susceptibility Test Panel - Tigecycline (Sensitivity Strips).	25 Tests	5810.00
209131780025	Micropro® - BMD Susceptibility Test Panel Kit- Vancomycin* Micropro® - BMD Susceptibility Test Panel - Vancomycin (Sensitivity Strips).	25 Tests	5080.00
209132140025	Micropro® - BMD Susceptibility Test Panel Kit- Penicillin* Micropro® - BMD Susceptibility Test Panel - Penicillin (Sensitivity Strips).	25 Tests	5445.00
209132150025	Micropro® - BMD Susceptibility Test Panel Kit- Erythromycin* Micropro® - BMD Susceptibility Test Panel - Erythromycin (Sensitivity Strips).	25 Tests	5390.00
209132180025	Micropro® - BMD Susceptibility Test Panel Kit- Ceftriaxone/Sulbactam/EDTA* Micropro® - BMD Susceptibility Test Panel - Ceftriaxone/Sulbactam/EDTA (Sensitivity Strips).	25 Tests	5810.00
209131760025	MH Broth-Cation Adjusted (3 mL)* Ready to use broth for culture growth.	25 Tests	

* Store at 2-8°C



ACCESSORIES & MACHINES

CAT. NO.	ACCESSORIES	PACK SIZE	LIST PRICE (₹)
208011130250	Autoclavable Disposable Bag Recommended for disposal of bio-hazardous materials. Bag Size : 20"(h) x 14"(b)	5 x 50 Nos.	7370.00
208140350100	Nyflock™ Gamma-Irradiated Nylon microfibers flocked swab with breakpoint. Type of Stick : Polypropylene Swab Stick Size : 152 mm Individual Packaging	100 Nos.	10385.00
208140360100	Nyflock™ II Gamma-Irradiated nylon microfibers Flocked swab, recommended for nasopharyngeal and urethral collection with breakpoint. Type of Stick : Polypropylene Swab Stick Size : 155 mm Individual Packaging	100 Nos.	10405.00
208191260100	Sterispread™ Gamma-Irradiated sterile disposable L-spreader. Stick Size : 158 mm Spreader Size : 57 mm Individual Packaging	100 Nos.	1980.00
208191270100	Steristik® Gamma-Irradiated sterile cotton bud with polypropylene stick. Swab Stick Size : 135 mm Individual Packaging	100 Nos.	925.00

Store at 10-30°C

CAT. NO.	ACCESSORIES	PACK SIZE	LIST PRICE (₹)
208191280100	Steritrans™ Gamma-Irradiated sterile polypropylene tube, cotton bud with polypropylene stick. Total length of the Tube with Cap : 168 mm Swab Stick Size : 135 mm Type of Cap : Red colour push lock cap Individual Packaging	100 Nos.	2440.00
208191290100	Steritrans™-E Ethylene Oxide sterile polypropylene tube, cotton bud with polypropylene stick. Total length of the Tube with Cap : 168 mm Swab Stick Size : 135 mm Type of Cap : Yellow colour push lock cap Individual Packaging	100 Nos.	2310.00
208191300100	Steriloop®-1 Gamma-Irradiated sterile 1 µL inoculation loop with stabber tip. Stick Size : 191 mm Outer Diameter of the Loop : 3 mm Individual Packaging	100 Nos.	1055.00
208191310100	Steriloop®-10 Gamma-Irradiated sterile 10 µL inoculation loop. Stick Size : 194 mm Outer Diameter of the Loop : 6.53 mm Individual Packaging	100 Nos.	1200.00
208192920250	Sterile Disposable Forceps Gamma-Irradiated sterile disposable forceps. Forcep Size : 114 mm Individual Packaging	250 Nos.	6050.00
208160680100	Poly-E Swab™ Gamma-Irradiated Polyester/Dacron® foam tipped swab, thermally bonded with polypropylene stick. Swab Stick Size : 109 mm Individual Packaging	100 Nos.	9185.00
208040640100	Deodorizing Pearls Fresh citrus fragrance deodorant to mask unpleasant odours generated during autoclaving.	3 x 100 Nos.	6335.00
208161280100	125 mL Polycarbonate Bottle (Gamma-Irradiated) Gamma-Irradiated sterile polycarbonate bottle.	100 Nos.	16005.00
208161290100	250 mL Polycarbonate Bottle (Gamma-Irradiated) Gamma-Irradiated sterile polycarbonate bottle.	100 Nos.	21505.00
CAT. NO.	ANAEROBIC CULTURE SYSTEM	PACK SIZE	LIST PRICE (₹)
208010760001	Anaerobic Culture Jar Polycarbonate transparent jar, lid fitted with vacuum pressure gauge safely valve and silicon 'O' ring gasket (Includes stainless steel petri dish carrier and tube rack). Capacity – 3.5 L	1 No.	30060.00
208010770001	Anaerobic Culture Jar II Polycarbonate transparent jar with sturdy lid (Includes stainless steel petri dish rack). Capacity – 3.5 L	1 No.	25050.00
208010780001	Anaerobic Container Polycarbonate transparent container with gasket and uniquely designed clamping system that can hold 18 plates for anaerobic testing.	1 No.	23375.00
208010790010	Anaerobic Gas Pack*	1 Pack (10 Nos.)	8315.00
208010800005	Anaerobic Indicator Strip*	1 Pack (5 Nos.)	2245.00
CAT. NO.	MACHINES	PACK SIZE	LIST PRICE (₹)
210010820001	AccuBas® Ax2 Biological air sampler machine.	1 No.	On request
210191330001	Sampling Head Sampling head for AccuBas® Ax2 Air Sampler.	1 No.	On request
210031280001	Colorcult® Scan Analyzer for reading Colorcult® blood culture bottles.	1 No.	On request

Store at 10-30°C, *Store at 15-25°C

TERMS & CONDITIONS

Prices:

Prices mentioned in the Microxpress® Price List, Eighteenth Edition are the stated consumer prices and are subject to change without prior notice. Invoices will be made on the basis of prices ruling on the date of despatch / delivery of goods.

GST:

The prices quoted in the Microxpress® Price List Eighteenth Edition are exclusive of taxes and appropriate GST will be applicable over and above the list prices mentioned in the Eighteenth Edition Price List.

Revision in tax structure will be implemented subject to change.

Road Permit / E-way Bill :

Road permit form / e-way bill where ever applicable may be duly filled and sent along with each order.

Despatch and Delivery:

Prices quoted in the Price List are on Ex-Factory basis. Supplies shall be affected subject to availability of stocks and at prices prevailing at the time of despatch. No amendment / cancellation of orders will be accepted by the Company once the goods are despatched.

Damage / Loss in Transit:

The products are packed with utmost care under professional supervision. Once the consignment is handed over to the transporters / couriers in good condition, the responsibility of the Company ceases. Hence, the Company will not be held liable for any damage or loss in transit. The customers themselves may arrange Transit Insurance. Delivery of the consignment in good condition from the transporter to the customer site will also be held responsible for by the customer himself.

Discounts:

Unless otherwise quoted, the listed prices mentioned in the Microxpress® Price List, Eighteenth Edition stand effective. Discounts if any allowed will be calculated on the listed prices only. Enquiries for bulk quantities are solicited from Actual Users and for which special prices may be quoted.

Other Issues:

No liability will be accepted for accidents arising in handling or use. No responsibility whatsoever shall be accepted for any incidental / consequential damages of any sort arising thereof from use or failure of the products supplied. All products mentioned in the Microxpress® Price List, Eighteenth Edition are for laboratory use only. No responsibility shall be accepted for medicinal / pharmaceutical use. Subject to: State of Goa Jurisdiction.

Microxpress[®]

Division of



TULIP DIAGNOSTICS (P) LTD.

Plot No. S-124, S-125, S-126, Utility Plot No. VIII, Phase III-B
Verna Industrial Estate, Verna, Goa - 403 722, INDIA.

Regd. Office : Gitanjali, Tulip Block, Dr. Antonio do Rego Bagh, Alto Santacruz,
Bambolim Complex Post Office, Goa - 403 202, INDIA.

Email : mex.queries@tulipgroup.com; **Website :** www.microxpress.in