

	ne substance/mix	kture and of the company/undertaking		
.1 Product Identifier				
Catalog No.	203050170050			
Product Name	EMswab™ - Dey Engley Neutralizing Broth I			
.2 Relevant identified uses of	of the substance	or mixture and uses advised against.		
Identified uses Biochemical re		esearch/analysis, Laboratory chemicals, Analytical purpose, agnostics Use.		
I.3 Details of the supplier of	the safety data s	heet:		
Company Name	Microxpress®			
	Division of Tulip	Diagnostics (P) Ltd.		
Address		S-125, S-126, Utility Plot No. VIII, ma Industrial Estate, Verna, Goa-403 72	2, INDIA	
Telephone	(0832) 6625806	5		
Emergency Telephone	· · ·	your local emergency center.		
E-mail Website	sales@tulipgroup www.microxpre	<u>o.com;</u>		
Section 2 – Hazards Identifica	ation			
2.1 Classification of the subs CLP Classification-Regul	tance or mixture ation (EC) No. 12	272/2008[EU-GHS/CLP]		
<ul> <li>2.1 Classification of the subs CLP Classification-Regul Not a hazardous substance</li> <li>2.2 Label elements: Labeling according to Regulate</li> <li>The product does not need</li> </ul>	tance or mixture ation (EC) No. 12 e or mixture accord	7 <b>2/2008[EU-GHS/CLP]</b> ding to Regulation (EC) No.1272/2008	ive national	
<ul> <li>2.1 Classification of the subs CLP Classification-Regul Not a hazardous substance</li> <li>2.2 Label elements: Labeling according to Re The product does not need laws.</li> </ul>	tance or mixture ation (EC) No. 12 e or mixture accord	272/2008[EU-GHS/CLP] ding to Regulation (EC) No.1272/2008 .1272/2008.	ive national	
<ul> <li>2.1 Classification of the subs CLP Classification-Regul Not a hazardous substance</li> <li>2.2 Label elements: Labeling according to Re The product does not need laws.</li> <li>2.3 Other hazards: None.</li> </ul>	tance or mixture ation (EC) No. 12 e or mixture accord gulation (EC) No I to be labelled in a	272/2008[EU-GHS/CLP] ding to Regulation (EC) No.1272/2008 	ive national	
<ul> <li>2.1 Classification of the subs CLP Classification-Regul Not a hazardous substance</li> <li>2.2 Label elements: Labeling according to Re The product does not need laws.</li> <li>2.3 Other hazards: None.</li> </ul>	tance or mixture ation (EC) No. 12 e or mixture accord gulation (EC) No I to be labelled in a	272/2008[EU-GHS/CLP] ding to Regulation (EC) No.1272/2008 	ive national	
<ul> <li>2.1 Classification of the subs CLP Classification-Regul Not a hazardous substance</li> <li>2.2 Label elements: Labeling according to Re The product does not need laws.</li> <li>2.3 Other hazards: None.</li> <li>Section 3 – Composition / Inf</li> </ul>	tance or mixture lation (EC) No. 12 e or mixture accord gulation (EC) No I to be labelled in a formation on Ingr	272/2008[EU-GHS/CLP] ding to Regulation (EC) No.1272/2008 	ive national	
<ul> <li>2.1 Classification of the subs CLP Classification-Regul Not a hazardous substance</li> <li>2.2 Label elements: Labeling according to Re The product does not need laws.</li> <li>2.3 Other hazards: None.</li> <li>Section 3 – Composition / Inf</li> <li>3.1 Substance: Not applicable</li> </ul>	tance or mixture lation (EC) No. 12 e or mixture accord gulation (EC) No I to be labelled in a formation on Ingr	272/2008[EU-GHS/CLP] ding to Regulation (EC) No.1272/2008 		
Not a hazardous substance 2.2 Label elements: Labeling according to Re The product does not need laws. 2.3 Other hazards: None. Section 3 – Composition / Inf 3.1 Substance: Not applicable	tance or mixture lation (EC) No. 12 e or mixture accord gulation (EC) No I to be labelled in a formation on Ingr	edients		

CAS No.

: 367-51-1,

Molecular Formula : C<sub>2</sub>H<sub>3</sub>NaO<sub>2</sub>S



dusts. Soak up with inert absorbent material and dispose contaminated material as waste according t section 13.	TULIP DIAGNOSTICS (P) LT	).	Doc. No. 303	5/EIVI3/DENDIVII/U323/VER-U2
CAS No.       :7631-90-5 Molecular Formula         Hazard description: Non-hazardous.         iection 4 - First Aid Measures         Comparison of first aid measures         Ceneral Information         Get medical attention if symptoms occur.         Inhalation         Provide fresh air, in case unconscious; maintain adequate airway and respiration. Consult a doctor/medical service in case of breathing problems.         Ingestion       Wash out mouth with water if symptoms persist, consult a physician.         Skin Contact       Wash thoroughly with soap and water. Take off immediately all contaminated clothing. Consult a doctor/medical service if irritation persists.         Eye Contact       Rinse out with plenty of water. Remove contact lenses. If symptoms persists consult a physician.         4.2 Most important symptoms and effects, both acute and delayed: None.         Exection 5 - Fire Fighting Measures         4.1 Suitable Extinguishing Agents:       CO <sub>2</sub> , ABC multipurpose dry chemical or water spray. Fight large fires wi water spray or alcohol resistant foam.         2.3 Special Protective Equipment and Advice for firefighters:       Wear self-contained breathing apparatus for firefighting, if necessary.         Evection 6 - Accidental Release Measures       Accidental Release Measures         4.1 Personal precautions, protective equipment and emergency procedures: No special precautionan health measures should be needed under anticipated conditions of use. Wear appropriate person protective equipment	Sodium Bisulphite		≥1%	0 - 0.25
Molecular Formula : NaHSO3         Hazard description: Non-hazardous.         ection 4 - First Aid Measures         Ceneral Information         Get medical attention if symptoms occur.         Inhalation         Provide fresh air, in case unconscious; maintain adequate airway and respiration. Consult a doctor/medical service in case of breathing problems.         Ingestion       Wash out mouth with scap and water. Take off immediately all contaminated clothing. Consult a doctor/medical service if irritation persists.         Eye Contact       Wash toroughly with scap and water. Take off immediately all contaminated clothing. Consult a doctor/medical service if irritation persists.         Eye Contact       Rinse out with plenty of water. Remove contact lenses. If symptoms persists consult a physician.         2.2 Most important symptoms and effects, both acute and delayed: None.         ection 5 - Fire Fighting Measures         1.1 Suitable Extinguishing Agents: CO <sub>2</sub> , ABC multipurpose dry chemical or water spray. Fight large fires wit water spray or alcohol resistant foam.         2.3 Special hazards arising from the substance or mixture: Development of hazardous combustion gases or vapours possible in the event of fire.         3.3 Special Protective Equipment and Advice for firefighters: Wear self-contained breathing apparatus for firefighting, if necessary.         ection 6 - Accidental Release Measures         1.1 Personal precautions, protective equipment and emergency procedures: No special precautionan health measures should be needed und		1-90-5		
Hazard description: Non-hazardous.         ection 4 - First Aid Measures         General Information       Get medical attention if symptoms occur.         Inhalation       Provide fresh air, in case unconscious; maintain adequate airway and respiration. Consult a doctor/medical service in case of breathing problems.         Ingestion       Wash out mouth with water If symptoms persist, consult a physician.         Skin Contact       Wash thoroughly with soap and water. Take off immediately all contaminated clothing. Consult a doctor/medical service if irritation persists.         Eye Contact       Rinse out with plenty of water. Remove contact lenses. If symptoms persists consult a physician.         2. Most important symptoms and effects, both acute and delayed: None.         ection 5 - Fire Fighting Measures         1.1 Suitable Extinguishing Agents: CO <sub>2</sub> , ABC multipurpose dry chemical or water spray. Fight large fires wir water spray or alcohol resistant foam.         2. Special hazards arising from the substance or mixture: Development of hazardous combustion gases or vapours possible in the event of fire.         3.3 Special Protective Equipment and Advice for firefighters: Wear self-contained breathing apparatus for firefighting, if necessary.         ection 6 - Accidental Release Measures         1.1 Personal precautions, protective equipment and emergency procedures: No special precautional health measures should be needed under anticipated conditions of use. Wear appropriate person protective equipment (PPE) as regulated by your laboratory protocol including lab coat, safety glasses, an gloves.				
ection 4 - First Aid Measures         General Information       Get medical attention if symptoms occur.         Inhalation       Provide fresh air, in case unconscious; maintain adequate airway and respiration. Consult a doctor/medical service in case of breathing problems.         Ingestion       Wash out mouth with water If symptoms persist, consult a physician.         Skin Contact       Wash horoughly with scap and water. Take off immediately all contaminated clothing. Consult a doctor/medical service if irritation persists.         Eye Contact       Rinse out with plenty of water. Remove contact lenses. If symptoms persists consult a physician.         2. Most important symptoms and effects, both acute and delayed: None.         ection 5 - Fire Fighting Measures         1 Suitable Extinguishing Agents: CO <sub>2</sub> , ABC multipurpose dry chemical or water spray. Fight large fires wil water spray or alcohol resistant foam.         2 Special hazards arising from the substance or mixture: Development of hazardous combustion gases or vapours possible in the event of fire.         3 Special Protective Equipment and Advice for firefighters: Wear self-contained breathing apparatus for firefighting, if necessary.         ection 6 - Accidental Release Measures         1 Personal precautions, protective equipment and emergency procedures: No special precautional health measures should be needed under anticipated conditions of use. Wear appropriate person protective equipment (PPE) as regulated by your laboratory protocol including lab coat, safety glasses, an gloves.         2 Methods and materials for containment an				
1 Description of first aid measures General Information Inhalation       Get medical attention if symptoms occur. Provide fresh air, in case unconscious; maintain adequate airway and respiration. Consult a doctor/medical service in case of breathing problems. Ingestion         Wash out mouth with water If symptoms persist, consult a physician.       Skin Contact         Wash thoroughly with soap and water. Take off immediately all contaminated clothing. Consult a doctor/medical service if irritation persists.         Eye Contact       Rinse out with plenty of water. Remove contact lenses. If symptoms persists consult a physician.         2.2 Most important symptoms and effects, both acute and delayed: None.         Election 5 – Fire Fighting Measures         .1 Suitable Extinguishing Agents: CO <sub>2</sub> , ABC multipurpose dry chemical or water spray. Fight large fires wit water spray or alcohol resistant foam.         .2 Special hazards arising from the substance or mixture: Development of hazardous combustion gases or vapours possible in the event of fire.         .3 Special Protective Equipment and Advice for firefighters: Wear self-contained breathing apparatus for firefighting, if necessary.         ection 6 – Accidental Release Measures         .1 Personal precautions, protective equipment and emergency procedures: No special precautional health measures should be needed under anticipated conditions of use. Wear appropriate person protective equipment (PPE) as regulated by your laboratory protocol including lab coat, safety glasses, an gloves.         .2 Methods and materials for containment and cleaning up: Clean up affected area. Avoid generation of dusts. Soak up with iner				
General Information Inhalation         Get medical attention if symptoms occur.           Inhalation         Provide fresh air, in case unconscious; maintain adequate airway and respiration. Consult a doctor/medical service in case of breathing problems.           Ingestion         Wash out mouth with water If symptoms persist, consult a physician.           Skin Contact         Wash thoroughly with soap and water. Take off immediately all contaminated clothing. Consult a doctor/medical service if irritation persists.           Eye Contact         Rinse out with plenty of water. Remove contact lenses. If symptoms persists consult a physician.           4.2 Most important symptoms and effects, both acute and delayed: None.           Election 5 – Fire Fighting Measures           4.1 Suitable Extinguishing Agents: CO <sub>2</sub> , ABC multipurpose dry chemical or water spray. Fight large fires wit water spray or alcohol resistant foam.           4.2 Special hazards arising from the substance or mixture: Development of hazardous combustion gases or vapours possible in the event of fire.           4.3 Special Protective Equipment and Advice for firefighters: Wear self-contained breathing apparatus for firefighting, if necessary.           Election 6 – Accidental Release Measures           4.1 Personal precautions, protective equipment and emergency procedures: No special precautional health measures should be needed under anticipated conditions of use. Wear appropriate person protective equipment (PPE) as regulated by your laboratory protocol including lab coat, safety glasses, an gloves.           2.2 Methods and materials for containment and cleaning	Section 4 – First Aid Measu	es		
General Information Inhalation       Get medical attention if symptoms occur. Provide fresh air, in case unconscious; maintain adequate airway and respiration. Consult a doctor/medical service in case of breathing problems. Wash out mouth with water If symptoms persist, consult a physician.         Skin Contact       Wash thoroughly with scap and water. Take off immediately all contaminated clothing. Consult a doctor/medical service if irritation persists.         Eye Contact       Rinse out with plenty of water. Remove contact lenses. If symptoms persists consult a physician.         4.2 Most important symptoms and effects, both acute and delayed: None.         Section 5 – Fire Fighting Measures         5.1 Suitable Extinguishing Agents:       CO2, ABC multipurpose dry chemical or water spray. Fight large fires wit water spray or alcohol resistant foam.         6.2 Special hazards arising from the substance or mixture: Development of hazardous combustion gases or vapours possible in the event of fire.         6.3 Special Protective Equipment and Advice for firefighters: Wear self-contained breathing apparatus for firefighting, if necessary.         6.4 Personal precautions, protective equipment and emergency procedures: No special precautional health measures should be needed under anticipated conditions of use. Wear appropriate person protective equipment (PPE) as regulated by your laboratory protocol including lab coat, safety glasses, an gloves.         6.2 Methods and materials for containment and cleaning up: Clean up affected area. Avoid generation of dusts. Soak up with inert absorbent material and dispose contaminated material as waste according to section 13.	.1 Description of first aid m	easures		
Inhalation       Provide fresh air, in case unconscious; maintain adequate airway and respiration. Consult a doctor/medical service in case of breathing problems.         Ingestion       Wash out mouth with water If symptoms persist, consult a physician.         Skin Contact       Wash thoroughly with soap and water. Take off immediately all contaminated clothing. Consult a doctor/medical service if irritation persists.         Eye Contact       Rinse out with plenty of water. Remove contact lenses. If symptoms persists consult a physician.         4.2 Most important symptoms and effects, both acute and delayed: None.         Section 5 - Fire Fighting Measures         2.1 Suitable Extinguishing Agents:       CO <sub>2</sub> , ABC multipurpose dry chemical or water spray. Fight large fires will water spray or alcohol resistant foam.         3.2 Special hazards arising from the substance or mixture: Development of hazardous combustion gases or vapours possible in the event of fire.         3.3 Special Protective Equipment and Advice for firefighters: Wear self-contained breathing apparatus for firefighting, if necessary.         Section 6 - Accidental Release Measures         2.1 Personal precautions, protective equipment and emergency procedures: No special precautional health measures should be needed under anticipated conditions of use. Wear appropriate person protective equipment (PPE) as regulated by your laboratory protocol including lab coat, safety glasses, an gloves.         2.2 Methods and materials for containment and cleaning up: Clean up affected area. Avoid generation of dusts. Soak up with inert absorbent material and dispose contaminated material as was	•		tion if symptoms occur.	
Ingestion       respiration. Consult a doctor/medical service in case of breathing problems.         Wash out mouth with water If symptoms persist, consult a physician.       Wash thoroughly with soap and water. Take off immediately all contaminated clothing. Consult a doctor/medical service if irritation persists.         Eye Contact       Rinse out with plenty of water. Remove contact lenses. If symptoms persists consult a physician.         2.2 Most important symptoms and effects, both acute and delayed: None.         Eection 5 - Fire Fighting Measures         1.1 Suitable Extinguishing Agents: CO <sub>2</sub> , ABC multipurpose dry chemical or water spray. Fight large fires wil water spray or alcohol resistant foam.         2.2 Special hazards arising from the substance or mixture: Development of hazardous combustion gases or vapours possible in the event of fire.         3.3 Special Protective Equipment and Advice for firefighters: Wear self-contained breathing apparatus for firefighting, if necessary.         Ferton 6 - Accidental Release Measures         1.1 Personal precautions, protective equipment and emergency procedures: No special precautional health measures should be needed under anticipated conditions of use. Wear appropriate person protective equipment (PPE) as regulated by your laboratory protocol including lab coat, safety glasses, an gloves.         2.2 Methods and materials for containment and cleaning up: Clean up affected area. Avoid generation of dusts. Soak up with inert absorbent material and dispose contaminated material as waste according t section 13.				stain adequate airway and
Ingestion       Wash out mouth with water If symptoms persist, consult a physician.         Skin Contact       Wash out mouth with water If symptoms persist, consult a physician.         Eye Contact       Wash out mouth with water. Take off immediately all contaminated clothing. Consult a doctor/medical service if irritation persists.         Eye Contact       Rinse out with plenty of water. Remove contact lenses. If symptoms persists consult a physician.         2.2 Most important symptoms and effects, both acute and delayed: None.         ection 5 – Fire Fighting Measures         1.1 Suitable Extinguishing Agents:       CO <sub>2</sub> , ABC multipurpose dry chemical or water spray. Fight large fires wil water spray or alcohol resistant foam.         2.2 Special hazards arising from the substance or mixture: Development of hazardous combustion gases or vapours possible in the event of fire.         3.3 Special Protective Equipment and Advice for firefighters: Wear self-contained breathing apparatus for firefighting, if necessary.         ection 6 – Accidental Release Measures         1.1 Personal precautions, protective equipment and emergency procedures: No special precautional health measures should be needed under anticipated conditions of use. Wear appropriate person protective equipment (PPE) as regulated by your laboratory protocol including lab coat, safety glasses, an gloves.         2.2 Methods and materials for containment and cleaning up: Clean up affected area. Avoid generation of dusts. Soak up with inert absorbent material and dispose contaminated material as waste according the section 13.	initiation			
Skin Contact       Wash thoroughly with soap and water. Take off immediately all contaminated clothing. Consult a doctor/medical service if irritation persists.         Eye Contact       Rinse out with plenty of water. Remove contact lenses. If symptoms persists consult a physician.         2.2 Most important symptoms and effects, both acute and delayed: None.         Eection 5 - Fire Fighting Measures         1.1 Suitable Extinguishing Agents:       CO <sub>2</sub> , ABC multipurpose dry chemical or water spray. Fight large fires will water spray or alcohol resistant foam.         2.2 Special hazards arising from the substance or mixture: Development of hazardous combustion gases or vapours possible in the event of fire.         3.3 Special Protective Equipment and Advice for firefighters: Wear self-contained breathing apparatus for firefighting, if necessary.         ection 6 - Accidental Release Measures         1.1 Personal precautions, protective equipment and emergency procedures: No special precautional health measures should be needed under anticipated conditions of use. Wear appropriate person protective equipment (PPE) as regulated by your laboratory protocol including lab coat, safety glasses, an gloves.         2.2 Methods and materials for containment and cleaning up: Clean up affected area. Avoid generation of dusts. Soak up with inert absorbent material and dispose contaminated material as waste according the section 13.	Indection	-		• •
Eye Contact       clothing. Consult a doctor/medical service if irritation persists. Rinse out with plenty of water. Remove contact lenses. If symptoms persists consult a physician.         4.2 Most important symptoms and effects, both acute and delayed: None.         Section 5 - Fire Fighting Measures         1.1 Suitable Extinguishing Agents: CO <sub>2</sub> , ABC multipurpose dry chemical or water spray. Fight large fires wil water spray or alcohol resistant foam.         2.2 Special hazards arising from the substance or mixture: Development of hazardous combustion gases or vapours possible in the event of fire.         3.3 Special Protective Equipment and Advice for firefighters: Wear self-contained breathing apparatus for firefighting, if necessary.         4.1 Personal precautions, protective equipment and emergency procedures: No special precautional health measures should be needed under anticipated conditions of use. Wear appropriate person protective equipment (PPE) as regulated by your laboratory protocol including lab coat, safety glasses, an gloves.         2.2 Methods and materials for containment and cleaning up: Clean up affected area. Avoid generation of dusts. Soak up with inert absorbent material and dispose contaminated material as waste according to section 13.	-			
Eye Contact       Rinse out with plenty of water. Remove contact lenses. If symptoms persists consult a physician.         22 Most important symptoms and effects, both acute and delayed: None.         ection 5 - Fire Fighting Measures         1 Suitable Extinguishing Agents: CO <sub>2</sub> , ABC multipurpose dry chemical or water spray. Fight large fires wil water spray or alcohol resistant foam.         23 Special hazards arising from the substance or mixture: Development of hazardous combustion gases or vapours possible in the event of fire.         33 Special Protective Equipment and Advice for firefighters: Wear self-contained breathing apparatus for firefighting, if necessary.         ection 6 - Accidental Release Measures         1 Personal precautions, protective equipment and emergency procedures: No special precautional health measures should be needed under anticipated conditions of use. Wear appropriate person protective equipment (PPE) as regulated by your laboratory protocol including lab coat, safety glasses, an gloves.         2 Methods and materials for containment and cleaning up: Clean up affected area. Avoid generation of dusts. Soak up with inert absorbent material and dispose contaminated material as waste according to section 13.	Skin Contact			
Consult a physician.     Consult a physic				
<ul> <li>A.2 Most important symptoms and effects, both acute and delayed: None.</li> <li>A.2 Most important symptoms and effects, both acute and delayed: None.</li> <li>A.1 Suitable Extinguishing Agents: CO<sub>2</sub>, ABC multipurpose dry chemical or water spray. Fight large fires with water spray or alcohol resistant foam.</li> <li>A.2 Special hazards arising from the substance or mixture: Development of hazardous combustion gases or vapours possible in the event of fire.</li> <li>A.3 Special Protective Equipment and Advice for firefighters: Wear self-contained breathing apparatus for firefighting, if necessary.</li> <li>A.4 Personal precautions, protective equipment and emergency procedures: No special precautional health measures should be needed under anticipated conditions of use. Wear appropriate person protective equipment (PPE) as regulated by your laboratory protocol including lab coat, safety glasses, an gloves.</li> <li>A Methods and materials for containment and cleaning up: Clean up affected area. Avoid generation of dusts. Soak up with inert absorbent material and dispose contaminated material as waste according the section 13.</li> </ul>	Eye Contact			enses. It symptoms persists
<ul> <li>ection 5 – Fire Fighting Measures</li> <li>1 Suitable Extinguishing Agents: CO<sub>2</sub>, ABC multipurpose dry chemical or water spray. Fight large fires witwater spray or alcohol resistant foam.</li> <li>2 Special hazards arising from the substance or mixture: Development of hazardous combustion gases or vapours possible in the event of fire.</li> <li>3 Special Protective Equipment and Advice for firefighters: Wear self-contained breathing apparatus for firefighting, if necessary.</li> <li>ection 6 – Accidental Release Measures</li> <li>1 Personal precautions, protective equipment and emergency procedures: No special precautional health measures should be needed under anticipated conditions of use. Wear appropriate person protective equipment (PPE) as regulated by your laboratory protocol including lab coat, safety glasses, an gloves.</li> <li>2 Methods and materials for containment and cleaning up: Clean up affected area. Avoid generation of dusts. Soak up with inert absorbent material and dispose contaminated material as waste according to section 13.</li> </ul>		consult a physicia	n.	
<ul> <li>ection 5 – Fire Fighting Measures</li> <li>1 Suitable Extinguishing Agents: CO<sub>2</sub>, ABC multipurpose dry chemical or water spray. Fight large fires with water spray or alcohol resistant foam.</li> <li>2 Special hazards arising from the substance or mixture: Development of hazardous combustion gases or vapours possible in the event of fire.</li> <li>3 Special Protective Equipment and Advice for firefighters: Wear self-contained breathing apparatus for firefighting, if necessary.</li> <li>ection 6 – Accidental Release Measures</li> <li>1 Personal precautions, protective equipment and emergency procedures: No special precautional health measures should be needed under anticipated conditions of use. Wear appropriate person protective equipment (PPE) as regulated by your laboratory protocol including lab coat, safety glasses, an gloves.</li> <li>2 Methods and materials for containment and cleaning up: Clean up affected area. Avoid generation of dusts. Soak up with inert absorbent material and dispose contaminated material as waste according to section 13.</li> </ul>				
<ol> <li>Suitable Extinguishing Agents: CO<sub>2</sub>, ABC multipurpose dry chemical or water spray. Fight large fires wit water spray or alcohol resistant foam.</li> <li>Special hazards arising from the substance or mixture: Development of hazardous combustion gases or vapours possible in the event of fire.</li> <li>Special Protective Equipment and Advice for firefighters: Wear self-contained breathing apparatus for firefighting, if necessary.</li> <li>ection 6 – Accidental Release Measures</li> <li>Personal precautions, protective equipment and emergency procedures: No special precautional health measures should be needed under anticipated conditions of use. Wear appropriate person protective equipment (PPE) as regulated by your laboratory protocol including lab coat, safety glasses, an gloves.</li> <li>Methods and materials for containment and cleaning up: Clean up affected area. Avoid generation of dusts. Soak up with inert absorbent material and dispose contaminated material as waste according the section 13.</li> </ol>	.2 Most important symptor	ns and effects, botl	h acute and delayed: None.	
<ol> <li>Suitable Extinguishing Agents: CO<sub>2</sub>, ABC multipurpose dry chemical or water spray. Fight large fires wit water spray or alcohol resistant foam.</li> <li>Special hazards arising from the substance or mixture: Development of hazardous combustion gases or vapours possible in the event of fire.</li> <li>Special Protective Equipment and Advice for firefighters: Wear self-contained breathing apparatus for firefighting, if necessary.</li> <li>ection 6 – Accidental Release Measures</li> <li>Personal precautions, protective equipment and emergency procedures: No special precautional health measures should be needed under anticipated conditions of use. Wear appropriate person protective equipment (PPE) as regulated by your laboratory protocol including lab coat, safety glasses, an gloves.</li> <li>Methods and materials for containment and cleaning up: Clean up affected area. Avoid generation of dusts. Soak up with inert absorbent material and dispose contaminated material as waste according the section 13.</li> </ol>				
<ul> <li>1 Suitable Extinguishing Agents: CO<sub>2</sub>, ABC multipurpose dry chemical or water spray. Fight large fires wit water spray or alcohol resistant foam.</li> <li>2 Special hazards arising from the substance or mixture: Development of hazardous combustion gases or vapours possible in the event of fire.</li> <li>3 Special Protective Equipment and Advice for firefighters: Wear self-contained breathing apparatus for firefighting, if necessary.</li> <li>ection 6 – Accidental Release Measures</li> <li>1 Personal precautions, protective equipment and emergency procedures: No special precautional health measures should be needed under anticipated conditions of use. Wear appropriate person protective equipment (PPE) as regulated by your laboratory protocol including lab coat, safety glasses, an gloves.</li> <li>2 Methods and materials for containment and cleaning up: Clean up affected area. Avoid generation of dusts. Soak up with inert absorbent material and dispose contaminated material as waste according to section 13.</li> </ul>	action 5 Eiro Eighting Ma	0011700		
<ul> <li>water spray or alcohol resistant foam.</li> <li>2 Special hazards arising from the substance or mixture: Development of hazardous combustion gases or vapours possible in the event of fire.</li> <li>3 Special Protective Equipment and Advice for firefighters: Wear self-contained breathing apparatus for firefighting, if necessary.</li> <li>ection 6 – Accidental Release Measures</li> <li>1 Personal precautions, protective equipment and emergency procedures: No special precautional health measures should be needed under anticipated conditions of use. Wear appropriate person protective equipment (PPE) as regulated by your laboratory protocol including lab coat, safety glasses, an gloves.</li> <li>2 Methods and materials for containment and cleaning up: Clean up affected area. Avoid generation of dusts. Soak up with inert absorbent material and dispose contaminated material as waste according the section 13.</li> </ul>		asui 5		
<ul> <li>vapours possible in the event of fire.</li> <li><b>3 Special Protective Equipment and Advice for firefighters</b>: Wear self-contained breathing apparatus for firefighting, if necessary.</li> <li><b>3 Cection 6 – Accidental Release Measures</b></li> <li><b>1 Personal precautions, protective equipment and emergency procedures</b>: No special precautional health measures should be needed under anticipated conditions of use. Wear appropriate person protective equipment (PPE) as regulated by your laboratory protocol including lab coat, safety glasses, an gloves.</li> <li><b>2 Methods and materials for containment and cleaning up</b>: Clean up affected area. Avoid generation of dusts. Soak up with inert absorbent material and dispose contaminated material as waste according the section 13.</li> </ul>	• •	•	multipurpose dry chemical or wa	ater spray. Fight large fires wit
firefighting, if necessary. Section 6 – Accidental Release Measures A Personal precautions, protective equipment and emergency procedures: No special precautional health measures should be needed under anticipated conditions of use. Wear appropriate person protective equipment (PPE) as regulated by your laboratory protocol including lab coat, safety glasses, an gloves. A Methods and materials for containment and cleaning up: Clean up affected area. Avoid generation of dusts. Soak up with inert absorbent material and dispose contaminated material as waste according to section 13.	•		or mixture: Development of ha	azardous combustion gases or
<ul> <li>5.1 Personal precautions, protective equipment and emergency procedures: No special precautional health measures should be needed under anticipated conditions of use. Wear appropriate person protective equipment (PPE) as regulated by your laboratory protocol including lab coat, safety glasses, an gloves.</li> <li>5.2 Methods and materials for containment and cleaning up: Clean up affected area. Avoid generation of dusts. Soak up with inert absorbent material and dispose contaminated material as waste according to section 13.</li> </ul>		ment and Advice fo	or firefighters: Wear self-conta	ined breathing apparatus for
<ul> <li>health measures should be needed under anticipated conditions of use. Wear appropriate person protective equipment (PPE) as regulated by your laboratory protocol including lab coat, safety glasses, an gloves.</li> <li><b>5.2 Methods and materials for containment and cleaning up:</b> Clean up affected area. Avoid generation of dusts. Soak up with inert absorbent material and dispose contaminated material as waste according to section 13.</li> </ul>	Section 6 – Accidental Relea	ase Measures		
	health measures should protective equipment (PP	be needed under	anticipated conditions of use	e. Wear appropriate persona
dusts. Soak up with inert absorbent material and dispose contaminated material as waste according t section 13.				
3.3 Environmental precautions: Avoid release to the environment.	dusts. Soak up with iner		••••	-
	3.3 Environmental precautio	ns: Avoid release to	the environment.	



# Section 7 – Handling and Storage

- 7.1 Precautions for safe handling: Avoid contact with eyes, skin and clothing.
- **7.2 Conditions for safe storage, including any incompatibilities:** Store in a cool, dry place. Recommended storage temperature, check product label.
- **7.3 Specific end uses:** Apart from the uses mentioned in section 1.2 no other specific uses are stipulated. **Storage:** Store at 2°C-8°C.

### Section 8 – Exposure Control / Personal Protection

- **8.1 Control parameters**: Contains no substances with occupational exposure limit values.
- **8.2 Appropriate engineering controls:** General industrial hygiene practice; Avoid contact with skin, eyes and clothing. Wash hands before and after handling the products.

### Personal protective equipment: Eye/face protection: Use safety glasses.

**Skin protection:** Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique to avoid contact. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

**Body Protection**: Choose body protection in relation to the specific work-place.

**Respiratory protection:** Wear mask or other protective equipment's. Ensure adequate ventilation.

Environmental exposure controls: Do not empty into drains.

### **Section 9 – Physical and Chemical Properties**

#### 9.1 Information on basic physical and chemical properties:



Explosive properties Oxidizing properties Vapour density Thermal decomposition No data available. No data available. No data available. No data available.

## Section 10 – Stability and Reactivity

- **10.1 Reactivity**: Stable under recommended transport or storage condition.
- 10.2 Chemical stability: Stable under recommended storage conditions.
- **10.3 Possibility of hazardous reactions**: Hazardous reactions will not occur under normal transport or storage conditions.
- 10.4 Conditions to avoid: Avoid exposure to heat and moisture to maintain product stability.
- 10.5 Incompatible materials: No data available.

**10.6 Hazardous decomposition products**: No decomposition if used according to the specification.

Section 11 – Toxicological Information

11.1 Information on toxicological effect	¢.		
Acute toxicity		No data available.	
Skin corrosion/irritation		No data available.	
Serious eye damage/eye irrita	tion	No data available.	
Respiratory or skin sensitizati		No data available.	
Germ cell mutagenicity		No data available.	
Carcinogenicity IARC		No data available.	
Reproductive toxicity		No data available.	
Specific target organ toxicity-	single exposure	No data available.	
Aspiration hazard		No data available.	
Potential Health Effects:			
Inhalation	May be irritating	g if inhaled.	
Skin	No irritating effe	ects.	
Eyes	No irritating effe	ects.	
Ingestion	May be harmful		
Sensitization		effects known. Repeated exposure might cause	
	allergic reaction	is in sensitive individuals.	
Additional Toxicological Informatio	n: None.		
Section 12 – Ecological Information			
12.1 Toxicity:	No data available.		



TULIP DIAGNOSTICS (P) LTD.	DOC. NO. 303/EM3/DENDMI/0323/VER-02			
12.2 Persistence and degradability:	No data available.			
12.3 Bioaccumulative potential:	No data available.			
12.4 Mobility in soil:	No data available.			
12.5 PBT and vPvB assessment:	This product is not identified as a PBT/vPvB.			
12.6 Other adverse effects:	No data available.			
Section 13 – Disposal Considerations	5			
safety procedures. The user's attention is drawn to the <b>Contaminated packaging</b> : Handle	ordance with current legislation and local regulations as per established e possible existence of regional or national regulations regarding disposal. e uncleaned containers like the product itself. ntamination of the prepared material and contaminated containers by fore discarding.			
Section 14 – Transport Information				
<ul> <li>14.1 UN number: NA</li> <li>14.2 UN proper shipping name: This p dangerous goods (IMDG, IATA, AD</li> <li>14.3 Transport hazard class(es): Non-</li> </ul>	,			
14.4 Packaging group: NA				
14.5 Environmental hazards ADR/RID: No	IMDG Marine pollutant: No IATA: No			
14.6 Special precautions for user: Sto	ore the product as per recommended storage conditions refer section 7.			
Section 15 – Regulatory Information				

15.2 Chemical Safety Assessment: Not applicable.



# Section 16 – Other Information

This product is for use by professionals.

To the best of our knowledge the above mentioned information is accurate. However, Microxpress<sup>®</sup> - Division of Tulip Diagnostics (P) Ltd., makes no warranty with respect to its completeness nor assumes any liability resulting from its use. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text. It remains the user's own responsibility to make sure that the information is appropriate and complete for his specific use of this product. The user is also responsible for observing any laws and applicable guidelines.