

•	
	e substance/mixture and of the company/undertaking
1.1 Product Identifier Catalog No.	209131290001
Product Name	Micropro <sup>®</sup> - MIC
	•
1.2 Relevant identified uses on Identified uses	f the substance or mixture and uses advised against. For <i>In vitro</i> Diagnostics Use.
1.3 Details of the supplier of t	he safety data sheet:
Company Name	Microxpress®
	Division of Tulip Diagnostics (P) Ltd.
Address	Plot No. S-124, S-125, S-126, Utility Plot No. VIII,
	Phase III-B, Verna Industrial Estate, Verna, Goa-403 722, INDIA
Telephone	(0832) 6625806
Emergency Telephone	Please contact your local emergency center.
E-mail	sales@tulipgroup.com; mex.queries@tulipgroup.com
Website	www.microxpress.in
Section 2 – Hazards Identifica	tion
2.1 Classification of the subst	ance or mixture:
•	ation (EC) No. 1272/2008[EU-GHS/CLP]
Not a nazardous substance	or mixture according to Regulation (EC) No.1272/2008
2.2 Label elements:	
	gulation (EC) No.1272/2008.
laws.	to be labelled in accordance with EC directives or respective national
2.3 Other hazards: None.	
Section 3 – Composition / Info	ormation on Ingredients
Substance: Not applicable.	
Mixture: Ingredients used for th regulations.	is mixture are nonhazardous. No disclosure requirement according to
Components :	
I) Sensitivity Panels.	
GN1 (209131300030) / GN.3	(209131320030) / GP1 (209131330030).



	09131350030)
a) Normal Saline For inoculum preparation	
b) MH Broth-Cation Adjuste	
Ready to use Broth for cultu	re growth
III) Reagent Kit Accessories (2	209131360030)
a) Gamma Sterile Loop	,
For inoculum preparation	
b) Gamma Sterile Dropper	
For inoculum preparation	
<ul> <li>c) Gamma Sterile Reservo</li> </ul>	ir
-,	"
,	
IV) Gamma Sterile Microtips (	
,	1200µL) (209070320030)
IV) Gamma Sterile Microtips ( Section 4 – First Aid Measu	1200µL) (209070320030) r <b>es</b>
<ul> <li>IV) Gamma Sterile Microtips (</li> <li>Section 4 – First Aid Measure</li> <li>4.1 Description of first aid measure</li> </ul>	1200µL) (209070320030) res neasures
IV) Gamma Sterile Microtips ( Section 4 – First Aid Measur 4.1 Description of first aid m General Information	1200µL) (209070320030) res neasures Get medical attention if symptoms occur.
<ul> <li>IV) Gamma Sterile Microtips (</li> <li>Section 4 – First Aid Measure</li> <li>4.1 Description of first aid measure</li> </ul>	1200μL) (209070320030) <b>res</b> <b>neasures</b> Get medical attention if symptoms occur. Provide fresh air, in case unconscious; maintain adequate airway and
IV) Gamma Sterile Microtips ( Section 4 – First Aid Measur 4.1 Description of first aid m General Information Inhalation	1200µL) (209070320030) res neasures Get medical attention if symptoms occur. Provide fresh air, in case unconscious; maintain adequate airway and respiration. Consult a doctor/medical service in case of breathing problems.
IV) Gamma Sterile Microtips ( Section 4 – First Aid Measur 4.1 Description of first aid m General Information Inhalation Ingestion	1200µL) (209070320030) res neasures Get medical attention if symptoms occur. Provide fresh air, in case unconscious; maintain adequate airway and respiration. Consult a doctor/medical service in case of breathing problems. Wash out mouth with water If symptoms persist, consult a physician.
IV) Gamma Sterile Microtips ( Section 4 – First Aid Measur 4.1 Description of first aid m General Information Inhalation	1200μL) (209070320030) res measures Get medical attention if symptoms occur. Provide fresh air, in case unconscious; maintain adequate airway and respiration. Consult a doctor/medical service in case of breathing problems. Wash out mouth with water If symptoms persist, consult a physician. Wash thoroughly with soap and water. Take off immediately all contaminated
IV) Gamma Sterile Microtips ( Section 4 – First Aid Measur 4.1 Description of first aid m General Information Inhalation Ingestion Skin Contact	1200µL) (209070320030) res neasures Get medical attention if symptoms occur. Provide fresh air, in case unconscious; maintain adequate airway and respiration. Consult a doctor/medical service in case of breathing problems. Wash out mouth with water If symptoms persist, consult a physician. Wash thoroughly with soap and water. Take off immediately all contaminated clothing. Consult a doctor/medical service if irritation persists.
IV) Gamma Sterile Microtips ( Section 4 – First Aid Measur 4.1 Description of first aid m General Information Inhalation Ingestion	1200μL) (209070320030) res measures Get medical attention if symptoms occur. Provide fresh air, in case unconscious; maintain adequate airway and respiration. Consult a doctor/medical service in case of breathing problems. Wash out mouth with water If symptoms persist, consult a physician. Wash thoroughly with soap and water. Take off immediately all contaminated
IV) Gamma Sterile Microtips ( Section 4 – First Aid Measur 4.1 Description of first aid m General Information Inhalation Ingestion Skin Contact Eye Contact	1200µL) (209070320030) res neasures Get medical attention if symptoms occur. Provide fresh air, in case unconscious; maintain adequate airway and respiration. Consult a doctor/medical service in case of breathing problems. Wash out mouth with water If symptoms persist, consult a physician. Wash thoroughly with soap and water. Take off immediately all contaminated clothing. Consult a doctor/medical service if irritation persists. Rinse out with plenty of water. Remove contact lenses. If symptoms persists

Section 5 – Fire Fighting Measures

- **5.1 Suitable Extinguishing Agents:** CO<sub>2</sub>, ABC multipurpose dry chemical or water spray. Fight large fires with water spray or alcohol resistant foam.
- **5.2 Special hazards arising from the substance or mixture**: Development of hazardous combustion gases or vapours possible in the event of fire.
- **5.3 Special Protective Equipment and Advice for firefighters**: Wear self-contained breathing apparatus for firefighting, if necessary.

## Section 6 – Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures: No special precautionary health measures should be needed under anticipated conditions of use. Wear appropriate personal



protective equipment (PPE) as regulated by your laboratory protocol including lab coat, safety glasses, and gloves.

- **6.2 Methods and materials for containment and cleaning up:** Clean up affected area. Avoid generation of dusts. Soak up with inert absorbent material and dispose contaminated material as waste according to section 13.
- **6.3 Environmental precautions:** Avoid release to the environment.

Section 7 – Handling and Storage

- 7.1 Precautions for safe handling: Avoid inhaling dust. Avoid contact with eyes, skin and clothing.
- **7.2 Conditions for safe storage, including any incompatibilities:** Store in a cool, dry place. Keep container tightly closed. Recommended storage temperature see product label.
- **7.3 Specific end uses:** Apart from the uses mentioned in section 1.2 no other specific uses are stipulated. **Storage:** Keep container tightly closed. Store at 10°C-30°C and the prepared medium at 2°C-8°C.

Section 8 – Exposure Control / Personal Protection

- **8.1 Control parameters**: Contains no substances with occupational exposure limit values.
- **8.2 Appropriate engineering controls:** General industrial hygiene practice; Avoid contact with skin, eyes and clothing. Wash hands before and after handling the products.

## Personal protective equipment:

Eye/face protection: Use safety glasses.

**Skin protection:** Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique to avoid contact. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

**Body Protection**: Choose body protection in relation to the specific work-place.

**Respiratory protection:** Wear mask or other protective equipment's. Ensure adequate ventilation.

Environmental exposure controls: Do not empty into drains.

Section 9 – Physical and Chemical Properties

I) Appearance:

Sensitivity Panels Sealed in Aluminium Pouch.

II)	Inoculum	Preparation	Kit	
	-		-	

Sensitivity Fanels Sealed In Aluminium Fousi

Clear, Colourless Solution.
Light Amber Colour, Clear solution.
6.50 – 7.50
7.3±0.2



III) Reagent Kit Accessories	
••••••••••••••	na irradiated sterile 10 $\mu$ L (4 mm diameter) inoculation loop in a
	bag with seal intact.
Appearance (Gamma Sterile Dropper): Po	
Appearance (Gamma Sterile Reservoir): B	51 15
Appearance (Gamma Sterile Microtips): 1	200 μL Gamma Sterile tips
Odour	No data available.
Odour Threshold	No data available.
Melting/freezing point	No data available.
Initial boiling point and boiling range	No data available.
Flash point	No data available.
Flammability (Solid, gas)	No data available.
Vapour pressure	No data available.
Relative density	No data available.
Water Solubility	No data available.
Partition coefficient: n-octanol/water	No data available.
Autoignition Temperature	No data available.
Viscosity	No data available.
Explosive properties	No data available.
Oxidizing properties	No data available.
Vapour density	No data available.
Thermal decomposition	No data available.

## Section 10 – Stability and Reactivity

**10.1 Reactivity**: Stable under recommended transport or storage condition.

- **10.2 Chemical stability:** Stable under recommended storage conditions.
- **10.3 Possibility of hazardous reactions**: Hazardous reactions will not occur under normal transport or storage conditions.
- **10.4 Conditions to avoid:** Avoid exposure to heat and moisture to maintain product stability.

**10.5 Incompatible materials**: No data available.

**10.6 Hazardous decomposition products**: No decomposition if used according to the specification.



Section 11 – Toxicological Informatio	n	
11.1 Information on toxicological effe Acute toxicity Skin corrosion/irritation Serious eye damage/eye irrita Respiratory or skin sensitizati Germ cell mutagenicity Carcinogenicity IARC Reproductive toxicity Specific target organ toxicity- Aspiration hazard	tion on	No data available. No data available.
Potential Health Effects: Inhalation Skin Eyes Ingestion	May be irrit No irritating No irritating May be har	effects.
Sensitization Additional Toxicological Informa	No sensitiza allergic read	ation effects known. Repeated exposure might cause ctions in sensitive individuals.
Sensitization Additional Toxicological Informa Section 12 – Ecological Information	No sensitiza allergic read	ation effects known. Repeated exposure might cause ctions in sensitive individuals.
Sensitization Additional Toxicological Informa Section 12 – Ecological Information 12.1 Toxicity:	No sensitiza allergic read ation: None.	ation effects known. Repeated exposure might cause ctions in sensitive individuals.
Sensitization Additional Toxicological Informa Section 12 – Ecological Information 12.1 Toxicity: 12.2 Persistence and degradability:	No sensitiza allergic read ation: None. No data available	ation effects known. Repeated exposure might cause ctions in sensitive individuals.
Sensitization Additional Toxicological Informa Section 12 – Ecological Information 12.1 Toxicity: 12.2 Persistence and degradability: 12.3 Bioaccumulative potential:	No sensitiza allergic read ation: None. No data available No data available	ation effects known. Repeated exposure might cause ctions in sensitive individuals.
Sensitization	No sensitiza allergic read ation: None. No data available No data available No data available No data available	ation effects known. Repeated exposure might cause ctions in sensitive individuals.
Sensitization Additional Toxicological Informa Section 12 – Ecological Information 12.1 Toxicity: 12.2 Persistence and degradability: 12.3 Bioaccumulative potential: 12.4 Mobility in soil:	No sensitiza allergic read ation: None. No data available No data available No data available No data available	ation effects known. Repeated exposure might cause ctions in sensitive individuals.

**Product:** Dispose of waste in accordance with current legislation and local regulations as per established safety procedures.

The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Contaminated packaging: Handle uncleaned containers like the product itself.

Recommendation: Ensure decontamination of the prepared material and contaminated containers by



autoclaving and / or incineration before discarding. Section 14 – Transport Information 14.1 UN number: NA **14.2 UN proper shipping name:** This product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADA/RID). 14.3 Transport hazard class(es): Non-hazardous for transport. 14.4 Packaging group: NA 14.5 Environmental hazards ADR/RID: No **IMDG Marine pollutant:** No IATA: No **14.6 Special precautions for user:** Store the product as per recommended storage conditions refer section 7. Section 15 – Regulatory Information 15.1 Safety health and environment regulations / legislation specific for the substance or mixture: Specific regulation: Applicable national / regional or local regulations. Safe for all kinds of modes of transportation. 15.2 Chemical Safety Assessment: Not applicable.

## Section 16 – Other Information

This product is for use by professionals.

To the best of our knowledge the above mentioned information is accurate. However, Microxpress<sup>®</sup> - Division of Tulip Diagnostics (P) Ltd., makes no warranty with respect to its completeness nor assumes any liability resulting from its use. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text. It remains the user's own responsibility to make sure that the information is appropriate and complete for his specific use of this product. The user is also responsible for observing any laws and applicable guidelines.