

Peptone, Bacteriological**Intended Use**

A nutritious ingredient used in the preparation of culture media for the cultivation of a wide variety of bacteria and fungi.

Summary and Principle

Peptone is used as an organic nitrogen source in microbiological culture media for cultivation of a variety of bacteria and fungi. It contains nitrogen in a form that is readily available for bacterial growth. It also has high peptone and amino acid content, with only a negligible quantity of proteoses and more complex nitrogenous constituents.

Storage and Stability

Store between 10 - 30°C in tightly closed container and away from bright light. Avoid freezing and overheating. Use before expiry date on the label. Once opened keep powdered medium closed to avoid hydration.

Note: TSE/BSE certificate is available on request.

Directions

Refer to the final concentration in the formula of the medium being prepared.

Quality Control

Test	Specifications
Appearance	Light yellow/ yellowish brown coloured powder
Solubility	Completely soluble in water
Colour and Clarity of 1% w/v aqueous solution after autoclaving at 15 psi / 15 min	Light yellow coloured, clear solution
pH after autoclaving	6.5 ± 1.5
Ash Content	Not More Than 12%
Loss on Drying (Moisture Content)	Not More Than 5%
α – Amino Nitrogen Content	Not Less Than 2.5%
Total Nitrogen Content	Not Less Than 10%
Total Microbial Count	Less than 5000 cfu/g
<i>E. coli</i>	Absent
<i>Salmonella</i>	Absent
<i>Pseudomonas</i>	Absent
<i>Staphylococcus aureus</i>	Absent

Cultural Response

Cultural characteristics observed after an incubation of 18-24 hours at 30°C-35°C for bacteria and 2-5 days for fungi at 20°C-25°C.

Organism (ATCC)

Organism (ATCC)	Growth
<i>Staphylococcus aureus</i> subsp. <i>aureus</i> (6538)	Good
<i>Escherichia coli</i> (8739)	Good
<i>Pseudomonas aeruginosa</i> (9027)	Good
<i>Streptococcus pyogenes</i> Strain Bruno (19615)	Good
<i>Candida albicans</i> 3147 (10231)	Good
<i>Aspergillus brasiliensis</i> WLRI 034(120) (16404)	Good

Note: Growth for *Aspergillus brasiliensis* was observed after 72 hours at 20-25°C for quantitative test and the same is carried out for qualitative test and confirmed characteristic growth (White mycelial growth with black spores) after 4-5 days.

Typical Analysis

NaCl (%)	1.7	Leucine (% Free)	1.6
Calcium (µg/g)	18	Leucine (% Total)	3.8
Magnesium (µg/g)	1	Lysine (% Free)	2.2
Potassium (µg/g)	2542	Lysine (% Total)	3.4
Sodium (µg/g)	18440	Methionine (% Free)	0.3
Chloride (%)	0.90	Methionine (% Total)	0.7
Sulfate (%)	0.32	Phenylalanine (% Free)	1.4
Phosphate (%)	0.40	Phenylalanine (% Total)	2.8
Alanine (% Free)	1.2	Proline (% Free)	0.3
Alanine (% Total)	9.2	Proline (% Total)	8.8
Arginine (% Free)	2.8	Serine (% Free)	0.4
Arginine (% Total)	5.8	Serine (% Total)	1.5
Asparagine (% Free)	0.3	Threonine (% Free)	0.3
Aspartic acid (% Free)	0.3	Threonine (% Total)	1.1
Aspartic acid (% Total)	5.0	Tryptophan (% Free)	0.3
Cystine (% Free)	*	Tyrosine (% Free)	0.5
Glutamic Acid (% Free)	0.7	Tyrosine (% Total)	0.6
Glutamic Acid (% Total)	8.1	Valine (% Free)	0.7
Glutamine (% Free)	*	Valine (% Total)	2.8
Glycine (% Free)	0.7	Isoleucine (% Free)	0.6
Glycine (% Total)	15.9	Isoleucine (% Total)	2.1
Histidine (% Free)	0.2		
Histidine (% Total)	0.8		










* Below level of detection

Reference

1. U.S. Food and Drug Administration. 2001. Bacteriological analytical manual, online. AOAC International, Gaithersburg, Md.
2. United States Pharmacopeial Convention, Inc. 2008. The United States pharmacopeia 31/The national formulary 26, Supp. 1, 8-1-08, online. United States Pharmacopeial Convention, Inc., Rockville, Md.
3. Wehr and Frank (ed.). 2004. Standard methods for the examination of dairy products, 17th ed. American Public Health Association, Washington, D.C.
4. Data on file: Microxpress®, A Division of Tulip Diagnostics (P) Ltd.

Product Presentation:

Cat No.	Product description	Pack Size
202160380500	Peptone, Bacteriological	500 g
202160382500	Peptone, Bacteriological	2.5 k
202160389925	Peptone, Bacteriological	25 k (Bag)
202160389825	Peptone, Bacteriological	25 k (Drum)

									
Temperature Limit	Manufacturer	Lot Number	Hygroscopic keep container tightly closed	Date of Manufacture	Catalogue Number	Consult Instructions for use	Use-by Date	Received on	Opened on

Revision: 1025/VER-02

Disclaimer

Information provided is based on our inhouse technical data on file, it is recommended that user should validate at his end for suitable use of the product.