

## Tetrathionate Brilliant Green Bile Broth IP

### Intended Use

Tetrathionate Brilliant Green Bile Broth is used for isolation and identification of *Salmonella* in compliance with IP.

### Summary

Tetrathionate Brilliant Green Bile Broth is prepared as per Indian Pharmacopoeia for isolation and identification of *Salmonella* species from foods, water and other materials of sanitary importance. This medium is useful for inhibiting the growth of competing microflora while promoting the growth of target species.

### Principle

Peptone supply nutrients, nitrogen compounds and amino acids. Dehydrated bile powder supports the growth of enteric bacteria and inhibits other bacteria, which do not normally live in the intestine. Brilliant-green specifically inhibits the Gram- positive accompanying flora. Potassium tetrathionate inhibits normal flora of faecal specimens. Sodium chloride provides sodium ions for the membrane transport and maintains osmotic equilibrium of the medium. The Calcium carbonate is a neutralizer that will absorb any toxic metabolites.

### Formula\*

| Ingredients                         | g/L       |
|-------------------------------------|-----------|
| Peptone                             | 8.6       |
| Potassium Tetrathionate             | 20.0      |
| Brilliant Green                     | 0.07      |
| Dehydrated Bile Powder <sup>#</sup> | 8.0       |
| Sodium Chloride                     | 6.4       |
| Calcium Carbonate                   | 20.0      |
| Final pH (at 25°C)                  | 7.0 ± 0.2 |

\*Adjusted to suit performance parameters.

<sup>#</sup>Equivalent to Dehydrated Ox Bile

### Storage and Stability

Store dehydrated medium below 30°C in tightly closed container and the prepared medium at 2°C-8°C. Avoid freezing and overheating. Use before expiry date on the label. Once opened keep powdered medium closed to avoid hydration.

### Type of Specimen

Pharmaceutical sample; Food and dairy samples

### Specimen Collection and Handling

Ensure that all samples are properly labelled.

Follow appropriate techniques for handling samples as per established guidelines.

Some samples may require special handling, such as immediate refrigeration or protection from light, follow the standard procedure.

The samples must be stored and tested within the permissible time duration.

After use, contaminated materials must be sterilized by autoclaving before discarding.

### Directions

1. Suspend 63.07 g of powder in 1000 mL purified / distilled water.
2. Mix thoroughly.
3. Heat with frequent agitation to dissolve the powder completely. Do not boil DO NOT AUTOCLAVE OR REHEAT.
4. Pour into adequate containers homogenizing the medium well enough to distribute the calcium carbonate.

### Quality Control

**Dehydrated Appearance:** Greenish yellow coloured, homogenous, free flowing powder.

**Prepared Appearance:** Bluish green coloured, opalescent solution with white precipitate.

**Cultural Response:** Cultural characteristics observed after an incubation of 18-24 hours at 30°C-35°C and subsequent recovery on MacConkey Agar for 18-72 hours at 30°C-35°C.

| Organism (ATCC)  | Growth             | Colour of Colony           |
|--|--------------------|----------------------------|
| <i>Salmonella enterica</i> subsp. <i>enterica</i> serovar <i>Typhimurium</i> (14028) | Good               | Colourless                 |
| <i>Salmonella enterica</i> subsp. <i>enterica</i> serovar <i>Typhimurium</i> (23564) | Good               | Colourless                 |
| <i>Salmonella Enteritidis</i> (13076)  | Good               | Colourless                 |
| <i>Shigella flexneri</i> serotype 2b (12022)   | Good               | Colourless                 |
| <i>Staphylococcus aureus</i> subsp. <i>aureus</i> (25923)                            | Inhibited          | -                          |
| <i>Staphylococcus aureus</i> subsp. <i>aureus</i> (6538)                             | Inhibited          | -                          |
| <i>Escherichia coli</i> (25922)  | Partial Inhibition | Pink with bile precipitate |
| <i>Escherichia coli</i> (8739)   | Partial Inhibition | Pink with bile precipitate |

### Interpretation of Results

1. Place one to two drops of the incubated broth onto selective plated media (Deoxycholate Citrate Agar, XLD Agar and Brilliant Green Agar) for *Salmonella* spp. and streak for isolated colonies.
2. Incubate aerobically at 30°C-35°C for 18-48 hours and observe the results.
3. Deoxycholate Citrate Agar: Colourless colonies, XLD Agar: Red colonies with black center, Brilliant Green Agar: Small, transparent, colourless or pink or opaque-white colonies.

### Performance and Evaluation

Performance of the product is dependent on following parameters as per product label claim:

1. Directions
2. Storage
3. Expiry

### Warranty

This product is designed to perform as described on the label and package insert. The manufacturer disclaims any implied warranty of use and sale for any other purpose.

### References

1. Indian Pharmacopoeia, 2007, Vol. II, Published by the Controller of Publications, New Delhi, Government of India, Ministry of Health and Family Welfare.
2. MacFaddin J.F., 1985, Media for Isolation-Cultivation-Identification-Maintenance of Medical Bacteria, Vol. I, Williams and Wilkins, Baltimore.
3. Data on file: Microxpress®, A Division of Tulip Diagnostics (P) Ltd.

### Product Presentation:

| Cat No.      | Product description      | Pack Size |
|--------------|--------------------------|-----------|
| 201200090100 | Dehydrated Culture Media | 100 g     |
| 201200090500 | Dehydrated Culture Media | 500 g     |

|   |  |   |   |   |   |   |
|---|--|---|---|---|---|---|
|  Temperature Limit |  Manufacturer                 |  LOT         |  Batch Code                                |  Date of Manufacture |  This way up |  Received on |
|  Catalogue Number  |  Consult Instructions for use |  Use-by Date |  Hygroscopic keep container tightly closed |  Opened on         |   |   |

Revision: 0825/VER-03

### Disclaimer

Information provided is based on our inhouse technical data on file, it is recommended that user should validate at his end for suitable use of the product.